

SAFETY DATA SHEET

SCENTYMENTAL CRYSTAL 10% HEXYL CINNAMALDEHYDE; ETHYLENE
DODECANEDIOATE; BENZYL SALICYLATE; LINALOOL

Page: 1

Compilation date: 24/10/2017

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SCENTYMENTAL CRYSTAL 10% HEXYL CINNAMALDEHYDE; ETHYLENE
DODECANEDIOATE; BENZYL SALICYLATE; LINALOOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC3: Air care products.

1.3. Details of the supplier of the safety data sheet

Company name: Scentymental
1 Birch Avenue
Thorton-Cleveleys
Lancashire
FY5 2HT
United Kingdom

Tel: 01253975816

Email: scentymental@gmail.com

1.4. Emergency telephone number

Emergency tel: 01253975816

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1A: H317; Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains benzyl salicylate, linalool, ocimum basilicum (basil) oil. May produce an allergic reaction. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains benzyl salicylate, linalool, ocimum basilicum (basil) oil. May produce an allergic reaction.

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark



SAFETY DATA SHEET

SCENTYMENTAL CRYSTAL 10% HEXYL CINNAMALDEHYDE; ETHYLENE
DODECANEDIOATE; BENZYL SALICYLATE; LINALOOL

Page: 2

Signal words: Warning

Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+352: IF ON SKIN: Wash with plenty of water/.
P321: Specific treatment (see instructions on this label).
P333+313: If skin irritation or rash occurs: Get medical attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HEXYL CINNAMALDEHYDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
202-983-3	101-86-0	-	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411	4.000%

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN

214-946-9	1222-05-5	-	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	1.000%
-----------	-----------	---	--	--------

ETHYLENE DODECANEDIOATE

-	54982-83-1	-	Aquatic Acute 1: H400; Aquatic Chronic 3: H412	0.500%
---	------------	---	--	--------

BENZYL SALICYLATE

204-262-9	118-58-1	-	Skin Sens. 1B: H317; Aquatic Chronic 3: H412; STOT SE 2: H371; Skin Sens. 1: H317; Skin Sens. 1A: H317	0.200%
-----------	----------	---	--	--------

LINALOOL

201-134-4	78-70-6	-	Skin Sens. 1B: H317	0.200%
-----------	---------	---	---------------------	--------

OCIMUM BASILICUM (BASIL) OIL

-	8015-73-4	-	Acute Tox. 4: H302; Skin Sens. 1B: H317; Muta. 2: H341; Aquatic Chronic 3: H412; Carc. 2: H351; Skin Sens. 1: H317; Skin Sens. 1A: H317	0.100%
---	-----------	---	---	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

[cont...]

SAFETY DATA SHEET

SCENTYMENTAL CRYSTAL 10% HEXYL CINNAMALDEHYDE; ETHYLENE
DODECANEDIOATE; BENZYL SALICYLATE; LINALOOL

Page: 3

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.
Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

[cont...]

SAFETY DATA SHEET

SCENTYMENTAL CRYSTAL 10% HEXYL CINNAMALDEHYDE; ETHYLENE
DODECANEDIOATE; BENZYL SALICYLATE; LINALOOL

Page: 4

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid

Odour: Pleasant

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

SAFETY DATA SHEET

SCENTYMENTAL CRYSTAL 10% HEXYL CINNAMALDEHYDE; ETHYLENE
DODECANEDIOATE; BENZYL SALICYLATE; LINALOOL

Page: 5

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

[cont...]

SAFETY DATA SHEET

SCENTYMENTAL CRYSTAL 10% HEXYL CINNAMALDEHYDE; ETHYLENE
DODECANEDIOATE; BENZYL SALICYLATE; LINALOOL

Page: 6

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

H341: Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H351: Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H371: May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.