


KA INFINITY Sealant & Adhesive

Material Safety Data Sheet



KA BUILDING PRODUCTS
 TECHNICAL SUPPORT
 +44(0) 1872 879011

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME INFINITY SEALANT & ADHESIVE

APPLICATION

One part, solvent-free adhesive based on the latest polymer technology.

It has excellent UV resistance and primerless adhesion to most substrates. It cures to a tough, elastic adhesive sealant with applications across a range of industries. The cured sealant has good abrasion, oil and solvent resistance.

SUPPLIER Kenyon Agencies Ltd.

Fir Tree Cottage, Wheal Rose, Scorrier, Redruth, Cornwall, TR16 5DF

Tel +44(0)1209 891744



2 HAZARDS IDENTIFICATION

2.1 Classification of the mixture

2.1.1 Regulation EC 1272/2008

Skin sens. 1A: H317

2.2 Label elements

2.2.1 Regulation EC 1272/2008

Hazard pictograms:

Signal word:

WARNING



Hazardous components to be indicated on label:

Contains: 3-(trimethoxysilyl)propylamine

Methyl(1,2,2,6,6-pentamethyl-4-piperidiny)sebacate: May produce an allergic reaction

Hazard statements: H317: May cause an allergic skin reaction

Precautionary statements: P271: Use in well ventilated areas

P280: Wear protective clothing and gloves.

P333+313+312: If skin irritation occurs or if you feel unwell, seek medical advice

2.3 Other hazards

Results of PBT and vPvB assessment

This product does not contain any known PBT or vPvB substances

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS No.	EINECS	REACH registration No.	Classification According to Reg. (EC) 1278/2008 (CLP)	% W/W
Trimethoxy(vinyl)silane	2768-02-7	220-449-8		Flam Liq 2: H225 Acute Tox. 4: H332	0.1– 3%
3-(trimethoxysilyl)propylamine	13822-56-5	237-511-5		Eye dam. 1: H318 Skin Irrit. 2: H315	<1%

Ingredient	CAS No.	EINECS	REACH registration No.	Classification According to Reg. (EC) 1278/2008 (CLP)	% W/W
N-(3-(trimethoxysilyl)propyl) ethylenediamine	1760-24-3	217-164-6		Acute Tox. 4: H332 Aquatic chronic 2: H411 Skin sens. 1: H317 Eye dam. 1: H317	<1%
Benzenepropanoic acid, 3,5,-bis (1,1-dimethylethyl)-4-hydroxy-, C7-9-branched alkyl esters	125643-61-0	406-040-9		Aquatic chronic 4: H413	<1%
alpha-3-(3-(2H-Benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxy-ethylen)	104810-48-2		N/A	Skin sens. 1: H317	<1%
alpha-3-(2H-Benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzo-triazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylen)	104810-47-1				
Bis(1,2,2,6,6-pentamethyl-4-piperidiyl) sebacate	41556-26-7	255-437-1	N/A	Skin sens. 1A: H317 Aquatic chronic 1: H410	<1%
Methyl(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate	82919-37-7	280-060-4			
Diocetyl tin oxide	870-08-6	212-791-1	01-2119971268-27-0002	STOT SE 2: H371	<1%
tetraethylorthosilicate	78-10-4	201-083-8	01-2119496195-28-xxxx	Flam. Liq. 3: H226 Acute Tox. 4: H332 Eye irrit. 2: H319 STOT SE 3: H335	

SECTION 4. FIRST AID MEASURES

4.1 General: In all cases of doubt or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Skin Contact: Wash skin thoroughly with soap and water or a recognised skin cleaner. DO NOT USE SOLVENT OR THINNERS. Seek medical attention if irritation persists.

Eye Contact: Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes holding eyelids apart, and seek medical advice.

Ingestion: If accidentally swallowed wash mouth with water and give large volumes of water to drink. DO NOT induce vomiting. Seek medical attention.

Inhalation: Remove to fresh air. If symptoms persist, or if in doubt, seek medical attention.

4.2 Most important symptoms and effects

Skin contact: Prolonged contact may cause irritation and dry skin.

Eye contact: May affect vision. If irritation persists seek medical advice

Ingestion: Do not induce vomiting. Wash out mouth with water. Consult a doctor.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media: Foam, CO2, powder, water spray/mist.

5.2 Special Hazards: organic compound so black smoke and carbon monoxide and carbon dioxide Will be released in a fire

5.3 Advice for firefighters: Do not allow run off from fire fighting to enter drains or water courses. Wear self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1: Personal precautions and protective equipment

Avoid skin and eye contact. Wear personnel protective equipment. Ensure adequate ventilation.

6.2: Environmental precautions

Do not allow to enter drains or water courses.

6.3: Method for containment and clean up

Contain and collect spillages and place in a suitable container for disposal in accordance with the waste regulations (see section 13). Take action to avoid static electricity discharge.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited during use. For personal protection see Section 8.

Keep away from sources of ignition. Take precautions to avoid static electricity discharge.

The Manual Handling Operations Regulations may apply to the handling of containers/packages of this product. In order to calculate the weight of any pack size, multiply the volume in litres by the specific gravity value given in section 9. This will give the net weight of the product in kilograms.

7.2 Precautions for safe storage Keep containers closed when not in use.

Observe label precautions – Store between 5oC and 25oC. in a dry well-ventilated place away from sources of heat. Protect from frost. Keep out of reach of children. Store separately from oxidising agents and strongly acidic materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

EXPOSURE LIMITS:

Substance	Occupational Exposure Limits				Notations
	8 hr LTEL (1)		15 min STEL(2)		
	ppm	mgm-3	ppm	mgm-3	
diocetyl tin oxide		0.1 (WEL)		0.2 (WEL)	

(1) Long-term exposure limit – 8 hour time weighted average.

(2) Short-term exposure limit – 15 mins time weighted average.

(3) WEL - workplace exposure limit

8.2 Exposure Controls

Engineering Measures: Provide adequate ventilation during application and drying.

Respiratory equipment

If ventilation is insufficient suitable respiratory protective equipment must be worn.

Skin & Hand protection

Wear suitable protective clothing and plastic or rubber gloves.

Eye protection

Eye protection designed to protect against liquid splashes should be worn. Equipment should conform to EN166

Hygiene measures

When using do not eat drink or smoke. Wash hands before eating, drinking, smoking or using the toilet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

physical state viscous paste

odour slight

flash point N/A

specific gravity Translucent - 1.0-1.05 @ 20 oC

Colours – 1.45 – 1.50 @20OC

solubility not soluble in water.

VOC (calculated) Trans:- 22g/ltr Colours: - 35g/ltr

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under normal temperature and storage conditions

10.3 Possibility of hazardous reactions

None known

10.4 Conditions to avoid

Strong acids, bases and oxidising materials

10.5 Incompatible materials

See section 10.4

10.6 Hazardous decomposition products

See section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological effects not established.

Ingestion: May cause discomfort if swallowed. May cause stomach pain and nausea

Skin contact: May cause an allergic skin reaction

Eye contact: Risk of damage to eyes.

Inhalation: not significant

Sensitisation: Not sensitising

STOT: Not classified

SECTION 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

No data available

12.2 Persistence and degradeability

Biodegradation only slightly biodegradeable.

12.3 Bio accumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance

12.6 Other adverse effects

Not available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of this material as hazardous or special waste in accordance with local or national requirements.

SECTION 14 TRANSPORT INFORMATION

This product is not covered by International regulation on the transport of dangerous goods.

14.1 UN number: not applicable

14.2 Proper shipping name: not applicable

14.3 Transport hazard class: not applicable

14.4 Packing group: not applicable

14.5 Environmental hazards: Not classed as Marine pollutant

14.6 Special precautions for users: no. see section 7

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable

SECTION 15. REGULATORY INFORMATION

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Regulation (EC) 1272/2008 (CLP)
Control of Substances Hazardous to Health Regulations 1999
Environment Act 1995
Management of Health and Safety at Work Regulations 1999
Personal Protective Equipment at Work Regulations 1992
Special Waste Regulations 1996 as amended

HEALTH AND SAFETY EXECUTIVE GUIDANCE NOTES

- HS(G)37 An Introduction to Local Exhaust Ventilation
EH40 Occupational Exposure Limits
EH44 Dust: General Principles of Protection
HS(G)53 The Selection, Use and Maintenance of Respiratory Protective Equipment
HS(G)71 Storage of Packaged Dangerous Substances
HS(G)193 COSHH Essentials: easy steps to control chemicals
L23 Manual Handling Guidance on Regulations

BRITISH STANDARDS PUBLICATIONS

- EN420: General Requirements for Gloves
EN166: Personal Eye Protection: Specifications
BS2092: Eye Protection for Industrial and Non-Industrial Users
BS4275: Recommendations for the Selection, Use and Maintenance of Respiratory Protective Equipment

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

SECTION 16. OTHER INFORMATION

Symbols and text used in sections 2 and 3

Hazard statements:	H225	Highly Flammable liquid and vapour
	H226	Flammable liquid and vapour
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H318	Causes serious eye damage
	H332	Harmful if inhaled
	H335	May cause respiratory irritation
	H336	May cause drowsiness and dizziness
	H371	May cause damage to the immune system
	H410	Very toxic to aquatic life with long lasting effects
	H411	Toxic to aquatic life with long lasting effects
	H413	May cause long lasting harmful effects to aquatic life

The information contained in the Health and Safety Data Sheet is provided in accordance with the requirements of the CHIP Regulations. The product should not be used for purposes other than those identified without first referring to the supplier and obtaining written handling instructions. As the specific conditions of use of the product are outside the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. This information contained in the safety data sheet is based on present knowledge and current national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular application.