

BRAZIL - 2013

27th Nov – 10th Dec 2011

HIGHLIGHTS

Either for rarity value, excellent views or simply a group favourite.

- Harpy Eagle
- Crimson-bellied Parakeet
- Crested Owl
- Rufous-faced Antbird
- Spangled Cotinga
- White-browed Purpleuft
- Curl-crested Aracari
- Black-girdled Barbet
- Rufous-capped Nunlet
- Point-tailed Palmcreeper
- Helmeted Manakin
- Short-tailed Antthrush
- Bertoni's Antbird
- Orange-cheeked Parrot
- Dusky Titi Monkey
- Black Spider Monkey
- Giant River Otter
- Black-and-gold Howler
- South American Coati
- Tayra
- Zigzag Heron
- Cryptic Forest Falcon
- White-browed Hawk
- Manu Antbird
- Agami Heron
- Hyacinth Macaw
- Subtropical Doradito
- Blue-crowned Parakeet
- Flame-crowned Manakin
- Pale-crested Woodpecker
- Collared Crescentchest
- Ochre-collared Piculet
- Kawall's Parrot
- Brazilian Tapir
- Jaguar
- Black Cappuchin
- Black-tailed Marmoset
- Paca
- Azara's Agouti
- Crab-eating Fox
- Green-and Rufous Kingfisher
- Razor-billed Curassow
- S. Tawny-bellied Screech-Owl
- Blue-cheeked Jacamar
- White-naped Xenopsaris
- Fiery-capped Manakin
- Great Rufous Woodcreeper
- Red-billed Scythebill
- Pale-crested Woodpecker
- White-banded Mockingbird
- Rondoria Warbling Antbird
- Green-billed Toucan
- Black-fronted Piping Guan
- Blonde-crested Woodpecker
- Nanday Parakeet
- Brown Cappuchin
- Seven-banded Armadillo
- White-whiskered Spider Monkey
- Brazilian Dwarf Brocket Deer
- White-nosed Bearded Saki Monkey

SUMMARY:

This year's Brazil Pantanal added both a pre and post tour extension which proved very popular and indeed proved very successful. We started off in Cristalino Jungle Lodge, a fantastic base from which to explore the Amazon Jungle and its wealth of superb birds. Boat trips and well maintained trails as well as two towers that gave unprecedented views of the jungle canopy allowed us to rack up an astonishing 280 species in our short stay. Moving on to our traditional Pantanal tour we were thrilled to connect with all of our target species with the most obvious being Hyacinth Macaw, a superb adult Harpy Eagle and two very impressive Jaguars. Our total for this section of the tour was a superb 322 species. Finally we spent our last few days at the world famous Iguazu Falls. A little more relaxed than the rest of the tour we enjoyed viewing these very impressive waterfalls. The birds in and around the park were equally good and we got to see many Atlantic rainforest specialities, adding up to 261 species. Our local guides for these areas were simply superb and concentrated their efforts in finding many of the harder to see and more difficult species. Check out our 2014 Brazil Pantanal tour.

One of the birds of the trip.



This fabulous Cryptic Forest Falcon gave fantastic close views in the forest at Cristalino Lodge. This species was only described as a new species in 2003 and still there are only a few good photos of this species. This proves just how difficult most Forest Falcons are to see!

Cristalino Jungle Lodge 27th Sept - 2nd Oct 2013

Our group all arrived in Cuiaba where we overnighed ready for the start of our tour the next day. After a leisurely breakfast we caught our domestic flight to Alta Floresta where we arrived around midday. It was a short distance to our lodge and after settling in we went for some birding in the forest behind the lodge. We soon found **Scarlet Macaws**, **Blue-and-Yellow Macaws**, **Madeira Parakeets**, **Chestnut-eared Aracari**, **Greater Yellow-headed Vulture**, **Plumbeous Kite**, **Swallow-tailed Kite**, **Yellow-tufted Woodpecker** and unexpectedly on a small pond there was a **Sungrebe**. The birding was actually great and we saw a good number of birds. As we entered another section of forest the wind suddenly picked up and the rain started. We decided to make a retreat and just got out of the forest when the most ferocious storm imaginable hit. We sheltered behind a small hut as the winds and rain became horizontal and blew down large trees within the forest. After maybe close to an hour it subsided and we returned to the lodge to dry out. Wow! That was an experience. The next morning a walk back into in the forest soon found us several targets including **Cinnamon-throated Woodcreeper**, **Chestnut-tailed Antbird**, **Spot-winged** and **Plain-winged Antshrikes**, a couple of **Black-girdled Barbets**, **Elegant Woodcreeper** and our finale was superb views of 5 or 6 perched **Crimson-bellied Parakeets** a bird that seems to be difficult to connect with. Leaving Alta Floresta we headed toward Cristalino. Along the way a brief stop secured superb views of two or three **Point-tailed Palmcreepers**, plus **Ochre-lore Flatbill**, **Rufous-browed Peppershrike**, **Turquoise** and **Blue-necked Tanagers**. On arrival at the Telespires River we were greeted by our boat man and some noisy **Red-throated Caracaras**. A gentle boat trip took us to a narrower side river, the Cristalino River and soon we were arriving at the famous Cristalino Jungle Lodge. Just before we went to our wonderful rooms we were treated to fantastic views of a **Crested Owl** on its daytime roost. The hot humid forest here holds an amazing variety of birds and with patience, hard work and of course luck we connected with many superb species such as **Saturnine Antshrike**, **Rufous-faced Antbird**, **Long-tailed Woodcreeper**, **Rufous-rumped Foliage-Gleaner**, dancing **Red-headed Manakins**, **Grey Antwren**, and from Tower 1, which is 50 metres high and overlooking endless jungle canopy we had **White-bellied Parrots**, **Brown Capuchin** and **White-whiskered Spider Monkeys**. A morning visit to Tower 2 gave us really close fantastic views of a number of species including **Spangled Cotinga**, **Curl-crested Aracari**, **Red-necked Aracari**, **Black-girdled Barbet** and **White-browed Purpletuff**. We had fly-by **Kawall's Parrot**, and



It's rare to see a Crested Owl during the daytime right out in the open like this. They are normally hidden in tangles



Stunning male Spangled Cotinga



A real cracker this male Flame-crested Manakin showed well in the mangrove

in the forest we again connected with numerous antbirds including, **Pygmy Antwren**, **Long-winged Antwren**, **Rufous-winged Antwren**, **Striated Antbird**, **Striped Woodcreeper**, **Screaming Piha**, **White-shouldered Shrike-Tanager**, **Snow-capped Manakin**, **Blue-backed Manakin** and **Bare-faced Curassow**. Our first boat trip found us **Glossy Antshrike** and **Amazonian Streaked Antwren** while a short walk into the forest here got us superb looks at **Flame-crowned Manakin**. As we slowly cruised the Cristalino River we found **Razor-billed Curassows**, two **Green-and-Rufous Kingfishers** and a **Bronzy Jacamar**. Along the river edge both **Silvered Antbird** and **Band-tailed Antbirds** showed well, and several **Bat Falcons** gave stunning views perched in the evening light. Flying low over the water were **White-banded Swallows** and above us flew pairs of **Chestnut-fronted Macaws**, while **Chestnut-backed Antshrike** and several **Olive Oropendolas** were also seen. As we slowly returned and as the light faded we got close too, but could not see two **Zigzag Herons** that were calling close to the bank. A **Common Potoo** flew over and our spotlighting produced lots of **Spectacled Caiman**, **Boat-billed Herons**, **Greater and Lesser Fishing Bats** and a **Paca**. The next morning around the lodge produced fantastic views of a day roosting **Southern Tawny-bellied Screech-Owl**, and from the restaurant a **Short-tailed Nighthawk**, and a **Dusky Titi Monkey** were seen. On another forest trail that took us to a ridge where the habitat was drier we worked hard with just reward seeing **Spotted Puffbird**, two **Striolated Puffbirds**, a rare and confiding **Pearly-breasted Cuckoo**, only the second ever record for Cristalino. We also found **Pied Puffbird** and a superb pair of **Rufous-capped Nunlets**. Not a bad puffbird day I would say! Other birds on the trails here included **Blackish** and **Grey Antbirds**, **Black-throated Antbird**, **Short-tailed Pygmy-Tyrant**, a pair of **Natterer's Slaty-Antshrikes**, and a pair of **Blackish Nightjars** on the ground right in front of us. Further on we had difficult views of **Rufous-throated Spinetail**, then **Dusky-tailed Flatbill**. Another evening cruise along the river had us take a short walk into the forest where we connected with **Great Jacamar**, **Paradise Jacamar**, **Spix's Woodcreeper**, and as the light faded we got close but failed to see a singing **Musician Wren**. As we returned at dusk along the river we tried again for the elusive and mythical **Zigzag Heron**. We heard two birds and tried for the one on the opposite bank. We drifted quietly up to the area it was calling and unbelievably there it was in full view on a bare branch, where it stayed on show for about twenty minutes. Fantastic! Yet another day and another trail, this time the Bamboo trail. Our morning proved once again just how good Cristalino is, with sightings of **Amazonian Schiffornis**, **Spix's Warbling-Antbird**, a fabulous **Blue-cheeked Jacamar**, **Rose-**



The second ever record for Pearly-breasted Cuckoo for Cristalino Lodge



A pair of Blackish Nightjars performed just a few feet in front of us



This Southern Tawny-bellied Screech-Owl showed well one day during daylight

breasted Chat, superb views of a perched **White-browed Hawk**, **White-browed Antbird**, **White-whiskered Spider Monkeys** and **White-faced Saki Monkeys**, **White-fronted Nunbirds**, the very localised **Manu Antbird**, and then a crazy mixed flock that led Ian to spot the culprit which was a superb **Cryptic Forest-Falcon**. This elusive species which was only recently described in 2003 gave us unprecedented views just a few feet away. An afternoon river trip found us a pair of **Sunbitterns**, **Capped Heron** and then one of our targets was soon found with great views of **Black-banded Swallows** followed by more difficult views of **Amazonian Tyrannulet**. A **Band-tailed Nightjar** was flushed, while on a small island and we saw **Spotted Tody-Flycatcher**, **Amazonian Antshrikes** and we heard an **Amazonian Umbrellabird** but it flew off before we could see it. Our last morning saw us revisit Tower 1 where it started off misty. A **King Vulture** was perched, a **Curl-crested Aracari** appeared, as did two **Dusky-chested Flycatchers**, several **Spangled Cotingas**, great views of an **Orange-cheeked Parrot**, a pair of fly past **Kawall's Parrots**, both **Ringed** and **Red-necked Woodpeckers**, **White-necked Puffbird**, then some **Paradise Tanagers**, a **Black-bellied Cuckoo**, close views of **Tooth-billed Wren** and fabulous close views of a couple of **Red-billed Pied Tanagers**. As we returned out of the forest a pair of **Red-stained Woodpeckers** was added to our impressive list. We then packed our bags and made our way to the boat where we departed the fabulous Cristalino Jungle Lodge. Once across the river we headed back to Alta Floresta and caught our flight to Cuiaba for the start of our Pantanal tour.

Pantanal 2nd Oct - 10th Oct 2013


It was already afternoon when we arrived and met the rest of our group. Soon we were off towards the great Transpantania. Along the way Gina spotted a **Red-legged Seriema**, and later on we found two **Greater Rheas**. Just as it was getting dark we stopped near some ponds where a variety of herons and ibis were seen along with **Black-collared Hawk**, **Savanna Hawk**, **Snail Kite**, and finally a few **Spot-winged Nightjars**. Continuing on we arrived at hotel Pantanal Mato Grosso in the dark. We were up early for our first boat ride in the Pantanal and dawn saw us set off on two boats onto the Pixaim River. It wasn't long before we were watching **Blue-throated Piping Guans**, **Chaco Chachalacas** and **Bare-faced Curassows**. A **Rusty-backed Spinetail** showed well and then we found a superb **Agami Heron**, with a **Sunbittern** just behind it. Further along the first of two **Sungrebes** showed well, and we added birds such as **Solitary Cacique**, **Fork-tailed Flycatchers**, numerous **Grey-necked Woodrails**, **Green Ibis**, **Bare-faced Ibis**, and



Another bird of the trip was this superb Zigzag Heron seen on our boat trip



Another great bird this White-browed Hawk which gave stunning views



White-whiskered Spider Monkey



A nice posing Sunbittern

Rufescent Tiger-Herons. As we returned we found the **Agami Heron** again and had incredible prolonged views while nearby a **Green-and-rufous Kingfisher** posed for us. We returned for breakfast and at the bird feeders were **Yellow-billed** and **Red-crested Cardinals**, **Bay-winged Cowbirds** and nearby a **Rufous Cachalote**. After breakfast a short walk into the forest produced **Saffron-billed Sparrow**, and a superb **Black-tailed Marmoset** that just sat watching us. Next up was a pair of **Mato Grosso Antbirds**, then an obliging **Rufous-tailed Jacamar**, **Ashy-headed Greenlet**, **Great Antshrike**, **Little Woodpecker**, **Pale-crested Woodpecker**, **White-lored Spinetail**, **Large-billed Antwren**, **Stripe-necked Tody-Tyrant**, **Rusty-fronted Tody Flycatcher**, a pair of **Blue-crowned Trogons**, **Red-billed Scythebill**, fantastic looks at **Helmeted Manakin**, **Moustached Wren**, **Forest Elaenia**, and then on our return a **Campo Flicker**. After lunch we were about to set off when two **Giant River Otters** swam past! Continuing on we stopped for a couple of **Marsh Deer**, and then some stunning male **Scarlet-headed Blackbirds**. Arriving at our next lodge we were greeted by four **Hyacinth Macaws** which were feeding low in some palm trees. Fantastic close views were easily had of these superb birds. Also in the grounds were **Chestnut-eared Aracaris** and **Yellow-headed Caracara**. We then went out just a short distance for the afternoon, and along a quiet track we found **Blue-fronted** and **Scaly-headed Parrots**, a **Great Rufous Woodcreeper**, two **Little Woodpeckers**, on the road were **Chestnut-bellied Guans** which showed well, and then a couple of **Rufous Casiornis** gave us great looks. A pair of **Golden-collared Macaws** flew in and allowed superb close views followed by **Fawn-breasted Wrens**, **Streaked Xenops**, then a **White-bellied Seedeater** and varying views of a secretive **Undulated Tinamou**. At dusk we had super views of **Ferruginous Pygmy-Owl**, a **Tropical Screech-Owl** and finally **Mottled Owl**. Not a bad first full day in the Pantanal. The next day we set off toward Porte Jofre for our boat trip on the Cuiaba River. Once aboard we set off and soon found lots of **Black Skimmers**, **Yellow-billed Terns** and **Large-billed Tern**, plus **Collared Plover** and **Pied Lapwings**. Then we navigated a narrow part of the river through hyacinths until on a corner we watched a superb large **Jaguar** walking around , finally coming down to the river and swimming across. We enjoyed watching this magnificent animal for a long time, after which we went to another river and saw a smaller male **Jaguar** laid asleep on the bank. We then returned for lunch. Behind the restaurant were a couple of pools and here we found **Pectoral Sandpiper**, **White-rumped Sandpiper**, **Lesser Yellowlegs**, **Solitary Sandpiper** and **Pied Lapwing**. Nearby in the Palm trees were up to nine **Hyacinth Macaws** with smaller **Monk Parakeets**



The extremely gorgeous Agami Heron



Hyacinth Macaws are always a big hit



One of our main targets in the Pantanal was to see Jaguar and as you can see from our photo we were not disappointed

keeping them company. Our afternoon boat trip took us to see the sleeping Jaguar again, who was still asleep! It did wake up occasionally and look around at which point we all got good photos. After this we checked a different river where we had great looks at **Southern Screamers**, **Whistling Heron**, **Great Black Hawks**, and some fabulous **Giant River Otters**. As we returned at dusk we noted many **Band-tailed Nighthawks** hawking over the water, along with **Greater** and **Lesser Fishing Bats**. The next morning we drove toward Porte Jofre and made a few strategic stops where we found a **Great Horned Owl** and its chick, **Chotoy Spinetail**, a pair of **Greater Thornbirds**, **Ruddy-collared Seedeater**, **Black-backed Water-Tyrant**, **White-headed Marsh-Tyrant**, **Maguari Storks** including a couple of all dark youngsters on a nest, **Masked Gnatcatchers**, and a **Large Elaenia**. Further along the road we had **Variable Oriole** (a recent split from Epaulet Oriole), great view of **Cinereous-breasted Spinetail**, **Pearly-vented Tody-Tyrant** and then our main target bird which is interesting as it is currently being worked on and may be a future split, we had good views of a **Subtropical Doradito**. We then headed back along the Transpantania, making yet another perfectly timed stop where we quickly found all our targets which included **Rufous-fronted Thornbirds**, **Rusty-backed Antwrens**, a stunning **Green-backed Becard**, and then an amazingly confiding **White-naped Xenopsaris**. We then drove to Rio Claro where we spotted a couple of **Seven-banded Armadillos** on our approach to the lodge. At the lodge we immediately found a group of showy **Nanday Parakeets** which allowed great close up views. Nearby the lodge we spotted **White-rumped Monjitas**, **Campo Flickers**, and a **Brown Brocket Deer**. A walk found us two **Red-billed Scythebills**, an **Orange-winged Parrot**, a pair of **Aplomado Falcons**, some **Red-pileated Finches**, **Golden-green Woodpecker**, **Guira Cuckoos**, **Orange-backed Troupial**, a nice **Plain Inezia** (Tyrannulet), and a male **Green-backed Becard**, **Sunbittern**, **Nanday Parakeets** in beautiful sunlight, and finally a **Crane Hawk**. Next morning we took a short boat ride on the Rio Claro. It was calm and still and a joy to be out. We spotted a **White-wedged Piculet**, **Hooded Tanager**, then superb prolonged views of **Pale-crested Woodpecker**, **Red-billed Scythebill** and two **Great Rufous Woodcreepers**, as well as a couple of **Giant River Otters** that came right over to our boats to investigate us. Back at the ranch we were ready to leave when two **Blue-crowned Parakeets** flew in and gave super close views as they drank from a puddle with a group of **Nandays**. We then headed out along the Transpantania where we spotted a **South American Coati** and a **Tayra**. One last stop allowed us views of the many water birds and



We had many great views of family parties of Giant River Otter



This was one of several Rufous Casinornis that gave close excellent views



Rusty-backed Antwren

hundreds of **Pantanal Caiman** resting on the edges of the water. Continuing on we had lunch and later arrive at our next lodge in Chapada dos Guimaraes National Park. This fabulous lodge soon had us welcomed in and we were watching **White-vented Violet-ear** and **Glittering-bellied Emerald** on the flowers around the swimming pool. A **Wedge-tailed Grass-Finch** showed well, and in the forest we added **Burnished-buff Tanager**, **Blue Dacnis**, several very active **White-bellied Warblers**, **Blue-crowned Trogon**, **Planalto Slaty-Antshrike** and some **Planalto Tyrannulets**. Further on where it was more open we had **Scaled Pigeon**, **Swallow Tanager**, great views of **Sooty-fronted Spinetail**, **Thick-billed Euphonia**, a **Green-winged Saltator**, then a female **Helmeted Manakin** followed by a **Pheasant Cuckoo** that gave about eight flight views but never perched in view. As we worked on the cuckoo we also had **Pauraque** and a **Rufous Nightjar** the latter nearly land on our heads. Next day we set off into the Cerrado which was dry low, uninteresting looking scrub. This habitat this seriously at risk with locals developing it and building houses. We started off with **Peach-fronted Parakeets**, a superb showy **Rufous-winged Antshrike**, several **White-rumped Tanagers**, and some **White-eared Puffbirds**, next up was **Shrike-like Tanager**, and then one of the main targets the **Chapada Flycatcher** with a pair doing a dueting display. Other flycatchers nearby included **Lesser Elaenia**, **Plain-crested Elaenia** and **Southern Beardless Tyrannulet**, and then **Black-faced Tanager**, hundreds of **Fork-tailed Flycatchers**, several **Black-faced Saltators**, a **Green-barred Woodpecker**, some perched **White-eyed Parakeets**, and one of our most wanted birds, we had fantastic close views of a pair of **Collared Crescentchest**s. Further on a group of **Curl-crested Jays** showed well as did a **Suiriri Flycatcher**. A **White-tailed Hawk** circled around, while we tried to get good views of both **Pale-breasted Spinetail** and **Tawny-crowned Pygmy-Tyrant**. Finally we found a lone **Coal-crested Finch** and as we drove away we stopped as a group of **Mississippi Kites** flew over. A stop was then made for three excellent **White Woodpeckers** which put on a great display. In another area we saw a couple of really nice **Band-tailed Manakins** and then went for lunch. In the afternoon we visited a small patch of forest where we soon connected with a **Southern Antpipit**, and then in a mixed flock we had two **White-backed Fire-Eyes**, **Large-billed Antwren**, **Plain Antvireos**, **Blue Dacnis** and **White-lined Tanager**. Further on were **Pectoral Sparrow** and a **Lettered Aracari** which showed well. We then drove to an overlook where we had great views of **Biscutate Swifts**, and several **Crested Black-Tyrants**. Two **Red-and-Green Macaws** were perched close and then flew



Nice male Rusty-collared Seedeater



Attractive female Green-backed Becard



The rare Nanday Parakeet

off and a **Black-chested Buzzard Eagle** put in a brief appearance. Our last morning the Chapada had us check another dusty road where we found a pair of **Guira Tanagers**, a superb **Spot-backed Puffbird**, **Planalto Hermit** and then in another area we had fabulous views of a male **Fiery-capped Manakin**.

After lunch we drove to Serra das Araras where we went for a late afternoon check of the nearby forest. On a pond were **Brazilian Teal** and some **Least Grebes**. Then we got great looks at **Dusky-headed Parakeets** and **Yellow-tufted Woodpeckers**, a **Greater Yellow-headed Vulture** flew past and then we had some nice **Magpie Tanagers**. Nearby a **Black-tailed Trogon** was perched and a **Cinnamon-throated Hermit** put in a brief appearance. **Orange-winged Parrots** flew over and finally a **Great Potoo** was spotlighted. Next morning an early pre-breakfast visit to the nearby forest produced a couple of stunning **Red-necked Woodpeckers**, **Sick's Swifts**, then good looks at **White-eyed Attila**, **Red-shouldered Macaws**, a **Blue Ground-Dove**, and a **Cinnamon-throated Hermit** that showed well as it fed on some nearby flowers. In the same area and unbelievably we had four **Brown Jacamars** all together on one tree. We returned for breakfast and then went out again into the forest. It was extremely hot! A **King Vulture** cruised overhead and then in the forest we got super views of **Rondonia Warbling-Antbird**. Then as we waited for some **Toco Toucans** to appear a huge shape passed overhead and landed in a bare tree. Sure enough it was one of our main target birds an adult **Harpy Eagle**. We enjoyed many views from different angles of this magnificent bird and even glimpsed an immature bird fly over. Very pleased with this we returned to the lodge. After a relaxing midday we went out again in the afternoon and got great views of **Striolated Puffbird**, a pair **Black-throated Antbirds**, **Toco Toucans**, **Rusty-fronted Tody Flycatcher**, **Lettered Aracari**, a pair of **Red-stained Woodpeckers** and a **Pied Puffbird**. As we returned at dusk there was a **Pauraque**, **Short-tailed Nighthawk** and a fly-by of a **Southern Tawny-bellied Screech-Owl**. Our last morning saw just an hour of birding before breakfast where we enjoyed **Cream-coloured Woodpecker**, **White-eyed Attila**, **Swallow-wing** and many other birds we had now got used to. We then left and drove to Cuiaba for our flight to Sao Paulo and then on to Iguazu Falls, where we eventually arrived on the Argentina side in the very early hours of the morning.

Iguazu Falls 11th Oct - 14th Oct 2013

So we had a bit of a rest in the morning before breakfast



Pale-crested Woodpecker



A real favourite was this very showy and confiding Collared Crescentchest



Surprisingly very photos of this species out there, so we were pleased to get good views of this Rondonia Warbling Antbird

and then we drove the short distance to Iguazu National Park. A slow walk soon produced beautiful looking **Plush-crested Jays**, and a few **Blue-winged Parrotlets**, while some **Great Dusky Swifts** flew around as did a **Short-tailed Hawk**. We got great close views of a **Tawny-crowned Pygmy-Tyrant**, **Pale-breasted Thrush**, **Magpie Tanager** and a pair of **Lesser (Chestnut-bellied) Seed-Finches**. On one of the forest trails we found **Surucua Trogons**, **Rufous-capped Motmot**, **Spot-billed Toucanet**, a pair of **White-shouldered Fire-Eyes**, **Southern Antpiper**, **Sepia-capped Flycatcher** and great views of a male **White-bearded Manakin**. A fruiting tree produced a wealth of bird activity and included **Eastern Slaty Thrush**, **White-necked Thrush**, **Creamy-bellied Thrush** and **Rufous-winged Antwren**. Other birds in this forest were **Black-capped Foliage-gleaner**, **Ochre-breasted Foliage-Gleaner**, **Yellow-fronted Woodpecker**, **Olivaceous Woodcreeper**, **Plain Antvireo**, **Green-headed Tanagers**, **Blue-naped Chlorophonias** collecting nesting material, and a **Saffron-billed Sparrow**.

The next day we spent a full day in the park which allowed us to visit and see many of the parks incredible waterfalls and to say they were impressive is almost an understatement! Amongst our highlights during our day of waterfall watching were **Masked Yellowthroat**, superb views of two **Ochre-collared Piculets**, **Eastern Slaty Thrush**, a pair of **Red-breasted Toucans** and a fabulous **Black-fronted Piping Guan**. After lunch we were watching a group of **Black Capuchin Monkeys** and accompanying them was a **Plain-winged Woodcreeper**, and near to the Devil's Throat Falls we saw a couple of **Chestnut-headed Tanagers**.

Our last full day was spent Urugurai National Park where we walked slowly on the forest trails and started off with views of **Euler's Flycatcher**, **Sepia-capped Flycatcher**, **Ochre-collared Piculet** and **Eastern Slaty Thrushes** calling. We then got superb views of the first of many **White-rimmed Warblers** followed by **Greenish Elaenia**. Then we heard a **Short-tailed Antthrush** and after a short while we were treated to fabulous looks at the bird perched a few feet off the ground on an open branch. Next was a showy **White-throated Spadebill** and several **Southern Bristle-Tyrants**, **Buff-browed Foliage-Gleaner** and **Ruby-crowned Tanagers**. A **Southern Antpiper** ran rings around us, then a **Green Schiffornis** was seen briefly, soon followed by good looks at both **Bertoni's Antbird** and **Dusky-tailed Antbirds**, plus a pair of **Rufous-capped Spinetails**. Moving along we found a confiding **Ochre-faced Tody-Flycatcher**, then a male **Spot-backed Antshrike**, and nice looks at **Drab-breasted Bamboo-Tyrant**. A



Always an all-time favourite this male Harpy Eagle was a great find



Plush-crested Jays around Iguazu Falls



A close Ochre-collared Piculet

Tawny-crowned Greenlet was found, followed by some **Yellow Tyrannulets** and down beside the small river we got great views of a **Sharp-tailed Streamcreeper**. A male **Bluish-black Seedeater** showed well, we had **Variable Antshrike** and several **Black-fronted Piping-Guans**. After our four pie picnic lunch, we checked a different area of forest and soon found **Crested** and **White-winged Becards**, we then came across a really good bird a **Creamy-bellied Gnatcatcher** high in a tangle in the canopy. Low down was a pair of **Rufous Gnateaters**. We then had a fantastic moment when a **Brazilian Tapir** was spotted swimming down the river, albeit a bit brief! As we made our way out of this forest we found **Lesser Woodcreeper**, **Rusty-margined Guan** and a couple of heards that just would not show such as **Planalto Tapaculo** and **Black-billed Scythebill**.

Our day of departure saw us have a relaxed morning breakfast and then we set off for a view of a river where we could see Argentina (where we stood), Brazil and Paraguay. From here we visited a small private garden that had a few hummingbird feeders. As we relaxed and watched, we saw **Swallow-tailed Hummingbird**, **Black Jacobin**, **Violet-capped Woodnymph**, **Gilded Sapphire**, **Glittering-bellied Emerald**, **Black-throated Mango** and **Versicoloured Emerald**.

Shortly after we drove to the airport for our afternoon departing flight.

The combination of these three trips made for one of the best Brazil tours we have ever produced, with countless good birds, mammals and spectacular scenery. An incredible 580 species were recorded. The food was fantastic throughout and most of the lodges were ideal. Our thanks go out to our local guides Eduardo and Patricio who were absolutely brilliant!

Thanks to everyone who participated and made this such an enjoyable fun filled tour.


Steve & Gina



Iguazu Falls by Gina Nichol



We got great views of this Black-fronted Piping Guan while looking around the falls at Iguazu



WE spent some time enjoying this Sharp-tailed Streamcreeper at Iguazu



This Tapir swimming up river was a surprise find at Iguazu

BIRDLIST FOR BRAZIL

Cristalino Lodge – Pantanal – Iguazu Falls

Sept/Oct 2013

A = Highest Daily Count B = number of days recorded H = Heard Only Nc = No Count

	SPECIES	SCIENTIFIC NAME	Cristalino 6 Days		Pantanal 9 Days		Iguazu 4 Days	
			A	B	A	B	A	B
1.	Greater Rhea	<i>Rhea americana araneipes</i>			8	4		
2.	Grey Tinamou	<i>Tinamus tao</i>	1	1				
3.	Great Tinamou	<i>Tinamus major</i>	3	2				
4.	Little Tinamou	<i>Crypturellus soui</i>			H	2		
5.	Brown Tinamou	<i>Crypturellus obsoletus</i>					H	1
6.	Undulated Tinamou	<i>Crypturellus undulatus*</i>	1	1	3	6		
7.	Brazilian Tinamou	<i>Crypturellus strigulosus</i>	1	1				
8.	Variegated Tinamou	<i>Crypturellus variegatus</i>	1	2				
9.	Small-billed Tinamou	<i>Crypturellus parvirostris</i>			H	4		
10.	Tataupa Tinamou	<i>Crypturellus tataupa</i>	1	1				
11.	Red-winged Tinamou	<i>Rhynchotus rufescens</i>			H	2		
12.	Least Grebe	<i>Tachybaptus dominicus</i>			4	2		
13.	Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>	Nc	5	10	4	8	2
14.	Anhinga	<i>Anhinga anhinga</i>	4	4	3	4	1	1
15.	Zigzag Heron	<i>Zebilus undulates</i>	2	1				
16.	Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>	2	2	12	5		
17.	Cocoi Heron	<i>Ardea cocoi</i>	2	1	4	5		
18.	Great Egret	<i>Casmerodius alba</i>			6	6		
19.	Snowy Egret	<i>Egretta Thula</i>	1	1	6	5		
20.	Little Blue Heron	<i>Egretta caerulea</i>			2	4		
21.	Western Cattle Egret	<i>Bubulcus ibis</i>	10	2	Nc	7		
22.	Striated Heron	<i>Butorides striata</i>	2	4	8	5	1	2
23.	Agami Heron	<i>Agamia agami</i>			1	1		
24.	Whistling Heron	<i>Syrigma sibilatrix</i>			2	3		
25.	Capped Heron	<i>Pilherodius pileatus</i>	1	2	4	6		
26.	Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>			4	4		
27.	Boat-billed Heron	<i>Cochlearius cochlearius</i>	3	3	3	1		
28.	Maguari Stork	<i>Ciconia Maguari</i>			12	2		
29.	Jabiru	<i>Jabiru mycteria</i>			6	6		
30.	Wood Stork	<i>Mycteria Americana</i>	10	2	Nc	6		
31.	Green Ibis	<i>Mesembrinibis cayennensis</i>	2	3	8	7	2	1
32.	Bare-faced Ibis	<i>Phimosus infuscatus</i>			50	5		
33.	Pumbeous Ibis	<i>Theristicus caerulescens</i>			10	3		
34.	Buff-necked Ibis	<i>Theristicus caudatus</i>			8	4		
35.	Roseate Spoonbill	<i>Platalea ajaja</i>			3	4		
36.	Southern Screamer	<i>Chauna torquata</i>			20	4		
37.	White-faced Whistling Duck	<i>Dendrocygna viduata</i>	20	1	Nc	2		
38.	Black-bellied Whistling Duck	<i>Dendrocygna autumnalis</i>			Nc	1		
39.	Muscovy Duck	<i>Cairina moschata</i>	3	4	8	4		
40.	Brazilian Teal	<i>Amazonetta brasiliensis</i>			10	4		
41.	Black Vulture	<i>Coragyps atratus</i>	20	6	Nc	9	Nc	3
42.	Turkey Vulture	<i>Cathartes aura</i>	3	2	8	2	Nc	3

43.	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>			10	4		
44.	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>	10	6	1	1		
45.	King Vulture	<i>Sarcoramphus papa</i>	1	1	2	1		
46.	Gray-headed Kite	<i>Leptodon cayanensis</i>	1	1				
47.	Swallow-tailed Kite	<i>Elanoides forficatus</i>	8	3	4	2	2	1
48.	Snail Kite	<i>Rostrhamus sociabilis</i>	1	1	4	5		
49.	Double-toothed Kite	<i>Harpagus bidentatus</i>	2	2				
50.	Mississippi Kite	<i>Ictinia mississippiensis</i>			6	2		
51.	Plumbeous Kite	<i>Ictinia plumbea</i>	10	6			50	3
52.	Crane Hawk	<i>Geranospiza caerulescens</i>			1	1		
53.	White-browed Hawk	<i>Leucopternis kuhli</i>	1	1				
54.	White Hawk	<i>Leucopternis albicollis</i>	1	1				
55.	Great Black Hawk	<i>Buteogallus urubitinga</i>	2	3	4	3		
56.	Black-collared Hawk	<i>Busarellus nigricollis</i>			6	5		
57.	Black-chested Buzzard-Eagle	<i>Geranoaetus melanoleucus</i>			1	1		
58.	Savanna Hawk	<i>Buteogallus. meridionalis</i>			4	7		
59.	Roadside Hawk	<i>Buteo magnirostris</i>	1	3	2	6		
60.	Gray Hawk	<i>Buteo nitidus</i>	1	1	1	1		
61.	Short-tailed Hawk	<i>Buteo brachyurus</i>					2	1
62.	White-tailed Hawk	<i>Buteo albicaudatus</i>	1	1	1	2		
63.	Harpy Eagle	<i>Harpia harpyja</i>			2	1		
64.	Black Caracara	<i>Daptrius ater</i>	2	3				
65.	Red-throated Caracara	<i>Ibycter americanus</i>	8	2				
66.	Southern Crested Caracara	<i>Caracara plancus</i>	2	1	8	9	Nc	2
67.	Yellow-headed Caracara	<i>Milvago chimachima</i>			4	6	4	2
68.	Laughing Falcon	<i>Herpetotheres cachinnans</i>	1 H	1	1	2		
69.	Cryptic Forest-Falcon	<i>Micrastur mintoni</i>	1	2				
70.	American Kestrel	<i>Falco sparverius</i>	1	1	3	4		
71.	Aplomado Falcon	<i>Falco femoralis</i>			2	1		
72.	Bat Falcon	<i>Falco rufigularis</i>	2	3	2	4		
73.	Chaco Chachalaca	<i>Ortalis canicollis</i>			10	5		
74.	Spix's Guan	<i>Penelope jacquacu</i>	2	2	1	2		
75.	Chestnut-bellied Guan	<i>Penelope ochrogaster</i>			8	4		
76.	Rusty-margined Guan	<i>Penelope superciliaris</i>					1	1
77.	Blue-throated Piping-Guan	<i>Pipile cumanensis</i>			40	4		
78.	Red-throated Piping-Guan	<i>Pipile cujubi</i>	1	3	3	2		
79.	Black-fronted Piping-Guan	<i>Pipile jacutinga</i>					4	2
80.	Razor-billed Curassow	<i>Mitu tuberosum</i>	3	3				
81.	Bare-faced Curassow	<i>Crax fasciolata</i>	2	1	4	5		
82.	Limpkin	<i>Aramus guarauana</i>	2	4	8	5		
83.	Gray-breasted Crake	<i>Laterallus exilis</i>			H	1		
84.	Rufous-sided Crake	<i>Laterallus melanophaius</i>					H	1
85.	Blackish Rail	<i>Pardirallus nigricans</i>					H	1
86.	Gray-necked Wood-Rail	<i>Aramides cajanea</i>			10	6		
87.	Ash-throated Crake	<i>Porzana albicollis</i>			H	1		
88.	Purple Gallinule	<i>Porphyrio martinica</i>					1	1
89.	Sungrebe	<i>Heliornis fulica</i>	1	1	2	1		
90.	Sunbittern	<i>Eurypyga helias</i>	2	1	2	3		
91.	Red-legged Seriema	<i>Cariama cristata</i>			1	3		
92.	Wattled Jacana	<i>Jacana jacana</i>	4	4	10	7		

93.	White-backed Stilt	<i>Himantopus melanurus</i>			8	6		
94.	Pied Lapwing	<i>Vanellus cayanus</i>	2	2	6	2		
95.	Southern Lapwing	<i>Vanellus chilensis</i>	4	2	12	9	4	3
96.	Collared Plover	<i>Charadrius collaris</i>			2	1		
97.	Spotted Sandpiper	<i>Actitis macularius</i>	1	2	1	1		
98.	Solitary Sandpiper	<i>Tringa solitaria</i>	1	1	3	5		
99.	Lesser Yellowlegs	<i>Tringa flavipes</i>			2	2		
100.	White-rumped Sandpiper	<i>Calidris fuscicollis</i>			4	1		
101.	Pectoral Sandpiper	<i>Calidris melanotos</i>			1	1		
102.	Yellow-billed Tern	<i>Sternula superciliaris</i>			20	1		
103.	Large-billed Tern	<i>Phaetusa simplex</i>			3	2		
104.	Black Skimmer	<i>Rynchops niger intercedens</i>			50	2		
105.	Rock Dove (Feral)	<i>Columba livia</i>			Nc	2		
106.	Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	10	1	50	6	Nc	3
107.	Scaled Pigeon	<i>Patagioenas speciosa</i>			10	3		
108.	Picazuro Pigeon	<i>Patagioenas picazuro</i>	1	1	Com	8	Nc	1
109.	Plumbeous Pigeon	<i>Patagioenas plumbea</i>	2	2	H	2		
110.	Ruddy Pigeon	<i>Patagioenas subvinacea</i>	H	2				
111.	Eared Dove	<i>Zenaida auriculata</i>			1	1	30	2
112.	Ruddy Ground-Dove	<i>Columbina talpacoti</i>	20	2	10	9		
113.	Picui Ground-Dove	<i>Columbina picui</i>			6	3		
114.	Scaled Dove	<i>Columbina squammata</i>	4	1	6	5		
115.	Blue Ground-Dove	<i>Claravis pretiosa</i>			2	3		
116.	White-tipped Dove	<i>Leptotila verreauxi</i>	4	1	30	5	4	1
117.	Gray-fronted Dove	<i>Leptotila rufaxilla</i>					H	1
118.	Ruddy Quail-Dove	<i>Geotrygon Montana</i>	1	3				
119.	Hyacinth Macaw	<i>Anodorhynchus hyacinthinus</i>			15	3		
120.	Chestnut-fronted Macaw	<i>Ara severus</i>	8	2				
121.	Red-and-green Macaw	<i>Ara chloropterus</i>	2	1	3	2		
122.	Scarlet Macaw	<i>Ara macao</i>	8	5				
123.	Blue-and-yellow Macaw	<i>Ara ararauna</i>	10	5				
124.	Blue-crowned Parakeet	<i>Aratinga acuticaudata</i>			2	1		
125.	White-eyed Parakeet	<i>Aratinga leucophthalmus</i>	60	3	25	5	8	2
126.	Red-bellied Macaw	<i>Orthopsittaca manilata</i>	3	2				
127.	Golden-collared Macaw	<i>Primolius auricollis</i>			2	2		
128.	Red-shouldered Macaw	<i>Diopsittaca nobilis</i>			15	3		
129.	Nanday Parakeet	<i>Nandayus nenday</i>			20	2		
130.	Dusky-headed Parakeet	<i>Aratinga weddellii</i>			12	2		
131.	Peach-fronted Parakeet	<i>Aratinga aurea</i>			4	4		
132.	Maroon-bellied Parakeet	<i>Pyrrhura frontalis</i>					10	2
133.	Crimson-bellied Parakeet	<i>Pyrrhura perlata</i>	8	2				
134.	Madeira Parakeet	<i>Pyrrhura snethlagae</i>	8	1				
135.	Monk Parakeet	<i>Myiopsitta monachus</i>			50	5		
136.	Blue-winged Parrotlet	<i>Forpus xanthopterygius</i>					30	2
137.	Dusky-billed Parrotlet	<i>Forpus sclateri</i>	5	3				
138.	Yellow-chevroned Parakeet	<i>Brotogeris chiriri</i>			30	8		
139.	Golden-winged Parakeet	<i>Brotogeris chrysoptera</i>	20	2				
140.	White-bellied Parrot	<i>Pionites leucogaster</i>	5	2				
141.	Orange-cheeked Parrot	<i>Pytilia barrabandi</i>	1	2				
142.	Blue-headed Parrot	<i>Pionus menstruus</i>	10	6	10	2		

143.	Scaly-headed Parrot	<i>Pionus maximiliani</i>			8	3	2	3
144.	Blue-fronted Parrot	<i>Amazona aestival</i>			4	4		
145.	Orange-winged Parrot	<i>Amazona amazonica</i>			2	3		
146.	Kawall's Parrot	<i>Amazona kawalli</i>	2	2				
147.	Little Cuckoo	<i>Coccyzua minuta</i>			1	2		
148.	Squirrel Cuckoo	<i>Piaya cayana</i>	2	3	2	6	2	3
149.	Black-bellied Cuckoo	<i>Piaya melanogaster</i>	1	1				
150.	Pearly-breasted Cuckoo	<i>Coccyzus euleri</i>	1	1				
151.	Guira Cuckoo	<i>Guira guira</i>	4	2	10	6	1	1
152.	Striped Cuckoo	<i>Tapera naevia</i>			H	3		
153.	Pheasant Cuckoo	<i>Dromococcyx phasianellus</i>			1	2		
154.	Greater Ani	<i>Crotophaga major</i>	20	2	6	1		
155.	Smooth-billed Ani	<i>Crotophaga ani</i>	10	3	20	9	20	3
156.	Tropical Screech-Owl	<i>Megascops choliba</i>			1	2		
157.	Southern Tawny-bellied Screech-Owl	<i>Megascops usta</i>	1	2	1	1		
158.	Great Horned Owl	<i>Bubo virginianus</i>			2	1		
159.	Mottled Owl	<i>Ciccaba virgate</i>			1	1		
160.	Crested Owl	<i>Lophotrix cristata</i>	1	2				
161.	Amazonian Pygmy-Owl	<i>Glaucidium hardyi</i>	H	2				
162.	Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>						
163.	Burrowing Owl	<i>Athene cunicularia</i>	4	1	8	4		
164.	Great Potoo	<i>Nyctibius grandis</i>	H	2	1	1		
165.	Common Potoo	<i>Nyctibius griseus</i>	1	1	H	1	H	1
166.	Nacunda Nighthawk	<i>Chordeiles Nacunda</i>						
167.	Pauraque	<i>Nyctidromus albicollis</i>						
168.	Short-tailed Nighthawk	<i>Lurocalis semitorquatus</i>	2	1	1	2		
169.	Common Nighthawk	<i>Chordeiles minor</i>	1	1				
170.	Band-tailed Nighthawk	<i>Nyctiprogne leucopyga</i>			30	3		
171.	Spot-tailed Nightjar	<i>Caprimulgus maculicaudus</i>			5	2		
172.	Little Nightjar	<i>Caprimulgus parvulus</i>			H	1		
173.	Blackish Nightjar	<i>Nyctipolus nigrescens</i>	2	1				
174.	Common Pauraque	<i>Nyctidromus albicollis</i>	1	1	1	6		
175.	Rufous Nightjar	<i>Caprimulgus rufus</i>			1	2		
176.	Ladder-tailed Nightjar	<i>Hydropsalis climacocerca</i>	1	1				
177.	Great Dusky Swift	<i>Cypseloides senex</i>					200	2
178.	White-collared Swift	<i>Streptoprocne zonaris</i>			4	2		
179.	Biscutate Swift	<i>Streptoprocne biscutata</i>			20	1		
180.	Gray-rumped Swift	<i>Chaetura cinereiventris</i>	20	2				
181.	Pale-rumped Swift	<i>Chaetura egregia</i>	4	2				
182.	Amazonian Swift	<i>Chaetura viridipennis</i>	20	4				
183.	Short-tailed Swift	<i>Chaetura brachyuran</i>	4	2				
184.	Fork-tailed Palm Swift	<i>Tachornis squamata</i>	6	1				
185.	Sick's Swift	<i>Chaetura meridionalis</i>			10	1	Nc	1
186.	Cinnamon-throated Hermit	<i>Phaethornis nattereri</i>			1	2		
187.	Reddish Hermit	<i>Phaethornis ruber</i>	1	1				
188.	Planalto Hermit	<i>Phaethornis pretrei</i>			1	2	1	1
189.	Swallow-tailed Hummingbird	<i>Eupetomena macrourus</i>					3	1
190.	Black Jacobin	<i>Florisuga fuscus</i>					6	1
191.	White-vented Violet-Ear	<i>Colibri serrirostris</i>			1	3		
192.	Black-throated Mango	<i>Anthracothorax nigricollis</i>			1	1	3	2

193.	Glittering-bellied Emerald	<i>Chlorostilbon aureoventris</i>			2	2	2	3
194.	Fork-tailed Woodnymph	<i>Thalurania furcate</i>	6	3	3	4		
195.	Violet-capped Woodnymph	<i>Thalurania glaucopsis</i>					3	2
196.	Gilded Sapphire	<i>Hylocharis chrysura</i>			1	1	4	2
197.	White-tailed Goldenthrout	<i>Polytmus guainumbi</i>			1	1		
198.	Glittering-throated Emerald	<i>Amazilia fimbriata</i>			3	3		
199.	Versicoloured Emerald	<i>Amazilia versicolor</i>	1	1			2	1
200.	Black-eared Fairy	<i>Heliodytes auritus</i>	1	1				
201.	Long-billed Starthroat	<i>Heliomaster longirostris</i>	1	1				
202.	Green-backed Trogon	<i>Trogon viridis melanopterus</i>	1	3				
203.	Amazonian Trogon	<i>Trogon ramonianus</i>	2	1				
204.	Collared Trogon	<i>Trogon collaris</i>	1	2				
205.	Black-throated Trogon	<i>Trogon rufus</i>					H	1
206.	Surucua Trogon	<i>Trogon surrucura</i>					2	3
207.	Blue-crowned Trogon	<i>Trogon curucui</i>			2	6		
208.	Black-tailed Trogon	<i>Trogon melanurus</i>	H	1	1	2		
209.	Ringed Kingfisher	<i>Ceryle torquata</i>	2	4	4	4		
210.	Amazon Kingfisher	<i>Chloroceryle amazona</i>	8	6	4	6		
211.	Green Kingfisher	<i>Chloroceryle americana</i>	2	4	2	4	1	1
212.	Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>	2	2	1	2		
213.	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>			1	1		
214.	Amazonian Motmot	<i>Momotus momota</i>	H	1	1	5		
215.	Rufous-capped Motmot	<i>Baryphthengus ruficapillus</i>					1	2
216.	Broad-billed Motmot	<i>Electron platyrhynchum</i>	H	1				
217.	Brown Jacamar	<i>Brachygalba lugubris</i>			4	1		
218.	Blue-cheeked Jacamar	<i>Galbula cyanicollis</i>	1	1				
219.	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>	H	1	4	3		
220.	Bronzy Jacamar	<i>Galbula leucogastra</i>	1	1				
221.	Paradise Jacamar	<i>Galbula dea</i>	2	3				
222.	Great Jacamar	<i>Jacamerops aureus</i>	1	1				
223.	White-necked Puffbird	<i>Notharchus hyperrhynchus</i>	1	2				
224.	Brown-banded Puffbird	<i>Notharchus ordii</i>	H	1				
225.	Pied Puffbird	<i>Notharchus tectus</i>	1	2	1	1		
226.	Spotted Puffbird	<i>Bucco tamatia</i>	1	1				
227.	Striolated Puffbird	<i>Nystalus striolatus</i>	2	1	1	1		
228.	White-eared Puffbird	<i>Nystalus chacuru</i>			4	3		
229.	Spot-backed Puffbird	<i>Nystalus maculatus</i>			1	1		
230.	Rufous-capped Nunlet	<i>Nonnula ruficapilla</i>	2	1				
231.	Black-fronted Nunbird	<i>Monasa nigrifrons</i>	12	4	8	6		
232.	White-fronted Nunbird	<i>Monasa flavirostris</i>	4	1				
233.	Swallow-wing	<i>Chelidoptera tenebrosa</i>	16	5	2	1		
234.	Black-girdled Barbet	<i>Capito dayi</i>	16	4				
235.	Gould's Toucanet	<i>Selenidera gouldii</i>	H	1				
236.	Lettered Aracari	<i>Pteroglossus inscriptus</i>	2	1	2	2		
237.	Red-necked Aracari	<i>Pteroglossus bitorquatus</i>	3	1				
238.	Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>	5	3	10	6	3	1
239.	Curl-crested Aracari	<i>Pteroglossus beauharnaesii</i>	2	2				
240.	Spot-billed Toucanet	<i>Selenidera maculirostris</i>					1	1
241.	Toco Toucan	<i>Ramphastos toco</i>			5	7	20	2
242.	White-throated Toucan	<i>Ramphastos tucanus</i>	4	6				

243.	Channel-billed Toucan	<i>Rhamphastos vitellinus</i>	H	3					
244.	Red-breasted Toucan	<i>Rhamphastos dicolorus</i>						2	1
245.	Bar-breasted Piculet	<i>Picumnus aurifrons</i>	1	2					
246.	Ochre-collared Piculet	<i>Picumnus temminckii</i>						2	2
247.	White-wedged Piculet	<i>Picumnus albosquamatus</i>				2	4		
248.	White Woodpecker	<i>Melanerpes candidus</i>				3	2		
249.	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>	2	4	4	3			
250.	Little Woodpecker	<i>Veniliornis passerinus</i>				3	4		
251.	Red-stained Woodpecker	<i>Veniliornis affinis</i>	2	2	2	1			
252.	Yellow-fronted Woodpecker	<i>Melanerpes flavifrons</i>						1	2
253.	Yellow-throated Woodpecker	<i>Piculus flavigula</i>	H	1					
254.	Golden-green Woodpecker	<i>Piculus chrysochloros</i>				1	2		
255.	Campo Flicker	<i>Colaptes campestris</i>				2	4	2	1
256.	Scale-breasted Woodpecker	<i>Celeus grammicus</i>	H	1					
257.	Yellow-browed Woodpecker	<i>Piculus aurulentus</i>							
258.	Green Barred Woodpecker	<i>Colaptes melanochloros</i>				1	3		
259.	Pale-crested Woodpecker	<i>Celeus lugubris</i>				1	2		
260.	Blond-crested Woodpecker	<i>Celeus flavescens</i>						1	1
261.	Cream-coloured Woodpecker	<i>Celeus flavus</i>				2	2		
262.	Ringed Woodpecker	<i>Celeus torquatus</i>	1	3					
263.	Lineated Woodpecker	<i>Dryocopus lineatus</i>	1	2					
264.	Red-necked Woodpecker	<i>Campephilus rubricollis</i>	2	2	2	1			
265.	Robust Woodpecker	<i>Campephilus robustus</i>						H	1
266.	Pale-legged Hornero	<i>Furnarius leucopus</i>				2	3		
267.	Rufous Hornero	<i>Furnarius rufus</i>				12	9	8	3
268.	Chotoy Spinetail	<i>Schoeniophylax phryganophilus</i>				3	1		
269.	Rufous-capped Spinetail	<i>Synallaxis ruficapilla</i>						2	1
270.	Gray-bellied Spinetail	<i>Synallaxis cinerascens</i>						H	1
271.	Sooty-fronted Spinetail	<i>Synallaxis frontalis</i>				1	1		
272.	Pale-breasted Spinetail	<i>Synallaxis albescens</i>				1	2		
273.	Cinereous-breasted Spinetail	<i>Synallaxis hypospodia</i>				1	2		
274.	White-lored Spinetail	<i>Synallaxis albilora</i>				2	2		
275.	Rusty-backed Spinetail	<i>Cranioleuca vulpina</i>				4	2		
276.	Chestnut-throated Spinetail	<i>Synallaxis cherriei</i>	1	1					
277.	Yellow-chinned Spinetail	<i>Certhiaxis cinnamomea</i>				1	3	1	1
278.	Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>				2	1		
279.	Greater Thornbird	<i>Phacellodomus ruber</i>				2	1		
280.	Gray-crested (Rufous) Cachalote	<i>Pseudoseisura unirufa</i>				2	3		
281.	Point-tailed Palmcreeper	<i>Berlepschia rikeri</i>	3	1					
282.	Buff-browed Foliage-Gleaner	<i>Syndactyla rufosupercileatus</i>							
283.	Rufous-rumped Foliage-Gleaner	<i>Philydor erythrocerum</i>	4	5					
284.	Buff-fronted Foliage-Gleaner	<i>Philydor rufus</i>						2	1
285.	Ochre-breasted Foliage-Gleaner	<i>Philydor lichtensteini</i>						1	2
286.	Black-capped Foliage-Gleaner	<i>Philydor atricapillus</i>						1	1
287.	White-eyed Foliage-Gleaner	<i>Automolus leucophthalmus</i>						H	2
288.	Sharp-tailed Streamcreeper	<i>Lochmias nematura</i>						1	1
289.	Plain Xenops	<i>Xenops minutus</i>	1	1					
290.	Streaked Xenops	<i>Xenops rutilans</i>				1	2		
291.	Plain-brown Woodcreeper	<i>Dendrocincla fuliginosa</i>	1	1					
292.	Plain-winged Woodcreeper	<i>Dendrocincla turdina</i>						1	1

293.	Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>	1	2	H	1	1	2
294.	Long-tailed Woodcreeper	<i>Deconychura longicauda</i>	1	1				
295.	Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>	1	1				
296.	Long-billed Woodcreeper	<i>Nasica longirostris</i>	H	1				
297.	Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>	3	1				
298.	Great Rufous Woodcreeper	<i>Xiphocolaptes major</i>			2	2		
299.	Amazonian Barred-Woodcreeper	<i>Dendrocolaptes certhia</i>	1	2				
300.	Straight-billed Woodcreeper	<i>Dendroplex picus</i>	H	1	1	2		
301.	Striped Woodcreeper	<i>Xiphorhynchus obsoletus</i>	1	1				
302.	Lesser Woodcreeper	<i>Xiphorhynchus fuscus</i>					1	1
303.	Elegant Woodcreeper	<i>Xiphorhynchus elegans</i>	1	1				
304.	Spix's Woodcreeper	<i>Xiphorhynchus spixii</i>	1	1				
305.	Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>	2	3	H	2		
306.	Narrow-billed Woodcreeper	<i>Lepidocolaptes angustirostris</i>			2	4		
307.	Lineated Woodcreeper	<i>Lepidocolaptes albolineatus</i>	1	1	1	1		
308.	Red-billed Scythebill	<i>Campylorhamphus trochilirostris</i>			2	3		
309.	Black-billed Scythebill	<i>Campylorhamphus falcularius</i>					H	1
310.	Curve-billed Scythebill	<i>Campylorhamphus procurvoides</i>	H	2				
311.	Fasciated Antshrike	<i>Cymbilaimus lineatus</i>	1	2				
312.	Spot-backed Antshrike	<i>Hypodaleus guttatus</i>					2	2
313.	Great Antshrike	<i>Taraba major</i>	H	1	2	4		
314.	Glossy Antshrike	<i>Sakesphorus luctuosus</i>	2	3				
315.	Barred Antshrike	<i>Thamnophilus doliatus</i>			2	6		
316.	Rufous-winged Antshrike	<i>Thamnophilus torquatus</i>			4	2		
317.	Chestnut-backed Antshrike	<i>Thamnophilus palliatus</i>	1	1				
318.	Plain-winged Antshrike	<i>Thamnophilus schistaceus</i>	1	2				
319.	Natterer's Slaty-Antshrike	<i>Thamnophilus stictocephalus</i>	2	1				
320.	Planalto Slaty-Antshrike	<i>Thamnophilus pelzelni</i>			1	1		
321.	White-shouldered Antshrike	<i>Thamnophilus aethiops</i>	1	1				
322.	Amazonian Antshrike	<i>Thamnophilus amazonicus</i>	2	1				
323.	Variable Antshrike	<i>Thamnophilus caeruleus</i>					2	1
324.	Plain Antwren	<i>Dysithamnus mentalis</i>			2	1	2	2
325.	Spot-winged Antshrike	<i>Pygmytila stellaris</i>	1	3				
326.	Saturnine Antshrike	<i>Thamnomanes saturninus</i>	2	4				
327.	Cinereous Antshrike	<i>Thamnomanes caesius</i>	H	2				
328.	Pygmy Antwren	<i>Myrmotherula brachyura</i>	1	1				
329.	Sclater's Antwren	<i>Myrmotherula sclateri</i>	H	2				
330.	Amazonian Streaked Antwren	<i>Myrmotherula multostriata</i>	2	1				
331.	White-eyed Antwren	<i>Epinecrophylia leucophthalma</i>	2	2				
332.	White-flanked Antwren	<i>Myrmotherula axillaris</i>	1	1				
333.	Long-winged Antwren	<i>Myrmotherula longipennis</i>	2	1				
334.	Gray Antwren	<i>Myrmotherula menetriesii</i>	1	2				
335.	Rufous-winged Antwren	<i>Herpsilochmus rufimarginatus</i>	1	1			1	2
336.	Dot-winged Antwren	<i>Microrhopias quixensis</i>	2	2				
337.	Large-billed Antwren	<i>Herpsilochmus longirostris</i>			3	3		
338.	Rusty-backed Antwren	<i>Formicivora rufa</i>			4	1		
339.	Striated Antbird	<i>Drymophila devillei</i>	1	2				
340.	Bertoni's Antbird	<i>Drymophila rubricollis</i>					2	1
341.	Dusky-tailed Antbird	<i>Drymophila malura</i>					1	1
342.	Blackish Antbird	<i>Cercomacra nigrescens</i>	1	2				

343.	Gray Antbird	<i>Cercomacra cinerascens</i>	1	4				
344.	Mato Grosso Antbird	<i>Cercomacra melanaria</i>			2	3		
345.	Manu Antbird	<i>Cercomacra manu</i>	1	1				
346.	White-backed Fire-Eye	<i>Pyriglena leuconota</i>			2	2		
347.	White-shouldered Fire-Eye	<i>Pyriglena leucoptera</i>					2	2
348.	White-browed Antbird	<i>Myrmoborus leucophrys</i>	1	1				
349.	Black-faced Antbird	<i>Myrmoborus myotherinus</i>	H	1				
350.	Black-tailed Antbird	<i>Myrmoborus melanurus</i>	1	1				
351.	Rondonia Warbling-Antbird	<i>Hypocnemis ochrogyna</i>			1	1		
352.	Spix's Warbling-Antbird	<i>Hypocnemis striata</i>	1	2				
353.	Band-tailed Antbird	<i>Hypocnemoides maculicauda</i>	2	1	1	2		
354.	Silvered Antbird	<i>Sclateria naevia</i>	1	1				
355.	Rufous-faced Antbird	<i>Schistocichla rufifacies</i>	1	1				
356.	Chestnut-tailed Antbird	<i>Myrmeciza hemimelaena</i>	1	1				
357.	Black-throated Antbird	<i>Myrmeciza atrothorax</i>	1	1	2	1		
358.	Scale-backed Antbird	<i>Willisornis poecilinotus</i>	H	1				
359.	Short-tailed Antthrush	<i>Chamaeza campanisona</i>					1	1
360.	Alta Floresta Antpitta	<i>Hylopezus whittakeri</i>	H	2				
361.	Amazonian Antpitta	<i>Hylopezus berlepschi</i>	H	1				
362.	Variegated Antpitta	<i>Grallaria varia</i>	H	1			H	1
363.	Thrush-like Antpitta	<i>Myrmothera campanisona</i>	H	1				
364.	Rufous Gnatcatcher	<i>Conopophaga lineate</i>					2	1
365.	Planalto Tapaculo	<i>Scytalopus pachecoi</i>					H	1
366.	Collared Crescentchest	<i>Melanopareia torquata</i>			2	1		
367.	White-browed Purpleuft	<i>Iodopleura isabellae</i>	1	1				
368.	Spangled Cotinga	<i>Cotinga cayana</i>	6	3				
369.	Screaming Piha	<i>Lipaugus vociferans</i>	1	6				
370.	Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>	6	3				
371.	Amazonian Umbrellabird	<i>Cephalopterus ornatus</i>	H	1				
372.	Band-tailed Manakin	<i>Pipra fasciicauda</i>			3	2		
373.	Snow-capped Manakin	<i>Lepidothrix nattereri</i>	1	1				
374.	Red-headed Manakin	<i>Pipra rubrocapilla</i>	3	3				
375.	White-bearded Manakin	<i>Manacus manacus</i>					1	1
376.	Helmeted Manakin	<i>Antilophia galeata</i>			1	3		
377.	Blue-backed Manakin	<i>Chiroxiphia pareola</i>	1	2				
378.	Swallow-tailed Manakin (Blue)	<i>Chiroxiphia caudata</i>					H	1
379.	Fiery-capped Manakin	<i>Machaeropterus pyrocephalus</i>	H	2	1	3		
380.	Flame-crowned Manakin	<i>Heterocercus linteatus</i>	2	1				
381.	Dwarf Tyrant-Manakin	<i>Heterocercus linteatus</i>	1	1				
382.	Amazonian Schiffornis	<i>Schiffornis amazon</i>	1	4				
383.	Greenish Schiffornis	<i>Schiffornis virescens</i>					1	1
384.	Wing-barred Piprites	<i>Piprites chloris</i>	H	2				
385.	Planalto Tyrannulet	<i>Phyllomyias fasciatus</i>			2	1		
386.	Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>	H	1				
387.	Forest Elaenia	<i>Myiopagis gaimardii</i>			1	2		
388.	Greenish Elaenia	<i>Myiopagis viridicata</i>					1	1
389.	Yellow-bellied Elaenia	<i>Elaenia flavogaster</i>			1	2	2	2
390.	Large Elaenia	<i>Elaenia spectabilis</i>			1	1		
391.	Plain-crested Elaenia	<i>Elaenia cristata</i>			2	1		
392.	Small-billed Elaenia	<i>Elaenia parvirostris</i>					1	2

393.	Olivaceous Elaenia	<i>Elaenia mesoleuca</i>					1	1
394.	Lesser Elaenia	<i>Elaenia chiriquensis</i>			2	3		
395.	Southern Beardless Tyrannulet	<i>Camptostoma obsoletum</i>			1	2	H	2
396.	Suiriri Flycatcher	<i>Suiriri suiriri</i>			1	1		
397.	Chapada Flycatcher	<i>Suiriri islerorum</i>			3	1		
398.	White-crested Tyrannulet	<i>Serpophaga subcristata</i>					H	1
399.	Yellow Tyrannulet	<i>Capsiempis flaveola</i>	2	1			2	1
400.	Subtropical Doradito	<i>Pseudocolopteryx acutipennis</i>			1	1		
401.	Southern Antpipit	<i>Corythopsis delalandi</i>			1	1	2	2
402.	Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>					1	2
403.	Southern Bristle-Tyrant	<i>Pogonotriccus eximius</i>					4	1
404.	Plain Tyrannulet (Inezia)	<i>Inezia inornata</i>			1	1		
405.	Amazonian Tyrannulet (Inezia)	<i>Inezia subflava</i>	2	1				
406.	Tawny-crowned Pygmy-Tyrant	<i>Euscarthmus meloryphus</i>			2	1	1	1
407.	Short-tailed Pygmy-Tyrant	<i>Myiornis ecaudatus</i>	1	1				
408.	Helmeted Pygmy-Tyrant	<i>Lophotriccus galeatus</i>	1	2				
409.	Drab-breasted Pygmy-Tyant	<i>Hemitriccus diops</i>					1	1
410.	Stripe-necked Tody-Tyrant	<i>Hemitriccus straticollis</i>			2	1		
411.	Pearly-vented Tody-Tyrant	<i>Hemitriccus margaritaceiventer</i>			2	3		
412.	Ochre-faced Tody-Flycatcher	<i>Poecilatriccus plumbeiceps</i>					2	1
413.	Rusty-fronted Tody-Flycatcher	<i>Poecilatriccus latirostris</i>			2	2		
414.	Spotted Tody-Flycatcher	<i>Todirostrum maculatum</i>	1	1				
415.	Common Tody-Flycatcher	<i>Todirostrum cinereum</i>			2	2		
416.	Yellow-browed Tody-Flycatcher	<i>Todirostrum chrysocrotaphum</i>	1	2				
417.	Yellow-olive Flatbill	<i>Tolmomyias sulphurescens</i>					H	1
418.	Yellow-margined Flatbill	<i>Tolmomyias assimilis</i>	1	1				
419.	Ochre-lored Flatbill	<i>Tolmomyias flaviventris</i>	2	2			H	1
420.	White-throated Spadebill	<i>Platyrinchus mystaceus</i>					1	1
421.	White-crested Spadebill	<i>Platyrinchus platyrhynchos</i>	1	1				
422.	Cliff Flycatcher	<i>Hirundinea ferruginea</i>			1	1		
423.	Euler's Flycatcher	<i>Lathrotriccus eulerei</i>	1	1			4	2
424.	Fuscos Flycatcher	<i>Cnemotriccus fuscatus</i>			1	1		
425.	Tropical Pewee	<i>Contopus cinereus</i>					1	1
426.	Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>			4	2		
427.	Crested Black-Tyrant	<i>Knipolegus lophotes</i>			6	1		
428.	Drab Water-Tyrant	<i>Ochthornis littoralis</i>	2	2				
429.	Black-backed Water-Tyrant	<i>Fluvicola albiventer</i>			2	1		
430.	White-headed Marsh-Tyrant	<i>Arundinicola leucocephala</i>			2	1		
431.	White-rumped Monjita	<i>Xolmis velatus</i>			3	2		
432.	Cattle Tyrant	<i>Machetornis rixosa</i>			4	6	4	2
433.	Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>	4	3	10	3		
434.	Social Flycatcher	<i>Myiozetetes similis</i>					1	1
435.	Piratic Flycatcher	<i>Legatus leucophaeus</i>	1	1	3	2	3	3
436.	Lesser Kiskadee	<i>Pitangus lictor</i>	6	5	4	3		
437.	Great Kiskadee	<i>Pitangus sulphuratus</i>	2	1	C _{om}	9	6	3
438.	Dusky-chested Flycatcher	<i>Myiozetetes luteiventris</i>	2	1				
439.	Streaked Flycatcher	<i>Myiodynastes maculatus</i>			2	5	2	1
440.	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	1	1	2	5	2	2
441.	Variagated Flycatcher	<i>Empidonomus varius</i>	1	1	1	1	1	1
442.	Tropical Kingbird	<i>Tyrannus melancholicus</i>	C _{om}	6	C _{om}	9	15	3

443.	Fork-tailed Flycatcher	<i>Tyrannus savana</i>			300	7	8	3
444.	Rufous Casiornis	<i>Casiornis rufus</i>			4	2		
445.	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	1	2				
446.	Short-crested Flycatcher	<i>Myiarchus ferox</i>	1	2	2	3	1	1
447.	Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>			1	1		
448.	Large-headed Flatbill	<i>Ramphotricon megacephala</i>	1	1				
449.	Dusky-tailed Flatbill	<i>Ramphotricon fuscicauda</i>	1	1				
450.	Cinnamon Attila	<i>Attila cinnamomeus</i>	H	1				
451.	Dull-capped Attila (White-eyed)	<i>Attila bolivianus</i>			1	2		
452.	Bright-rumped Attila	<i>Attila spadiceus</i>	H	2				
453.	Masked Tityra	<i>Tityra semifasciata</i>	2	2	2	2		
454.	Black-tailed Tityra	<i>Tityra cayana</i>			1	1	1	1
455.	Black-crowned Tityra	<i>Tityra inquisitor</i>			3	4	2	1
456.	White-naped Xenopsaris	<i>Xenopsaris albinucha</i>			1	1		
457.	Green-backed Becard	<i>Pachyrampus viridis</i>			2	1		
458.	White-winged Becard	<i>Pachyrampus polychopterus</i>					1	1
459.	Crested Becard	<i>Pachyrampus validus</i>					1	1
460.	Blue-and-white Swallow	<i>Pygochelidon cyanoleuca</i>					Nc	2
461.	Black-collared Swallow	<i>Atticora melanoleuca</i>	4	1				
462.	White-banded Swallow	<i>Atticora fasciata</i>	10	5				
463.	Purple Martin	<i>Progne subis</i>	4	1				
464.	Gray-breasted Martin	<i>Progne chalybea</i>	10	3	10	4	Nc	3
465.	Brown-chested Martin	<i>Progne tapera</i>			4	6		
466.	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>	Com	6	20	5	Nc	2
467.	White-winged Swallow	<i>Tachycineta albiventer</i>	6	6	20	4	4	1
468.	Black-capped Donacobius	<i>Donacobius atricapilla</i>	H	1	4	3	2	1
469.	Thrush-like Wren	<i>Campylorhynchus turdinus</i>	4	2	4	7		
470.	Moustached Wren	<i>Thryothorus genibarbis</i>			2	5		
471.	Tooth-billed Wren	<i>Odontorchilus cinereus</i>	1	2				
472.	Southern House Wren	<i>Troglodytes aedon</i>	1	3				
473.	Buff-breasted Wren	<i>Thryothorus leucotis</i>	2	1				
474.	Fawn-breasted Wren	<i>Thryothorus guarayanus</i>			2	1		
475.	House Wren	<i>Troglodytes aedon</i>			1	1	2	3
476.	Musician Wren	<i>Cyphorhinus arada</i>	1	1				
477.	Chalk-browed Mockingbird	<i>Mimus saturninus</i>			6	4	4	2
478.	White-banded Mockingbird	<i>Mimus triurus</i>			1	1		
479.	Pale-breasted Thrush	<i>Turdus leucomelas</i>			6	4	4	3
480.	Rufous-bellied Thrush	<i>Turdus rufiventris</i>			6	6	4	2
481.	Creamy-bellied Thrush	<i>Turdus amaurochalinus</i>			1	1	2	2
482.	Eastern Slaty Thrush	<i>Turdus subalaris</i>					2	3
483.	White-necked Thrush	<i>Turdus albicollis</i>					2	2
484.	Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>	1	2				
485.	Creamy-bellied Gnatcatcher	<i>Polioptila lactea</i>					1	1
486.	Masked Gnatcatcher	<i>Polioptila dumicola</i>			6	4		
487.	Purplish Jay	<i>Cyanocorax cyanomelas</i>			10	7		
488.	Curl-crested Jay	<i>Cyanocorax cristatellus</i>			8	1		
489.	Plush-crested Jay	<i>Cyanocorax chrysops</i>					20	3
490.	Red-eyed (chivi) Vireo	<i>Vireo olivaceus chivi</i>			2	3	1	2
491.	Rufous-crowned Greenlet	<i>Hylophilus poicilotis</i>					2	1
492.	Ashy-headed Greenlet	<i>Hylophilus pectoralis</i>			2	4		

493.	Tawny-crowned Greenlet	<i>Hylophilus ochraceiceps</i>	1	3				
494.	Slaty-capped Shrike-Vireo	<i>Vireolanius leucotis</i>	H	1				
495.	Yellowish Pipit	<i>Anthus lutescens</i>			H	1		
496.	House Sparrow	<i>Passer domesticus</i>			Nc	4		
497.	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>	3	1	1	6		
498.	Tropical Parula	<i>Parula pitaiayumi</i>			1	2	3	3
499.	Masked Yellowthroat	<i>Geothlypis aequinoctialis</i>					1	1
500.	Golden-crowned Warbler	<i>Basileuterus culicivorus</i>					2	3
501.	White-bellied Warbler	<i>Basileuterus hypoleucus</i>			3	2		
502.	Flavescent Warbler	<i>Basileuterus flaveolus</i>			2	3		
503.	White-browed (rimmed) Warbler	<i>Basileuterus leucoblepharus</i>					6	1
504.	Bananaquit	<i>Coereba flaveola</i>			2	3	2	1
505.	Purple-throated Euphonia	<i>Euphonia chlorotica</i>			2	4	1	2
506.	Violaceous Euphonia	<i>Euphonia violacea</i>					2	2
507.	Thick-billed Euphonia	<i>Euphonia lanirostris</i>			2	1		
508.	Golden-bellied Euphonia	<i>Euphonia chrysopasta</i>	1	1				
509.	Chestnut-bellied Euphonia	<i>Euphonia pectoralis</i>					1	1
510.	Blue-naped Chlorophonia	<i>Chlorophonia cyanea</i>					2	1
511.	Rose-breasted Chat	<i>Granatellus pelzelni</i>	1	1				
512.	Black-faced Tanager	<i>Schistochlamys melanopis</i>			3	1		
513.	White-banded Tanager	<i>Neothraupis fasciata</i>			2	2		
514.	Chestnut-vented Conebill	<i>Conirostrum speciosum</i>						
515.	Magpie Tanager	<i>Cissopis leverianus</i>			3	2	2	2
516.	Red-billed Pied-Tanager	<i>Lamprospiza melanoleuca</i>	2	1				
517.	White-rumped Tanager	<i>Cypsnagra hirundinacea</i>			10	2		
518.	Chestnut-headed Tanager	<i>Pyrhocomma ruficeps</i>					2	2
519.	Guira Tanager	<i>Hemithraupis guira</i>			2	1	1	1
520.	Hooded Tanager	<i>Nemosia pileata</i>			1	1		
521.	Yellow-backed Tanager	<i>Hemithraupis flavicollis</i>	1	1				
522.	Gray-headed Tanager	<i>Eucometis penicillata</i>			2	4		
523.	White-winged Shrike-Tanager	<i>Lanio leucothorax</i>	1	1				
524.	Flame-crested Tanager	<i>Tachyphonus cristatus</i>	1	1				
525.	Black-goggled Tanager	<i>Trichothraupis melanops</i>					4	2
526.	White-shouldered Tanager	<i>Tachyphonus luctuosus</i>	1	2				
527.	Ruby-crowned Tanager	<i>Tachyphonus coronatus</i>					10	1
528.	White-lined Tanager	<i>Tachyphonus rufus</i>			8	3		
529.	Silver-beaked Tanager	<i>Ramphocelus carbo</i>	6	4	10	7		
530.	Blue-gray Tanager	<i>Thraupis episcopus</i>	8	3				
531.	Sayaca Tanager	<i>Thraupis sayaca</i>			8	6	6	3
532.	Palm Tanager	<i>Thraupis palmarum</i>	Com	6	6	5		
533.	Fawn-breasted Tanager	<i>Pipraeidea melanonota</i>					1	1
534.	Turquoise Tanager	<i>Tangara mexicana</i>	6	2				
535.	Paradise Tanager	<i>Tangara chilensis</i>	4	1				
536.	Green-headed Tanager	<i>Tangara seledon</i>					4	2
537.	Bay-headed Tanager	<i>Tangara gyrola</i>	1	2				
538.	Burnished-buff Tanager	<i>Tangara cayana</i>			1	3		
539.	Blue-necked Tanager	<i>Tangara cyanicollis</i>	6	1				
540.	Opal-rumped Tanager	<i>Tangara velia</i>	8	2				
541.	Black-faced Dacnis	<i>Dacnis lineata</i>	1	1				
542.	Blue Dacnis	<i>Dacnis cayana</i>			2	3	3	2

543.	Swallow Tanager	<i>Tersina viridis</i>			1	1	6	3
544.	Green Honeycreeper	<i>Chlorophanes spiza</i>	1	1				
545.	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>	1	1				
546.	Coal-crested Finch	<i>Charitospiza eucosma</i>			1	1		
547.	Red-crested Finch	<i>Coryphospingus cucullatus</i>			3	3	3	1
548.	Plumbeous Seedeater	<i>Sporophila plumbea</i>			6	2		
549.	Rusty-collared Seedeater	<i>Sporophila collaris</i>			4	1		
550.	Double-collared Seedeater	<i>Sporophila caerulescens</i>			2	1		
551.	White-bellied Seedeater	<i>Sporophila leucoptera</i>			1	3		
552.	Chestnut-bellied Seed-Finch	<i>Oryzoborus angolensis</i>			1	1	2	1
553.	Blackish-blue Seedeater	<i>Amaurospiza moesta</i>					1	1
554.	Saffron Finch	<i>Sicalis flaveola</i>			20	3	6	1
555.	Wedge-tailed Grass-Finch	<i>Emberizoides herbicola</i>			1	1		
556.	Blue-black Grassquit	<i>Volatinia jacarina</i>	8	1	12	4		
557.	Red-crested Cardinal	<i>Paroaria coronata</i>			1	2		
558.	Red-capped Cardinal	<i>Paroaria gularis</i>	4	2				
559.	Yellow-billed Cardinal	<i>Paroaria capitata</i>			50+	4	1	1
560.	Unicolored Blackbird	<i>Agelasticus cyanopus</i>			10	3		
561.	Bay-winged Cowbird	<i>Agelaioides badius</i>			12	3		
562.	Shiny Cowbird	<i>Molothrus bonariensis</i>			6	2	Nc	2
563.	Giant Cowbird	<i>Molothrus oryzivorus</i>			10	3	Nc	2
564.	Chopi Blackbird	<i>Gnorimopsar chopi</i>			C _{om}	9	Nc	2
565.	Scarlet-headed Blackbird	<i>Amblyramphus holosericeus</i>			2	2		
566.	Pectoral Sparrow	<i>Arremon taciturnus</i>			1	2		
567.	Saffron-billed Sparrow	<i>Arremon flavirostris</i>			1	1	1	1
568.	Grassland Sparrow	<i>Ammodramus humeralis</i>	2	1	1	2		
569.	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>	1	1	4	1	4	3
570.	Grayish Saltator	<i>Saltator coerulescens</i>			4	5		
571.	Black-throated Saltator	<i>Saltator atricollis</i>			4	3		
572.	Green-winged Saltator	<i>Saltator similis</i>			1	1	H	1
573.	Buff-throated Saltator	<i>Saltator maximus</i>	1	1	2	1		
574.	Variable Oriole	<i>Icterus pyrrhopterus</i>			8	3	6	1
575.	Orange-backed Troupial	<i>Icterus croconotus</i>			4	6		
576.	Solitary Cacique	<i>Cacicus solitarius</i>			6	3		
577.	Red-rumped Cacique	<i>Cacicus haemorrhous</i>					20	3
578.	Yellow-rumped Cacique	<i>Cacicus cela</i>	15	4	20	6		
579.	Crested Oropendola	<i>Psarocolius decumanus</i>	2	1	6	4		
580.	Olive Oropendola	<i>Psarocolius bifasciatus</i>	10	4				

280

322

261

	Other Sightings	Scientific Name						
1	Jaguar	<i>Panthera onca</i>			2	1		
2	Tayra	<i>Eira barbara</i>			1	1		
3	Brown Howler Monkey	<i>Alouatta guariba</i>						
4	Black-and-gold Howler Monkey	<i>Alouatta caraya</i>			1	1		
5	White-whiskered Spider Monkey	<i>Ateles marginatus</i>	12	3				
6	Duski Titi Monkey	<i>Callicebus moloch</i>	1	2				
7	White-nosed Bearded Saki Monkey	<i>Chiropetes albinasus</i>	3	1				
8	Black Spider Monkey	<i>Ateles paniscus</i>			2	1		
9	Brown Capuchin Monkey	<i>Cebus paella</i>	8	3	4	1		

10	Black Capuchin Monkey	<i>Sapajus nigritus</i>					8	1
11	Black-tailed Marmoset	<i>Mico melanurus</i>			2	2		
12	Capybara	<i>Hydrochaeris hydrochaeris</i>	3	3	Nc	5		
13	Brazilian Cavy	<i>Cavia aperea</i>			2	3	Nc	2
14	Azara's Agouti	<i>Dasyprocta azarae</i>			1	2	2	2
15	Guianan Squirrel	<i>Sciurus aestuans</i>					2	1
16	South American Coati	<i>Nasua nasua</i>			1	1	10	2
17	Crab-eating Fox	<i>Cerdocyon thous</i>			1	3		
18	Seven-banded Armadillo	<i>Dasypus septemcinctus</i>			3	1		
19	Paca	<i>Cuniculus paca</i>	1	1				
20	White-lipped Pecary	<i>Tayassu pecari</i>	4+	1				
21	Brazilian Tapir	<i>Tapirus terrestris</i>					1	1
22	Giant River Otter	<i>Pteronura brasiliensis</i>			18	3		
23	Amazonian Brown Brocket	<i>Mazama nemorivaga</i>			1	1		
24	Marsh Deer	<i>Blastocercus dichotomus</i>			4	2		
25	Brazilian Dwarf Brocket deer	<i>Mazama nana</i>					1	1
26	Red Brocket Deer	<i>Mazama americana</i>					1	Bob
27	Brazilian Long-nosed Bat	<i>Rhynchonycteris naso</i>	12	1				
28	Greater Bulldog (Fishing) Bat	<i>Noctilio leporinus</i>		2	Com	2		
29	Yacare Caimen	<i>Caiman yacare</i>			Com	4		
30	Spectacled Caimen	<i>Caiman crocodilus</i>	50+	3				
31	Tropical House Gecko	<i>Hemidactylus mabouia</i>						
32	Common Tegu Lizard	<i>Tupinambis merianae</i>			1	1		
33	Green Iguana	<i>Iguana iguana</i>			6	2		
34	Cane Toad	<i>Bufo marinus</i>						
35	Peanut-headed Bug	<i>Fulgora laternaria</i>	1	1				