

SOUTH BRAZIL - 2015

23rd May – 05th June 2015

HIGHLIGHTS

Either for rarity value, excellent views or simply a group favourite.

- Sickle-winged Nightjar
- Blue-bellied Parrot
- Slaty Bristlefront
- Speckle-breasted Antpitta
- Parana Antwren
- Rusty-barred Owl
- Mottled Piculet
- Black-capped Piprites
- Buff-bellied Puffbird
- Red-tailed Amazon
- Giant Snipe
- Rufous-chested Plover
- Greater Rhea
- Robust Woodpecker
- White-breasted Tapaculo
- Plovercrest
- Planalto Tapaculo
- Spectacled Tyrant
- Short-billed Pipit
- Long-tailed Reed Finch
- Red-and-white Crake
- Hooded Berryeater
- Long-tufted Screech-Owl
- Red-ruffed Fruitcrow
- Cryptic Antthrush
- Red-spectacled Amazon
- Warbling Doradito
- Kaempfer's Tody-Tyrant
- Ringed Teal
- Warbling Doradito
- Giant Antshrike
- Tawny-throated Dotterel
- Rosy-billed Pochard
- Giant Wood Rail
- Rufous-sided Crake
- Double-banded Plover
- Saffron Toucanet
- Cinnamon-vented Piha
- Sharpbill
- Yellow-rumped Marshbird
- Variegated Antpitta
- Orange-breasted Thornbird
- Green-throated Euphonia
- Black-capped Screech-Owl
- Russet-winged Spadebill
- Canebrake Groundcreeper
- Curve-billed Reedhaunter
- Black-backed Tanager
- Scarlet Ibis (500 going to roost)
- Straight-billed Reedhaunter
- Bay-capped Wren-Spinetail
- White-bearded Antshrike
- Saffron-cowled Blackbird
- Freckle-breasted Thornbird
- Long-winged Harrier
- Snowy-crowned Tern
- Black-and-white Monjita
- Green-chinned Euphonia
- Brown-and-yellow Marshbird
- Guiana Dolphin

SUMMARY:

This was our first tour to the endemic rich Southern Brazil and what a delight it was. With so many varied habitats from Atlantic Rainforest to Araucaria Forest, Pampas, extensive marshlands, coastal swamps and one of the biggest and most amazing wetlands we have ever seen. Our guide Eduardo was simply superb and not a single call was missed by his highly tuned ears. We set out to see a wide variety of Brazilian specialities that occur in the south and are hard or impossible to see outside of this fabulous area. We recorded 381 species of which 47 were Brazilian Endemics and 73 were Atlantic Rainforest Endemics. The food throughout was fantastic and we enjoyed several superb and wonderfully accommodating lodges. Having been to many areas of Brazil we have to say that this area has been overlooked by many birders and yet it holds a wealth of rare and sought after species. We cannot wait to return to the wonders of Southern Brazil. See below some of the highlights and you will soon realise why this is a must visit part of the Neotropics. This Sickle-winged Nightjar just 5ft away was one of the real highlights!



Sao Paulo - Intervalles 23rd June

Everyone arrived on time in Sao Paulo early in the morning and once we were aboard our comfortable Mercedes minibus we set off to Intervalles State park. We arrived at noon and while we waited for our lunch to be set up we enjoyed watching some fruit filled bird tables. There were lots of tanagers including Olive-green, Green-headed, Azure-shouldered, Golden-chevroned, Ruby, and a male Burnished Brass. A Sharpbill was a nice find and we took time separating several Planalto Tyrannulets from a Grey-headed



Tyrannulet. Golden-winged Caciques were plentiful, Red-rumped Cacique, Rufous-bellied Thrush, a gorgeous Yellow-fronted Woodpecker, Blue Dacnis and a Bananaquit. After lunch we drove a short distance and before walking a short trail we enjoyed fairly good close views of an **Orange-breasted Thornbird**, and Chestnut-crested Becard. On a trail we came across Greenish Schiffornis, a nice **Hooded Berryeater**, Scale-throated Hermit, Streaked Xenops, the a pair of Chestnut-bellied Euphonias and a rather skulky Spot-backed Antshrike. A Rufous-capped Antthrush showed well as it crossed the track in front of us and a few antbirds included Dusky-tailed, Bertoni's and



Ochre-rumped. After the trail we drove back to a spot that Eduardo said we would try for **Red-and-white Crake**. Unknown to us these birds were coming to the edge of the marsh for corn put out by the rangers. We had stunning close views of three superb crakes. To finish our first afternoon of birding a couple of roosting Tropical Screech-owls made a nice finale.



Intervalles State Park - 24th May

Today after breakfast we headed to the entrance gate of the park and in perfect time to see a **Red-ruffed Fruitcrow** feeding in a fruiting tree. Also here were Southern Yellowthroat, a Tropical Parula, Surucua Trogon, Variable Antshrike, Black-goggled Tanagers and in a grassy area a showy Slaty-breasted Rail. We then got great looks at pallid Spinetail, shortly followed by a Sharpbill, Ochre-collared Piculet, and a pair of green-throated Euphonias. Moving to another area we soon located a pair of Araucaria tit-Spinetails in a Monkey-puzzle tree. We moved on a little and had a small flock of Pileated parrots fly over, while close in the shrubbery a pair of **Eared Pygmy-Tyrants** showed well. A little more concentration was required for a White-breasted Tapaculo that eventually gave superb views right in front of us as we quietly stood under cover. After the success of this we drove to another area and walked the track with the forest.



Here we soon found a small group of birds including Oustalet's Tyrannulet, Grey-capped



Tyrannulet, a calling Large-headed Flatbill and Ochre-rumped Foliage-gleaner. We then had a superb Bay-winged Tyrannulet, followed by a secretive Squamate Antbird, Long-tailed Tyrant and a Ferruginous Antbird. A Green-barred Woodpecker worked on a hole, a Hooded Berryeater posed nicely and several Magpie Tanagers were spotted. A little further on we got great looks at a close Cinnamon-vented Piha. We then had trouble trying to get a good look at a very mobile Rufous-breasted Leaf-tosser, although Rufous-capped Spinetail showed much better, as did Yellow-browed Woodpecker, Brown Tanager and a bunch of Ochre-breasted Foliage-gleaners. After a brief Sepia-capped Flycatcher and a speedy flyby from a Barred Forest-Falcon that we had just heard calling, we got super views of a male White-bearded Antshrike. Just after this a male Tufted Antshrike gave itself up and then as we were leaving in the minibus a

Solitary Tinamou ran across the track. We returned to the park restaurant for lunch and spent a little time watching the feeders which held all the species we had seen yesterday plus better looks at Ruby Tanagers, Chestnut-crowned Becard, Dusky-legged Guans and even the Sharpbill put in a brief appearance. After lunch we went to a new area and a Robust Woodpecker was seen by all. A Planalto Woodcreeper was spotted as well as a pair of Pin-tailed Manakins and a Serra do Mar tyrant Manakin. We attempted to see Slaty Bristlefront but even though we heard it calling close by it just never showed itself. A Lesser woodcreeper showed



briefly and then we got good looks at a Hangnest Tody-Flycatcher.

Moving on we went to a spot where ? put

out a few worms on a tree stump and after being frustrated by a Rufous-bellied Thrush that kept coming in to eat the worms suddenly our target bird a superb **Variegated Antpitta** hopped in and duly obliged with fantastic views and photo opportunities. Very happy with this we left and walk another short track seeing Green-winged Saltator, distant views of a



Rufous-crowned Motmot, a nice White-browed Foliage-gleaner, and a Black-throated Grosbeak. It was getting towards dusk so our final spot of the day was along the dirt road where shortly after dark we were treated to good views of **Long-tufted Screech-Owl** and a sky full of stars and planets. A great day we then had a fitting dinner at the park restaurant before heading back to our lodge seeing a Crab-eating Fox along the way.

Intervales State Park - 25th May

Today we took a short walk close to the restaurant after hearing a Pavonine Cuckoo. Unfortunately it was on the other side of the lake somewhere. We did see a pair of Sooty Tyrannulets, Red-necked Tanager, Southern-beardless Tyrannulet and Violaceous Euphonia. We then drove a short distance and walked a forest trail. A male Blue Manakin was seen, then a Rufous-breasted Leaf-tosser played cat and mouse with us, a Sao Paulo Tyrannulet was seen, then some Ochre-breasted Foliage-gleaners, followed by a pair of Star-throated Antwrens, an Ochre-collared Piculet, and poor views of Gray-bellied Spinetail. Eduardo then heard one of our target birds and after some anxious moments we eventually got scope views of a pair of perched Blue-bellied Parrots, one of Brazil's rarest parrots and a difficult



species to connect with. Happy with this we moved on seeing Gray-hooded Attila, and then after a rather long walk in the forest we got to a spot where we were rewarded with super views of the difficult **Russet-winged Spadebill**. As we came back we saw a pair of Black-cheeked Gnateaters, and several small flocks produced Scalloped Woodcreeper, Black-goggled Tanagers, a Pale-browed Treehunter and White-spotted Woodpecker. An army ant swarm was surrounded by White-backed Fire-Eyes, and a lone Plain-winged Woodcreeper. Our final morning stop was a real highlight as we



enjoyed point black range views of a Slaty Bristlefront which came out of the forest into the open and walked right in front of us. Stunning! After our lunch and a short break we took a look around our lodge which found us Planalto Tyrannulet, Hangnest Tody-Tyrant, Rufous-crowned Greenlet and Variable Antshrike. We then set off to walk another forest trail. This proved to be surprisingly quiet compared to the success of this morning. We did however find several Diademed Tanagers, Cliff Flycatcher, White-spotted and Yellow-fronted Woodpeckers. The view over the endless forest of Intervales was great from the top, and our walk back was very quiet and we arrived back just as the rains started. After dinner the rain had stopped so we drove a short distance and after some a flyby and some bushwhacking we found a **Black-capped Screech-Owl** perched above our heads.



Intervales State Park - 26th May

This morning it was rather wet and our vehicle got stuck on the slippery Carmo Road. We walked finding White-browed Foliage-gleaner, then a small flock with White-collared Foliage Gleaner and Magpie Tanagers. Then a group of Saffron Toucanets fed in a fruiting tree, along with Green-chinned Euphonia and a scoped Brown Tanagers. Another flock included Ochre-rumped Antbird, while some flowering shrubs attracted a **Dusky-throated Hermit**. Streak-capped Antwrens flitted around the canopy along with Large-headed Flatbill and then a very smart **Crescent-chested Puffbird** posed nicely for us. Nearby Planalto Woodcreeper was joined by a flock of Brassy-breasted tanagers and a White-throated Spadebill showed in the bamboo. Next up was Ochre-faced Tody-Tyrant, followed by views for some of the group of a Cryptic Antthrush. A Rufous Gnateater showed



better. Brown Capuchins were watched feeding in a palm tree. At Lunch a Red-breasted Toucan. After a short break we headed out for some roadside birding. A Greenish Tyrannulet was soon followed by a nice Half-collared Sparrow. In an open grassy area we found Brown-and-yellow Marshbirds, White-rumped Monjita, Buff-necked Ibis, Whistling Heron, Smooth-billed Anis, Hooded Siskin, Chalk-browed Mockingbird, Double-collared Seedeater and a Burrowing Owl. Moving on we made a quick stop for Spot-winged Wood Quails which were flying across the road, but no matter how hard we tried they just would not show. Further on a Large-tailed Antshrike called and was seen poorly in the thick cover, ending another great day.



Intervales - Curitiba - 27th May

We set off after breakfast on the long drive to Curitiba. Arriving around midday we had a quick lunch and then headed to our birding spot. Unfortunately it began to rain heavily and even though we tried our best there was nothing moving or calling. We will have to hope for better weather and try again tomorrow.

Curitiba - Paranagua - 28th May

Thankfully we awoke today to no rain. So after breakfast we returned to the area we visited yesterday and after a short while we found and got varying views in flight, perched and feeding



on the ground of our target bird the localised **Canebrake Groundcreeper**. In the same area we also found Chestnut-backed Tanager, Mottle-cheeked Tyrannulet, Olive Spinetail, and a superb male



Plovercrest feeding on some red flowers. Moving on our next stop produced a flock that consisted of Olive-green, Sayaca, Black-goggled and some stunning Red-necked Tanagers. We then had lunch before driving to the coast and setting off on our boat

ride across the bay towards some mangroves and then a tiny island. Along the way we saw Kelp Gulls, lots of Brown Boobies, Magnificent Frigatebirds, Royal and Cabot's Terns, and then a Brown Skua. Along the edge of the mangroves we saw Grey-necked Wood Rail, Scarlet Ibis, Little Blue Heron, Cocoi Heron and both Great and Snowy Egrets. A Great Black Hawk was seen



as well as Ringed and Amazon Kingfisher. We then spotted several Grey River Dolphins and got to see about 5 small groups



during the trip. Eventually we arrived at a small forested island with steep rocky edges. From our boat we waited until the first of 500 **Red-tailed Parrots** came in to roost. They sat in tree tops fanning their tails and giving a wonderful performance. This was a real spectacle and although slightly

too far for good photos we enjoyed fabulous views. As the sun slowly set we headed back making a brief stop at another tiny island that was aglow with hundreds of incredibly bright **Scarlet Ibis**. As other flew in and landed in the trees we all just watch in complete awe. What a great day!

Santa Catarina State - 29th May

After breakfast we set off and made an early morning ferry crossing to Santa Catarina State where after a short journey we stopped to check an area of white sand forest. One of the first birds we



found was the rare, endangered and localised Kaempfer's Tody-Tyrant, shortly followed by super views of several **Restinga Tyrannulets**. A few commoner tanagers included a female Black-backed Tanager, Brazilian Tanager and a perched Short-tailed Hawk. Moving on along the main track we spotted a couple of Riverbank Warblers, Squamate Antbird, Green-backed Trogon, and Spot-backed Antshrike. We then had a couple of Azure Jays perching in the canopy. Moving on to another area that included a small reedy marsh we soon found both male and female of the endangered and very localised **Parana Antwren**. After fabulous views of this special bird we found a Long-billed Wren working its way through the reed bed. Moving to the coast we had lunch, and a

short rest before heading out to a new area. Here we walked a track that produced Cinnamon-vented Piha, Blue-naped Chlorophonias, Violaceous Euphonias and



Parana Antwren – male

after a bit of searching Diego spotted a distant Buff-bellied Puffbird. Eventually it came closer for good scope views. We made our way back seeing perched Saw-billed Hermit and Versicolored Emerald as well as 3 Three-striped Flycatchers



Parana Antwren – female

Santa Catarina - Urupema - 30th May

This morning after breakfast we drove a short distance inland to an area of scattered trees and bushes in a small village. Here we soon located the recently split Scaled Chachalaca. There were a couple of Vermilion Flycatchers also present after which we drove to a fabulous area of wetland marshes. Here we saw a couple more Chachalacas, Three-striped Flycatchers, Flame-colored Tanagers, Rufous-headed Tanager, Blue Dacnis and Red-necked Tanagers. Some Whistling Herons looked great perched on a tree top in the morning light, while in the scrub we watched Yellow-chinned Spinetails, then a male Fawn-breasted Tanager. A pair of Robust Woodpeckers showed well perched on the side of a palm



tree and a Roadside Hawk posed nicely. Moving on to another area of scrub we soon found Restinga Tyrannulets, a very showy **Rufous-winged Antwren**, Long-billed Gnatwren, Golden-crowned Warbler and then a pair of Black-backed Tanagers, although most people only saw the female. As we returned a pair of Rufous-thighed Hawks were spotted perched in a tree and gave fabulous views. The rest of the day involved a long drive into Santa Catarina State and our fabulous mountain lodge. A Long-tufted Screech-Owl called and showed to a few outside the restaurant in the early evening.



Black-backed Tanager – male



Black-backed Tanager - female

Urupema - 31st May

This After breakfast we started a walk from just outside our rooms at the Pousada. On a flowering bush were Plovercrest and White-throated Hummingbird. In the nearby forest we found Striolated Tit-Spinetail, Araucaria Tit-Spinetail, Grey-throated Warbling-Finch and a White-spotted Woodpecker. A noisy flock of **Vinaceous-breasted Amazons** flew over as we were distracted by the call of a Planalto Tapaculo. We got reasonably good views of this mouse-like bird shortly followed by a small mixed flock that contained Greenish



Tyrannulet, Bay-chested Warbling-Finch, and Scalloped Woodcreeper.

Moving up to a more open grassy area we



soon found a lovely pair of Black-and-white Monjitas, plus much better views of Vinaceous-breasted Amazons and a fabulous flock of about 12 Saffron-cowled Blackbirds. Back in the forest we watch both Tit-Spinetail species along with Olive Spinetail. We then tried another Planalto Tapaculo and this time we were treated to fantastic views sat on a branch out in the open. We then came across another

flock which this time held Sharp-billed Treehunter, and eventually a **Mottled Piculet** which showed well. Back at the lodge we took five minutes out, before setting off on a

walk to a nearby marsh. A flock of Red-spectacled Parrots flew behind the trees, and Roadside Hawk posed nicely on a post. Down by the marsh we had superb views of several **Lesser Grass**



Finches, and a couple of Long-tailed Reed-Finches. A Yellow-rumped Marshbird was seen as well as a close pair of Greater Pampa Finches and some Firewood Gatherers. Finally in another area of marsh we found two Freckle-breasted Thornbirds. It was time for lunch so we headed back to the lodge where we were soon distracted by several species on the feeders including, **Diademed Tanagers** and Chestnut-backed



Tanagers. A super morning! After lunch we drove a short distance to an area of low scrubby hills. The first bird we saw was a Long-tailed Cincloides and then In the forest we spent a few hours trying to get good looks at a Speckle-breasted Antpitta and eventually most of the group got to see this little skulker. A Rufous-tailed Antthrush then showed and we heard Mouse-coloured Tapaculo. From here we drove back to the marsh near our lodge. As it neared dusk we heard several Giant Snipes calling from the wet grasses and after a while we got super views of one bird flying past. Two Red-winged Tinamous were flushed as we searched for the snipe, and then a **Sickle-winged Nightjar** was heard. We got



excellent flight views of a male but what followed next was just outstanding. The male flew towards



us and then landed on a rocky hill. We slowly approached until we were about 5ft from this incredibly rare bird. The bird remained still until we had seen every single feather on it, the most fantastic views ever imaginable after which we left it alone and returned to the minibus. As a finale to this superb day we thought we would try for **Rusty-barred Owl** near the cabins. Sure enough we were treated to outstanding views of the owl perched in a tree. Wow! What a day.

Urupema - San Francisco de Paula - 01st June

This morning after breakfast we scoped trees full of Red-spectacled Amazons from the lodge grounds. We then set off on the long drive to San Francisco de Paula. A roadside stop near our destination produced a superb Long-winged Harrier flying close by and then landing on a fence post. Several Black-and-white Monjitas were also seen. Another quick stop saw a Spotted Nothura cross the road and feed in the verge. Late afternoon we entered the park and took a short walk. A Collared Forest falcon showed briefly. And in the forest lots of things heard but a rare Black-capped Piprites came in and showed difficultly at the top of the canopy..

Aparadas da Serra & San Francisco de Paula - 02nd June

This morning we set off after an early breakfast for Aparadas da Serra National Park

Along the way we saw two Spotted Nothuras and then once in the park we walked a short distance to an area of expansive grasslands and marsh. Here saw Long-tailed Cinclodes, Black-and-white Monjita, Pampa Finches, and Savanna Hawk. We then heard our target bird the almost



impossible Marsh Tapaculo and try as we might we just could not see it.

We did however get fabulous views of two **Long-billed Reedhaunters**. We decided to try

another area of marsh and once again we heard the elusive Marsh Tapaculo but apart from myself no one even got a glimpse. More Long-billed Reedhaunters were seen and then we walked on further to view the huge and impressive canyon. It was rather quiet bird wise but we did not a Short-tailed Hawk, a pair of Aplomado Falcons, Firewood Gatherers and on the way back several **Long-tailed Reed Finches**, two Crested Black-Tyrants and some Azure Jays. We then went for lunch after which we drove to San



Francisco de Paula National Forest. A short walk into the forest and we found a flock that contained four rare **Black-capped Piprites** which gave



fantastic looks. With them were Straight-billed Treehunter and Buff-fronted Foliage-gleaners. A Mottled Piculet also showed well and at last we all got reasonable views of Grey-bellied Spinetail. Moving on a little we heard a **Speckle-breasted Antpitta** – one of Brazil's most



difficult antpittas and within a few minutes we were all enjoying superb close views of the rare bird calling and feeding right in front of us. Even further along the track we saw both Planalto and Scalloped Woodcreepers, Variable Antshrike and then the incredible Giant Antshrike, which amazingly could disappear into cover despite its huge size. Finally on our way back we got to see two White-throated Woodcreepers ending an afternoon of excellent birds.

Lagoa de Peixe - 03rd June

This morning we had breakfast and then drove towards the coast. Our first stop found a Spotted Nothura, White Monjitas, White-rumped Swallows, Yellow-chinned Spinetails and a nice Swallow-tailed Hummingbird. Further searching of the reed edges found several South American Snipe including a few performing their display flight. There was a close Yellow-browed Tyrant, Sooty Tyrannulet, and then great looks at Many-colored Rush-Tyrant, Wren-like Rushbird, and then a fabulous **Warbling Doradito**. Brown-and-yellow Marshbirds were also seen along with Limpkin, Guira Cuckoos and some Southern Screamers. We then had lunch and continued on to our hotel near the National Park Lagoa de Peixe. This wonderful wetland was reminiscent of the Pantanal with a long straight track passing through marshes and pools with lots of birds to see.



Three Giant Rails started our afternoon off, soon followed by Variable Oriole, lots of Spectacled Tyrants, Brown-and-yellow Marshbirds, Plumbeous Rails and a few **Rufous-sided Crakes**. A Curve-billed Reedhaunter showed well, Long-winged Harriers flew back and forth, and there was a few small flocks of Brazilian Teal. White Monjitas were common, Chestnut-capped Blackbirds, Southern Screamers, Great Black Hawk, seven Yellow-billed Terns, a pair of Red-crested Cardinals, White-browed Blackbirds, two Tawny-headed Swallows perched on a fence and four Spot-flanked Gallinules. A couple of Plumbeous Ibis were found, and we got a flock of 11 Rosy-billed Pochard fly over. The Long-winged Harriers

were all heading for a roost site and we must have seen well over 30. Back near the minibus we had a pair of Great Horned Owls that showed well.

Lagoa de Peixe area - 04th June

This morning after an early breakfast we met up with a local guide who took us to a secret pond where we enjoyed fabulous views of up to 20 **Ringed Teal**. While we were here we witnessed masses of birds including maybe hundreds of thousands of ibis and ducks flying out of the distant marshes and lagoon. The distant skies were simply filled with endless flocks of birds, a truly awesome sight. It then began to rain and as we were not all prepared for this, most of us got soaking wet. We quickly returned to



the hotel just 5 minutes away and changed into dry clothes before continuing on to our next birding destination called the Black Skimmer track. Here amongst the flooded grasslands we were pleased that Eduardo got a life bird in the form of 7 Tawny-throated Dotterels. We also had Rufous-chested Dotterels, Grey-hooded Gulls, countless Bare-faced and White-faced Ibis, Egrets, Southern Screamers, Large-billed and Yellow-billed Terns. Several Correndera Pipits showed well, as did **White Monjitas**, Austral Nigritos, about 70 Coscoroba Swans, White-faced Whistling Ducks, some Black Skimmers and Chilean Flamingos. Barry was on form and found two Wilson's



Phalaropes and a Red Shoveler, and then nearby in the short flooded grasses we eventually got good views of a Bay-capped Wren-Spinetail. The areas of shallow open water held hundreds of Red-gartered Coots, 4

Spot-flanked Gallinules, Black-necked Stilts and both Greater and Lesser Yellowlegs. A Collared Plover was seen on the track before we drove to the beach where a roost of **Snowy-crowned Terns** were joined by **Cabot's Tern**, Royal Tern and both Grey-hooded and Brown-hooded Gulls. Moving along the beach we found many more terns and gulls, plus Semi-palmated Plovers, lots of **Double-banded Plovers**, Grey Plover, Turnstone, Sanderling, Hudsonian Godwits, lots of Black Skimmers and out at sea we had several Brown Skuas and 3 Arctic Skuas. Some cetaceans swimming slowly just off the surf have



yet to be identified.

Leaving the beach (just!) we continued on to another area of open flooded grasslands and marshes. Long-winged Harriers flew alongside the minibus and then beside one of the marshes we witnessed hundreds of thousands of Chestnut-capped Blackbirds coming in to roost. Also here were Correndera Pipits and a superb close look at **Short-billed Pipit**. Many-colored Rush Tyrants and Wren-like Rushbirds were seen, plus Rusty-collared Seedeaters. We eventually left this wonderful place at sunset and returned to our hotel for a fabulous final dinner.



Lagoa de Peixe - 205th June

This morning after breakfast we had an hour to go to the nearby marshes for the last time. A **Rufous-capped Antshrike** was heard and then showed very well, while nearby Spix's and Yellow-chinned Spinetails. A couple of Tropical Parulas showed well and then in the more open areas we saw 3 Giant Wood Rails, **Spectacled Tyrants**, Plumbeous Rails, Rufous-sided Crake, and Blue-and-yellow Tanager ending what was superb trip.



Many thanks to Eduardo for his fantastic guiding which produced many sought after and very difficult species, filling in many gaps on peoples Neotropic life lists.

47 Brazilian Endemics 73 Atlantic Rainforest Endemics

I would also like to thank everyone else on this trip for spotting birds making it a great fun and very successful tour.

Steve & Gina

BIRDLIST FOR SOUTH BRAZIL 2015

A = Number of species recorded on tour B = Number of days out of 14 recorded

C = Highest daily count N/C=No Count F/C=Fairly Common H=Heard

E = Brazilian Endemic AF = Atlantic Rainforest Endemic

A	SPECIES		SCIENTIFIC NAME	B	C
1	Solitary Tinamou	AF	<i>Tinamus solitarius</i>	2	1
2	Brown Tinamou		<i>Crypturellus obsoletus</i>	4	H
3	Red-winged Tinamou		<i>Rhynchotus rufescens</i>	1	2
4	Spotted Nothura		<i>Nothura maculosa</i>	5	4
5	Greater Rhea		<i>Rhea americana</i>	3	100
6	Southern Screamer		<i>Chauna torquata</i>	3	20+
7	White-faced Whistling Duck		<i>Dendrocygna viduata</i>	2	10
8	Coscoroba Swan		<i>Coscoroba coscoroba</i>	2	100
9	Muscovy Duck		<i>Cairina moschata</i>	1	1

ZOOTHERA GLOBAL BIRDING – South Brazil Tour Report – May/Jun – 2015

10	Brazilian Teal		<i>Amazonetta brasiliensis</i>	6	20+
11	Ringed Teal		<i>Callonetta leucophrys</i>	1	20
12	Red Shoveler		<i>Anas platalea</i>	1	2
13	Yellow-billed Teal		<i>Anas flavirostris</i>	2	25
14	Yellow-billed Pintail		<i>Anas georgica</i>	1	10
15	Silver Teal		<i>Anas versicolor</i>	1	15
16	Rosy-billed Pochard		<i>Netta peposaca</i>	1	11
17	Scaled Chachalaca	E	<i>Ortalis squamata</i>	1	6
18	Dusky-legged Guan		<i>Penelope obscura</i>	7	10+
19	Spot-winged Wood Quail		<i>Odontophorus capueira</i>	3	5
20	Pied-billed Grebe		<i>Podilymbus podiceps</i>	2	25
21	White-tufted Grebe		<i>Rollandia rolland</i>	1	5
22	Chilean Flamingo		<i>Phoenicopterus chilensis</i>	1	50
23	Maguari Stork		<i>Ciconia maguari</i>	4	30+
24	Plumbeous Ibis		<i>Theristicus caerulescens</i>	2	2
25	Buff-necked Ibis		<i>Theristicus caudatus</i>	7	10+
26	Bare-faced Ibis		<i>Phimosus infuscatus</i>	5	50,000?
27	Scarlet Ibis		<i>Eudocimus ruber</i>	1	500
28	White-faced Ibis		<i>Plegadis chihi</i>	3	50,000?
29	Roseate Spoonbill		<i>Platalea ajaja</i>	1	20
30	Black-crowned Night Heron		<i>Nycticorax nycticorax</i>	3	30
31	Yellow-crowned Night Heron		<i>Nyctanassa violacea</i>	1	1
32	Striated Heron		<i>Butorides striata</i>	1	1
33	Western Cattle Egret		<i>Bubulcus ibis</i>	6	N/C
34	Cocoi Heron		<i>Ardea cocoi</i>	7	4
35	Great Egret		<i>Ardea alba</i>	9	20
36	Whistling Heron		<i>Syrigma sibilatrix</i>	7	4
37	Little Blue Heron		<i>Egretta caerulea</i>	3	250
38	Snowy Egret		<i>Egretta thula</i>	6	20
39	Magnificent Frigatebird		<i>Fregata magnificens</i>	3	25+
40	Brown Booby		<i>Sula leucogaster</i>	2	50+
41	Neotropic Cormorant		<i>Phalacrocorax brasilianus</i>	5	80+
42	Turkey Vulture		<i>Cathartes aura</i>	9	N/C
43	Black Vulture		<i>Coragyps atratus</i>	13	C
44	White-tailed Kite		<i>Elanus leucurus</i>	2	1
45	Black Hawk-Eagle		<i>Spizaetus tyrannus</i>	2	11
46	Rufous-thighed Hawk		<i>Accipiter erythronemius</i>	1	2
47	Long-winged Harrier		<i>Circus buffoni</i>	4	30+
48	Savanna Hawk		<i>Buteogallus meridionalis</i>	6	3
49	Great Black Hawk		<i>Buteogallus urubitinga</i>	3	2
50	Roadside Hawk		<i>Rupornis magnirostris</i>	9	4
51	White-tailed Hawk		<i>Geranoaetus albicaudatus</i>	2	1
52	Short-tailed Hawk		<i>Buteo brachyurus</i>	2	1
53	Red-legged Seriema		<i>Cariama cristata</i>	4	3
54	Rufous-sided Crake		<i>Laterallus melanophaius</i>	3	6
55	Grey-breasted Crake		<i>Laterallus exilis</i>	1	H
56	Red-and-white Crake		<i>Laterallus leucopyrrhus</i>	4	3
57	Grey-necked Wood Rail		<i>Aramides cajaneus</i>	1	3
58	Giant Wood Rail		<i>Aramides ypecaha</i>	2	5
59	Slaty-breasted Wood Rail	AF	<i>Aramides saracura</i>	3	2
60	Blackish Rail		<i>Pardirallus nigricans</i>	2	H
61	Plumbeous Rail		<i>Pardirallus sanguinolentus</i>	3	8

62	Common Gallinule		<i>Gallinula galeata</i>	8	50+
63	Spot-flanked Gallinule		<i>Gallinula melanops</i>	2	4
64	Red-gartered Coot		<i>Fulica armillata</i>	1	500
65	Limpkin		<i>Aramus guarauna</i>	3	20+
66	American Oystercatcher		<i>Haematopus palliatus</i>	1	50
67	White-backed Stilt		<i>Himantopus melanurus</i>	3	100
68	Southern Lapwing		<i>Vanellus chilensis</i>	13	C
69	Grey Plover		<i>Pluvialis squatarola</i>	1	10
70	Semipalmated Plover		<i>Charadrius semipalmatus</i>	1	30
71	Collared Plover		<i>Charadrius collaris</i>	2	1
72	Two-banded Plover		<i>Charadrius falklandicus</i>	1	25
73	Rufous-chested Plover		<i>Charadrius modestus</i>	1	15
74	Tawny-throated Dotterel		<i>Oreopholus ruficollis</i>	1	7
75	Wattled Jacana		<i>Jacana jacana</i>	9	10+
76	South American Snipe		<i>Gallinago paraguaiae</i>	2	10+
77	Giant Snipe		<i>Gallinago undulata</i>	1	2 + 3H
78	Greater Yellowlegs		<i>Tringa melanoleuca</i>	1	30
79	Lesser Yellowlegs		<i>Tringa flavipes</i>	1	6
80	Ruddy Turnstone		<i>Arenaria interpres</i>	1	10
81	Sanderling		<i>Calidris alba</i>	1	150
82	Wilson's Phalarope		<i>Phalaropus tricolor</i>	1	2
83	Black Skimmer		<i>Rynchops niger</i>	2	60
84	Brown-hooded Gull		<i>Chroicocephalus maculipennis</i>	1	50+
85	Grey-headed Gull		<i>Chroicocephalus cirrocephalus</i>	1	25
86	Kelp Gull		<i>Larus dominicanus</i>	4	30+
87	Gull-billed Tern		<i>Gelochelidon nilotica</i>	1	2
88	Royal Tern		<i>Thalasseus maximus</i>	2	100
89	Cabot's Tern		<i>Thalasseus acuflavidus</i>	4	50
90	Yellow-billed Tern		<i>Sternula supercilialis</i>	2	60
91	Snowy-crowned Tern		<i>Sterna trudeaui</i>	1	40
92	Large-billed Tern		<i>Phaetusa simplex</i>	1	6
93	Brown Skua		<i>Stercorarius antarcticus</i>	2	6
94	Parasitic Jaeger		<i>Stercorarius parasiticus</i>	1	3
95	Rock Dove		<i>Columba livia</i>	8	N/C
96	Picazuro Pigeon		<i>Patagioenas picazuro</i>	13	20+
97	Plumbeous Pigeon		<i>Patagioenas plumbea</i>	1	1
98	Eared Dove		<i>Zenaida auriculata</i>	8	20
99	Ruddy Ground Dove		<i>Columbina talpacoti</i>	5	10
100	Picui Ground Dove		<i>Columbina picui</i>	3	10
101	White-tipped Dove		<i>Leptotila verreauxi</i>	2	1
102	Guira Cuckoo		<i>Guira guira</i>	7	30
103	Smooth-billed Ani		<i>Crotophaga ani</i>	6	25
104	Pavonine Cuckoo		<i>Dromococcyx pavoninus</i>	1	H
105	Squirrel Cuckoo		<i>Piaya cayana</i>	6	1
106	Tropical Screech Owl		<i>Megascops choliba</i>	1	2
107	Black-capped Screech Owl	AF	<i>Megascops atricapilla</i>	1	1
108	Long-tufted Screech Owl	AF	<i>Megascops sanctaecatarinae</i>	2	2
109	Great Horned Owl		<i>Bubo virginianus</i>	1	2
110	Rusty-barred Owl	AF	<i>Strix hylophila</i>	1	1
111	Mottled Owl		<i>Strix virgata</i>	1	H
112	Burrowing Owl		<i>Athene cunicularia</i>	6	2
113	Striped Owl		<i>Pseudoscops clamator</i>	1	H

114	Pauraque		<i>Nyctidromus albicollis</i>	2	1
115	Sickle-winged Nightjar		<i>Eleothreptus anomalus</i>	1	1
116	White-collared Swift		<i>Streptoprocne zonaris</i>	7	10+
117	Grey-rumped Swift		<i>Chaetura cinereiventris</i>	3	30+
118	Lesser Swallow-tailed Swift		<i>Panyptila cayennensis</i>	1	1
119	Saw-billed Hermit	E	<i>Ramphodon naevius</i>	3	1
120	Scale-throated Hermit	AF	<i>Phaethornis eurynome</i>	3	1
121	Dusky-throated Hermit	E	<i>Phaethornis squalidus</i>	1	3
122	Sombre Hummingbird	E	<i>Aphantochroa cirrochloris</i>	1	1
123	Swallow-tailed Hummingbird		<i>Eupetomena macroura</i>	1	1
124	Plovercrest	AF	<i>Stephanoxis lalandi</i>	2	1
125	Violet-capped Woodnymph	AF	<i>Thalurania glaucopis</i>	7	2
126	Gilded Sapphire		<i>Hylocharis chrysura</i>	1	H
127	White-throated Hummingbird		<i>Leucochloris albicollis</i>	3	1
128	Versicolored Emerald		<i>Amazilia versicolor</i>	1	1
129	Glittering-throated Emerald		<i>Amazilia fimbriata</i>	1	1
130	Brazilian Ruby	E	<i>Clytolaema rubricauda</i>	1	H
131	Green-backed Trogon		<i>Trogon viridis</i>	3	1
132	Surucua Trogon	AF	<i>Trogon surrucura</i>	5	2
133	Black-throated Trogon		<i>Trogon rufus</i>	2	1
134	Green Kingfisher		<i>Chloroceryle americana</i>	3	3
135	Amazon Kingfisher		<i>Chloroceryle amazona</i>	4	2
136	Ringed Kingfisher		<i>Megaceryle torquata</i>	8	2
137	Rufous-capped Motmot		<i>Baryphthengus ruficapillus</i>	1	1
138	Buff-bellied Puffbird	AF	<i>Notharchus swainsoni</i>	1	1
139	Crescent-chested Puffbird	E	<i>Malacoptila striata</i>	1	1
140	Saffron Toucanet	AF	<i>Pteroglossus bailloni</i>	1	5
141	Green-billed Toucan	AF	<i>Ramphastos dicolorus</i>	2	2
142	Channel-billed Toucan		<i>Ramphastos vitellinus</i>	1	H
143	Ochre-collared Piculet	AF	<i>Picumnus temminckii</i>	5	1
144	Mottled Piculet	AF	<i>Picumnus nebulosus</i>	2	3
145	Yellow-fronted Woodpecker	AF	<i>Melanerpes flavifrons</i>	5	2
146	White-spotted Woodpecker	AF	<i>Veniliornis spilogaster</i>	6	1
147	Yellow-browed Woodpecker	AF	<i>Piculus aurulentus</i>	2	1
148	Green-barred Woodpecker		<i>Colaptes melanochloros</i>	2	1
149	Campo Flicker		<i>Colaptes campestris</i>	5	4
150	Field Flicker *		<i>Colaptes campestroides</i>	5	3
151	Robust Woodpecker	AF	<i>Campephilus robustus</i>	2	2
152	Southern Crested Caracara		<i>Caracara plancus</i>	11	F/C
153	Yellow-headed Caracara		<i>Milvago chimachima</i>	12	F/C
154	Chimango Caracara		<i>Milvago chimango</i>	6	F/C
155	Barred Forest Falcon		<i>Micrastur ruficollis</i>	1	1
156	Collared Forest Falcon		<i>Micrastur semitorquatus</i>	1	1
157	American Kestrel		<i>Falco sparverius</i>	6	6
158	Aplomado Falcon		<i>Falco femoralis</i>	2	2
159	Maroon-bellied Parakeet	AF	<i>Pyrrhura frontalis</i>	11	30+
160	Monk Parakeet		<i>Myiopsitta monachus</i>	1	12
161	Blue-winged Parrotlet		<i>Forpus xanthopterygius</i>	2	10
162	Plain Parakeet	E	<i>Brotogeris tirica</i>	5	10
163	Pileated Parrot	AF	<i>Pionopsitta pileata</i>	6	6
164	Scaly-headed Parrot		<i>Pionus maximiliani</i>	8	8
165	Red-spectacled Amazon	AF	<i>Amazona pretrei</i>	2	150

166	Red-tailed Amazon	E	<i>Amazona brasiliensis</i>	1	500+
167	Vinaceous-breasted Amazon	AF	<i>Amazona vinacea</i>	3	40
168	Blue-bellied Parrot	E	<i>Triclaria malachitacea</i>	1	2
169	Long-tailed Cinclodes	E	<i>Cinclodes pabsti</i>	2	2
170	Rufous Hornero		<i>Furnarius rufus</i>	12	6
171	Striolated Tit-Spinetail	E	<i>Leptasthenura striolata</i>	2	6
172	Araucaria Tit-Spinetail		<i>Leptasthenura setaria</i>	5	10
173	Rufous-capped Spinetail	AF	<i>Synallaxis ruficapilla</i>	4	1
174	Grey-bellied Spinetail	AF	<i>Synallaxis cinerascens</i>	3	2
175	Spix's Spinetail		<i>Synallaxis spixi</i>	3	1
176	Olive Spinetail		<i>Cranioleuca obsoleta</i>	2	2
177	Pallid Spinetail	E	<i>Cranioleuca pallida</i>	3	1
178	Yellow-chinned Spinetail		<i>Certhiaxis cinnamomeus</i>	4	10
179	Freckle-breasted Thornbird		<i>Phacellodomus striaticollis</i>	1	3
180	Orange-breasted Thornbird		<i>Phacellodomus ferrugineigula</i>	1	1
181	Canebrake Groundcreeper	AF	<i>Clibanornis dendrocolaptoides</i>	1	2
182	Bay-capped Wren-Spinetail		<i>Spartonoica maluroides</i>	1	2
183	Wren-like Rushbird		<i>Phleocryptes melanops</i>	3	4
184	Curve-billed Reedhaunter		<i>Limnornis curvirostris</i>	2	1
185	Straight-billed Reedhaunter		<i>Limnornis rectirostris</i>	1	6
186	Firewood-Gatherer		<i>Anumbius annumbi</i>	4	4
187	White-browed Foliage-Gleaner	AF	<i>Anabacerthia amaurotis</i>	2	1
188	Buff-browed Foliage-Gleaner	AF	<i>Syndactyla rufosuperciliata</i>	3	H
189	Ochre-breasted Foliage-Gleaner	AF	<i>Philydor lichtensteini</i>	5	6
190	Black-capped Foliage-Gleaner	AF	<i>Philydor atricapillus</i>	1	H
191	Buff-fronted Foliage-Gleaner	AF	<i>Philydor rufum</i>	5	6
192	White-collared Foliage-Gleaner	E	<i>Anabazenops fuscus</i>	3	2
193	Pale-browed Treehunter	E	<i>Cichlocolaptes leucophrys</i>	3	1
194	White-eyed Foliage-Gleaner	AF	<i>Automolus leucophthalmus</i>	1	H
195	Rufous-breasted Leaf-tosser	AF	<i>Sclerurus scansor</i>	4	1
196	Sharp-tailed Streamcreeper		<i>Lochmias nematura</i>	1	H
197	Sharp-billed Treehunter	AF	<i>Heliobletus contaminatus</i>	2	2
198	Plain Xenops		<i>Xenops minutus</i>	3	1
199	Streaked Xenops		<i>Xenops rutilans</i>	4	1
200	Plain-winged Woodcreeper	AF	<i>Dendrocincla turdina</i>	2	1
201	Olivaceous Woodcreeper		<i>Sittasomus griseicapillus</i>	6	2
202	White-throated Woodcreeper	AF	<i>Xiphocolaptes albicollis</i>	4	2
203	Planalto Woodcreeper		<i>Dendrocolaptes platyrostris</i>	5	2
204	Lesser Woodcreeper	AF	<i>Xiphorhynchus fuscus</i>	5	2
205	Scalloped Woodcreeper	AF	<i>Lepidocolaptes falcinellus</i>	5	2
206	Spot-backed Antshrike	AF	<i>Hypoedaleus guttatus</i>	4	1
207	Giant Antshrike		<i>Batara cinerea</i>	2	1
208	Large-tailed Antshrike	AF	<i>Mackenziaena leachii</i>	1	1
209	Tufted Antshrike	AF	<i>Mackenziaena severa</i>	2	1
210	White-bearded Antshrike	AF	<i>Biatas nigropectus</i>	2	1
211	Variable Antshrike		<i>Thamnophilus caerulescens</i>	7	2
212	Rufous-capped Antshrike		<i>Thamnophilus ruficapillus</i>	1	1
213	Plain Antwren		<i>Dysithamnus mentalis</i>	4	2
214	Unicolored Antwren	E	<i>Myrmotherula unicolor</i>	1	2
215	Star-throated Antwren	E	<i>Rhopias gularis</i>	2	2
216	Rufous-winged Antwren		<i>Herpsilochmus rufimarginatus</i>	4	2
217	Marsh (Parana) Antwren	E	<i>Stymphalornis acutirostris</i>	1	2

218	Ferruginous Antbird	E	<i>Drymophila ferruginea</i>	3	1
219	Bertoni's Antbird	AF	<i>Drymophila rubicollis</i>	4	1
220	Ochre-rumped Antbird	E	<i>Drymophila ochropyga</i>	4	2
221	Dusky-tailed Antbird	AF	<i>Drymophila malura</i>	3	1
222	Streak-capped Antwren	AF	<i>Terenura maculata</i>	3	4
223	White-shouldered Fire-Eye	AF	<i>Pyriglena leucoptera</i>	5	6
224	Squamate Antbird	E	<i>Myrmeciza squamosa</i>	4	2
225	Rufous-capped Antthrush		<i>Formicarius colma</i>	2	1
226	Short-tailed Antthrush	AF	<i>Chamaeza campanisona</i>	3	2
227	Cryptic Antthrush	E	<i>Chamaeza meruloides</i>	2	1
228	Rufous-tailed Antthrush	AF	<i>Chamaeza ruficauda</i>	1	2
229	Variegated Antpitta		<i>Grallaria varia</i>	2	1
230	Speckle-breasted Antpitta	AF	<i>Hylopezus nattereri</i>	3	1
231	Rufous Gnateater	AF	<i>Conopophaga lineata</i>	4	1
232	Black-cheeked Gnateater	E	<i>Conopophaga melanops</i>	1	2
233	Slaty Bristlefront	E	<i>Merulaxis ater</i>	2	1
234	White-breasted Tapaculo	E	<i>Eleoscytalopus indigoticus</i>	4	1
235	Marsh Tapaculo	E	<i>Scytalopus iraiensis</i>	1	H
236	Mouse-colored Tapaculo	E	<i>Scytalopus speluncae</i>	2	H
237	Planalto Tapaculo		<i>Scytalopus pachecoi</i>	1	2
238	Black-capped Piprites	AF	<i>Piprites pileata</i>	2	4
239	Planalto Tyrannulet		<i>Phyllomyias fasciatus</i>	3	2
240	Rough-legged Tyrannulet	AF	<i>Phyllomyias burmeisteri</i>	1	1
241	Greenish Tyrannulet	AF	<i>Phyllomyias virescens</i>	4	1
242	Grey-capped Tyrannulet	E	<i>Phyllomyias griseicapilla</i>	2	1
243	Small-billed Elaenia		<i>Elaenia parvirostris</i>	1	2
244	Southern Beardless Tyrannulet		<i>Camptostoma obsoletum</i>	2	1
245	Sooty Tyrannulet		<i>Serpophaga nigricans</i>	4	2
246	White-crested Tyrannulet		<i>Serpophaga subcristata</i>	2	1
247	Yellow Tyrannulet		<i>Capsiempis flaveola</i>	1	H
248	Warbling Doradito		<i>Pseudocolopteryx flaviventris</i>	1	1
249	Mottle-cheeked Tyrannulet		<i>Phylloscartes ventralis</i>	3	2
250	Restinga Tyrannulet	E	<i>Phylloscartes kronei</i>	2	8
251	Sao Paulo Tyrannulet	AF	<i>Phylloscartes paulista</i>	1	1
252	Oustalet's Tyrannulet	E	<i>Phylloscartes oustaleti</i>	4	4
253	Serra do Mar Tyrannulet	E	<i>Phylloscartes difficilis</i>	1	H
254	Bay-ringed Tyrannulet	AF	<i>Phylloscartes sylvius</i>	2	1
255	Grey-hooded Flycatcher	AF	<i>Mionectes rufiventris</i>	3	1
256	Sepia-capped Flycatcher		<i>Leptopogon amaurocephalus</i>	6	1
257	Many-colored Rush Ryrant		<i>Tachuris rubrigastra</i>	2	4
258	Brown-breasted Bamboo Tyrant	AF	<i>Hemitriccus obsoletus</i>	2	H
259	Hangnest Tody-Tyrant	E	<i>Hemitriccus nidipendulus</i>	3	1
260	Kaempfer's Tody-Tyrant	E	<i>Hemitriccus kaempferi</i>	2	3
261	Eared Pygmy Tyrant	AF	<i>Myiornis auricularis</i>	3	4
262	Ochre-faced Tody-Flycatcher		<i>Poecilatriccus plumbeiceps</i>	2	1
263	Yellow-olive Flatbill		<i>Tolmomyias sulphureus</i>	5	1
264	White-throated Spadebill		<i>Platyrinchus mystaceus</i>	6	1
265	Russet-winged Spadebill	AF	<i>Platyrinchus leucoryphus</i>	1	1
266	Cliff Flycatcher		<i>Hirundinea ferruginea</i>	2	2
267	Tropical Pewee		<i>Contopus cinereus</i>	1	H
268	Vermilion Flycatcher		<i>Pyrocephalus rubinus</i>	1	2
269	Austral Negrito		<i>Lessonia rufa</i>	1	4

270	Blue-billed Black Tyrant		<i>Knipolegus cyanirostris</i>	1	1
271	Crested Black Tyrant		<i>Knipolegus lophotes</i>	1	3
272	Spectacled Tyrant		<i>Hymenops perspicillatus</i>	2	10
273	Yellow-browed Tyrant		<i>Satrapa icterophrys</i>	1	2
274	White-rumped Monjita		<i>Xolmis velatus</i>	1	1
275	White Monjita		<i>Xolmis irupero</i>	2	6
276	Black-and-white Monjita		<i>Heteroxolmis dominicana</i>	5	5
277	Long-tailed Tyrant		<i>Colonia colonus</i>	2	1
278	Cattle Tyrant		<i>Machetornis rixosa</i>	4	10
279	Social Flycatcher		<i>Myiozetetes similis</i>	1	3
280	Great Kiskadee		<i>Pitangus sulphuratus</i>	12	10+
281	Three-striped Flycatcher		<i>Conopias trivirgatus</i>	3	3
282	Sibilant Sirystes		<i>Sirystes sibilator</i>	1	H
283	Large-headed Flatbill		<i>Ramphotrigon megacephalum</i>	2	1
284	Grey-hooded Attila	E	<i>Attila rufus</i>	5	1
285	Hooded Berryeater	E	<i>Carpornis cucullata</i>	3	1
286	Cinnamon-vented Piha	E	<i>Lipaugus lanioides</i>	2	2
287	Red-ruffed Fruitcrow		<i>Pyroderus scutatus</i>	1	1
288	Serra do Mar Tyrant-Manakin	E	<i>Neopelma chrysolophum</i>	2	1
289	Pin-tailed Manakin	E	<i>Illicura militaris</i>	4	2
290	White-bearded Manakin		<i>Manacus manacus</i>	1	1
291	Blue Manakin	AF	<i>Chiroxiphia caudata</i>	7	2
292	Sharpbill		<i>Oxyruncus cristatus</i>	3	2
293	Whiskered Myiobius		<i>Myiobius barbatus</i>	1	1
294	Greenish Schiffornis	AF	<i>Schiffornis virescens</i>	5	1
295	Chestnut-crowned Becard		<i>Pachyramphus castaneus</i>	5	1
296	Rufous-browed Peppershrike		<i>Cyclarhis gujanensis</i>	5	1
297	Rufous-crowned Greenlet	AF	<i>Hylophilus poicilotis</i>	4	1
298	Azure Jay	AF	<i>Cyanocorax caeruleus</i>	5	10
299	White-rumped Swallow		<i>Tachycineta leucorrhoa</i>	3	100
300	Chilean Swallow		<i>Tachycineta leucopyga</i>	1	10+
301	Grey-breasted Martin		<i>Progne chalybea</i>	3	10
302	Blue-and-white Swallow		<i>Notiochelidon cyanoleuca</i>	11	F/C
303	Tawny-headed Swallow		<i>Alopocheilidon fucata</i>	1	2
304	Long-billed Wren		<i>Cantorchilus longirostris</i>	2	1
305	House Wren		<i>Troglodytes aedon</i>	12	2
306	Long-billed Gnatwren		<i>Ramphocaenus melanurus</i>	3	1
307	Masked Gnatcatcher		<i>Polioptila dumicola</i>	1	1
308	Chalk-browed Mockingbird		<i>Mimus saturninus</i>	10	4
309	White-banded Mockingbird		<i>Mimus triurus</i>	1	1
310	Rufous-bellied Thrush		<i>Turdus rufiventris</i>	12	6
311	Pale-breasted Thrush		<i>Turdus leucomelas</i>	2	1
312	Creamy-bellied Thrush		<i>Turdus amaurochalinus</i>	3	2
313	White-necked Thrush		<i>Turdus albicollis</i>	3	1
314	House Sparrow		<i>Passer domesticus</i>	8	N/C
315	Common Waxbill		<i>Estrilda astrild</i>	1	N/C
316	Short-billed Pipit		<i>Anthus furcatus</i>	1	1
317	Correndera Pipit		<i>Anthus correndera</i>	1	20
318	Hooded Siskin		<i>Spinus magellanica</i>	3	4
319	Violaceous Euphonia		<i>Euphonia violacea</i>	3	2
320	Green-chinned Euphonia	AF	<i>Euphonia chalybea</i>	2	2
321	Chestnut-bellied Euphonia		<i>Euphonia pectoralis</i>	5	2

322	Blue-naped Chlorophonia		<i>Chlorophonia cyanea</i>	1	2
323	Southern Yellowthroat		<i>Geothlypis velata</i>	5	1
324	Tropical Parula		<i>Setophaga pitaiayumi</i>	8	2
325	White-rimmed Warbler		<i>Myiothlypis leucoblephara</i>	9	1
326	Riverbank Warbler		<i>Myiothlypis rivularis</i>	3	3
327	Golden-crowned Warbler		<i>Basileuterus culicivorus</i>	9	8
328	Red-rumped Cacique		<i>Cacicus haemorrhous</i>	6	10
329	Golden-winged Cacique	AF	<i>Cacicus chrysopterus</i>	8	8
330	Variable Oriole		<i>Icterus pyrrhopterus</i>	1	1
331	Chopi Blackbird		<i>Gnorimopsar chopi</i>	3	20
332	Yellow-winged Blackbird		<i>Agelasticus thilius</i>	1	N/C
333	Chestnut-capped Blackbird		<i>Chrysomus ruficapillus</i>	3	100,000
334	Saffron-cowled Blackbird		<i>Xanthopsar flavus</i>	1	12
335	Yellow-rumped Marshbird		<i>Pseudoleistes guirahuro</i>	3	10
336	Brown-and-yellow Marshbird		<i>Pseudoleistes virescens</i>	3	12
337	Greyish Baywing (Baywing)		<i>Agelaioides badius</i>	1	2
338	Shiny Cowbird		<i>Molothrus bonariensis</i>	3	N/C
339	White-browed Blackbird		<i>Sturnella supercilialis</i>	2	6
340	Bananaquit		<i>Coereba flaveola</i>	6	2
341	Rufous-collared Sparrow		<i>Zonotrichia capensis</i>	10	30
342	Grassland Sparrow		<i>Ammodramus humeralis</i>	1	3
343	Half-collared Sparrow	E	<i>Arremon semitorquatus</i>	1	2
344	Brown Tanager	E	<i>Orchesticus abeillei</i>	2	1
345	Red-crested Cardinal		<i>Paroaria coronata</i>	2	3
346	Magpie Tanager		<i>Cissopsis leverianus</i>	2	4
347	Olive-green Tanager	E	<i>Orthogonys chloricterus</i>	4	15
348	Black-goggled Tanager	AF	<i>Trichothraupis melanops</i>	6	4
349	Flame-crested Tanager		<i>Tachyphonus cristatus</i>	1	3
350	Ruby-crowned Tanager		<i>Tachyphonus coronatus</i>	6	2
351	Brazilian Tanager	E	<i>Ramphocelus bresilius</i>	1	2
352	Sayaca Tanager		<i>Thraupis sayaca</i>	3	4
353	Azure-shouldered Tanager	E	<i>Thraupis cyanoptera</i>	4	4
354	Golden-chevroned Tanager	E	<i>Thraupis ornata</i>	3	4
355	Palm Tanager		<i>Thraupis palmarum</i>	2	6
356	Blue-and-yellow Tanager		<i>Thraupis bonariensis</i>	2	2
357	Diademed Tanager	AF	<i>Stephanophorus diadematus</i>	5	2
358	Fawn-breasted Tanager	AF	<i>Pipraeidea melanonota</i>	2	1
359	Green-headed Tanager	AF	<i>Tangara seledon</i>	6	12
360	Red-necked Tanager	AF	<i>Tangara cyanocephala</i>	4	15
361	Brassy-breasted Tanager	E	<i>Tangara desmaresti</i>	1	10
362	Burnished-buff Tanager		<i>Tangara cayana</i>	3	1
363	Black-backed Tanager	E	<i>Tangara peruviana</i>	2	2
364	Chestnut-backed Tanager	AF	<i>Tangara preciosa</i>	4	3
365	Swallow Tanager		<i>Tersina viridis</i>	1	4
366	Blue Dacnis		<i>Dacnis cayana</i>	5	10
367	Green Honeycreeper		<i>Chlorophanes spiza</i>	1	1
368	Rufous-headed Tanager	E	<i>Hemithraupis ruficapilla</i>	2	1
369	Uniform Finch	AF	<i>Haplospiza unicolor</i>	1	1
370	Long-tailed Reed Finch		<i>Donacospiza albifrons</i>	2	4
371	Bay-chested Warbling Finch	E	<i>Poospiza thoracica</i>	1	1
372	Grey-throated Warbling Finch	AF	<i>Poospiza cabanisi</i>	2	10
373	Saffron Finch		<i>Sicalis flaveola</i>	10	F/C

374	Lesser Grass Finch		<i>Emberizoides ypiranganus</i>	2	3
375	Pampa Finch		<i>Embernagra platensis</i>	4	12
376	Rusty-collared Seedeater		<i>Sporophila collaris</i>	1	4
377	Double-collared Seedeater		<i>Sporophila caerulescens</i>	2	1
378	Red-crowned Ant Tanager		<i>Habia rubica</i>	1	H
379	Black-throated Grosbeak		<i>Saltator fuliginosus</i>	1	1
380	Green-winged Saltator		<i>Saltator similis</i>	2	1
381	Thick-billed Saltator	AF	<i>Saltator maxillosus</i>	3	4

Mammals & Other

1	Pampas Fox		<i>Lycalopex gymnocercus</i>	2	2
2	Crab-eating Fox		<i>Cerdocyon thous</i>	1	1
3	Capybara		<i>Hydrochoerus hydrochaeris</i>	2	1
4	Coypu		<i>Myocastor coypus</i>	1	3
5	Brazilian Yellow-toothed Cavy	E	<i>Galea flavidens</i>	1	5
6	Black-tufted Capuchin		<i>Cebus apella</i>	1	4
7	European Hare (introduced)		<i>Lepus europaeus</i>	1	1
8	South American Red Brocket Deer		<i>Mazama americana</i>	1	2
9	Guiana Dolphin (Costero)		<i>Sotalia guianensis</i>	1	12

Note – Field Flicker some consider a full species from Campo Flicker.

The photos in this report were taken by Steve Bird.