



# WEST JAVA & SUMATRA TOUR REPORT

20<sup>th</sup> November to 11<sup>th</sup> December 2013

## TOUR HIGHLIGHTS

Either for rarity value, excellent views or simply a group favourite.

- White-winged Wood Duck
- Javan Hawk-Eagle
- Chestnut-bellied Partridge
- Red-billed Partridge
- Crested Fireback
- Cinnamon-headed Green-Pigeon
- Yellow-throated Hanging-Parrot
- Javan Coucal
- Oriental Bay Owl
- Javan Barred Owlet
- Sumatran Owlet
- Large Frogmouth
- Gould's Frogmouth
- Javan Frogmouth
- Blyth's Frogmouth
- Bonaparte's Nightjar
- Salvadori's Nightjar
- Sumatran Trogon
- Blue-banded Kingfisher
- Javan Kingfisher
- Brown-throated Barbet
- Flame-fronted Barbet
- Crimson-winged Woodpecker
- Green Broadbill
- Malayan Banded Pitta
- Javan Banded Pitta
- Graceful Pitta
- Blue-masked Leafbird
- Sumatran Treepie
- Javan Tesia
- Sumatran Wren-babbler
- Rusty-breasted Wren-babbler
- Spotted Crocias
- Pygmy Tit
- Sunda Blue Robin
- Sunda Forktail
- Javan Cochoa
- Shiny Whistling-Thrush
- White-tailed Blue Flycatcher
- White-bellied Fantail
- White-flanked Sunbird
- Daurian Starling
- Javan White-eye
- White-capped Munia

## SUMMARY:

Our extensive coverage of the premier birding sites in West Java and Sumatra resulted in us seeing 307 species in total, of which 61 were endemics, including some of the rarest birds on the planet. We began at Gunung Gede, followed by Gunung Halimun in Java – the two most famous mountains for this islands' specialities. A couple brief visits to Pamunakan for Javan White-eye and Maura Angke Marsh for Javan Coucal were made before we headed to the west coast at Carita, overlooking Krakatoa. Javan Banded Pitta was the highlight here before we took the ferry across to Sumatra. Our time at Way Kambas was amazing, with a number of night birds helping our list reach a superb 21 species recorded for the tour! Nobody can forget the views of Oriental Bay-owl or Large Frogmouth here. Moving on to Gunung Kerinci involved 2 internal flights and we ended with a couple of days on the bird-rich Tapan Road.

## Days 1 - 3 Gunung Gede, West Java 20<sup>th</sup> – 22<sup>nd</sup> November

Following a long flight via Dubai we eventually arrived in Jakarta on the evening of the second day and stayed at a very nice airport hotel for the night. The following morning we had a leisurely breakfast before setting out on the 3 hour drive to Gunung Gede, stopping at a rest area along the highway where **Scarlet-headed Flowerpecker**, **Javan Munia**, **Oriental White-eye** and **Spot-breasted Woodpecker** were seen. After lunch at the hotel we drove the short distance into the hills and had decent scope views of the endemic **Javan Kingfisher** after a bit of a run-around. A short distance along one of the many trails here resulted in close **Lesser Shortwing**, **Pygmy Wren-babbler** and cracking close-ups of an **Eye-browed Wren-babbler**. As it became dark we had a pair of **Salvadori's Nightjars** perching on a bare branch overhead, but rather disappointingly **Javan Frogmouth** and **Sunda Scops-owl** were only heard – but we'd see those soon enough!

Our first full day here began with a **Javan Frogmouth** in the spotlight as we headed back up the mountain. The trail is rocky and uneven all the way but it was dry and sunny again which made things easier. In fact it was a great day with numerous flocks encountered and we found most of the key endemics starting with **Sunda Whistling-thrush**, followed by **Javan Owlet**, **Flame-fronted Barbet**, **Orange-spotted** and **Javan Bulbuls**, **Javan Tesia**, **Javan (Chestnut-backed) Scimitar-babbler**, **Rufous-tailed Fantail**, **Crescent-chested** and **White-bibbed Babbler**, **Pied** and **Trilling Shrike-babblers**, **Javan Fulvetta**, **Sunda Blue**



Rufous-tailed Fantail

**Robin**, **White-flanked Sunbird**, **Blood-breasted Flowerpecker**, **Javan Tesia**, **Javan Grey-throated White-eye**, and a heard only **Javan Cochoa**. Other more common but no less exciting species were numerous and we also saw **Fire-tufted Barbet**, **Blue Nuthatch**, **Black-winged Flycatcher-Shrike**, **Olive-backed Tailorbird**, **Sunda** and **Yellow-bellied Warbler**, **Mountain Leaf-warbler**, more **Eye-browed Wren-babblers**, **Pygmy Cupwing**, **Lesser Shortwing**. Later in the day we also had a few more widely recorded species such as **Black Eagle**, **Black-naped Fruit-Dove**, **Cinereous Tit**, **Grey-cheeked Bulbul**, **Ashy Drongo**, **Mountain Tailorbird**, **Siberian Thrush**, **Snowy-browed**, **Pale Blue** and **Little Pied Flycatchers**,

Our last full day saw us heading out into the lovely sunshine later than normal and we birded Cibodas Botanical Gardens in pursuit of another couple endemics. We did well with a flock of **Yellow-throated Hanging-Parrots** feeding on a flowering tree and as we were watching them a flock of **Pygmy Tits** passed by right in front of us. Our first decent look at **Indigo Flycatchers** were also much appreciated, and we also had **Velvet-fronted Nuthatch**, another **Javan Kingfisher** and lots of previously seen species. We spent the rest of the day on the mountain, taking lunch at the waterfall and getting nice views of many precious seen species. A **Rusty-breasted Cuckoo** looked nice in the scope, and we heard a **Brown-throated Barbet** but that would have to wait for a day or two..... An early finish to rest our aching limbs after walking up and down the rocky path was much appreciated this evening.

## Days 4 - 6 Gunung Halimun, West Java 23<sup>rd</sup> - 25<sup>th</sup> November

After a long nights rest and late breakfast we set off towards Gunung Halimun at 9am and it took a full 7 hours to drive to this wonderful site. As we neared the end of our long journey the road became narrow and cobbled as we slowly drove higher up into the hills and our final destination of the Research Station. With over an hour of daylight left we had just enough time to take a short walk along the road, which passed through fantastic forest and one of the first birds seen was **Spotted Crocias**, a species we had missed over the last few days. After our first vehicle had stopped and seen a small flock of them, everyone then had superb views of a group of four birds that came closer and closer and eventually settled in the canopy right over our heads. A pair of **Javan Leafbirds**, **Blue Nuthatch**, **Asian Paradise-Flycatcher** and **Dark-backed Imperial-Pigeon** were also seen before the light became too dim for us to bird anymore. Our base for the next 3 nights turned out to be better than expected, although the



Javan Hawk-eagle

cold water we showered in was bracing to say the least! Over the next couple of days we walked the Loop Trail several times and birded the road on a number of occasions but we never found **Javan Trogon**, however we found numerous large mixed species feeding flocks and had further views of **Spotted Crocias**, eventually great views of a perched **Javan Hawk-Eagle**, **Brown Prinia**, **Sunda Minivet**, two sightings of the rare **White-bellied Fantail**, **Brown-throated Barbet**, **Javan Sunbird**, a brief **Chestnut-bellied Partridge** and a rather extraordinary sighting of **Javan Cochoa** much lower down the mountain than expected.

Other birds seen here included **Black-thighed Falconet**, **Oriental Honey-Buzzard**, **Chestnut-breasted Malkoha**, **Grey-rumped Treeswift**, **Orange-breasted Trogon**, **Crimson-winged Woodpecker**, **Lesser Racket-tailed Drongo**, **Eye-browed Wren-babbler**, **Fulvous-chested Jungle-Flycatcher**, **Pale Blue Flycatcher**, and **Crimson-breasted Flowerpecker** amongst others.

## Days 7 - 8 Pamunakan, West Java 26<sup>th</sup> - 27<sup>th</sup> November

The 26<sup>th</sup> was basically a travelling day as we drove from Gunung Halimun to Pamunakan. The following morning, a series of fish ponds, rice fields and mangroves provided ideal habitat for a few goodies and an early start saw us ticking off **White-capped Munia** on the drive in. Excellent views were obtained of these beautiful little birds, and at our first stop we also had **Small Blue Kingfisher**, **Blue-tailed Bee-eater**, **Slaty-breasted Rail**, **Yellow Bittern** and some other common birds. Amongst the ponds we quickly picked up a **Javan Plover** and had

a further 3 more later in the morning. But with the temperature already rising we walked quite a way to some mangroves bordering a canal and were quite fortunate to get really good views of the endemic **Javan White-eye**, a few of which were feeding close by. Also present in the same area were **Whiskered Tern**, **Little Black Cormorant**, **Oriental Darter**, **Golden-bellied Gerygone**, **Pied Fantail**, **Clamorous Reed Warbler**, **Zitting Cisticola**, **Striated Heron**, **Sunda Teal** and **Island Collared Dove**. Leaving here we drove to a great hotel on the outskirts of Jakarta and enjoyed the a/c and cold beers very much!!!

## Day 9 Muara Angke, Jakarta, West Java 28<sup>th</sup> November

A relatively small area of marsh and ponds situated on the outskirts of Jakarta is the home of **Sunda Coucal** and we pretty quickly found a couple of birds sat on some distant bushes which looked quite good through the scope. The meandering boardwalk here provided a good view across the marshes where **Black-crowned Night-herons**, both **Grey** and **Purple Heron** and lots of **Oriental Darters** were sat on the surrounding trees and bushes. A **Chestnut-winged Cuckoo** showed surprisingly well in the scope and several flocks of flyby **Daurian Starlings** were also something of a surprise. But it took a while before we got to grips with the sites other speciality, **Black-winged Myna**. However it was worth waiting for as we enjoyed several great looks through the scope. A few **Olive-backed Tailorbirds** were present, and a **Bar-winged Prinia** eventually gave itself up before we set off by 8am on another tedious drive of some 4 hours to Carita.

## Days 10 - 11 Carita, West Java 29<sup>th</sup> – 30<sup>th</sup> November

This small patch of forest still holds a number of Javan endemics and as our hotel, just opposite the beach, is only a 5 minute drive away we were in a perfect position to explore the area. So on our first afternoon we walked slowly along the forest road and relatively quickly picked up the endemic **Black-banded Barbet** after something of a game of cat-and-mouse. But what a stunner it was and certainly worth the effort. A pair of endemic **Grey-throated Tit-babblers** were also found as well to make it a worthwhile afternoon. As the sun set and it gradually got dark the calls of a **Brown Boobook** led us to nice spotlight views and shortly after a **Sunda Scops-owl** was found just a few feet off the ground to complete a good day's birding. Oh and a few of the group returned to the hotel early and had a **Javan Banded Pitta** in the headlights right at dusk!



Sunda Scops-owl

The following morning we were in the forest at sunrise and in the ever-improving gloom a female **Javan Banded Pitta** worked its way along the leaf-covered forest road in front of us.

Within a matter of minutes a male pitta was called in for close views as well. What a way to start the day! We spent the next few hours, before the temperature became too warm, walking through the forest getting more views of previously seen species, including great scope views of a **Javan Owlet**, **Asian Drongo-Cuckoo**, more tit-babblers, **Black-capped Babbler**, **Emerald Dove**, **Banded Broadbill**, both **Scarlet** and **Sunda Minivets**, **Black-winged Flycatcher-shrike**, **Crescent-chested Babbler**, **Ruby-cheeked Sunbird**, **Orange-bellied Flowerpecker**, and a bonus of a superb male **Yellow-rumped Flycatcher**.

At lunchtime a **White-bellied Sea-Eagle** was seen by a few of the group as they scanned from the beach across the road from the hotel. We finished the day off with another **Brown Boobook** and unfortunately the **Javan Frogmouths** were not responding this evening.

## Days 12 - 14 Way Kambas, Sumatra 1<sup>st</sup> – 3<sup>rd</sup> December

Following an uneventful ferry journey across the Sunda Strait we drove just under 3 hours to an amazingly good lodge just outside the entrance to Way Kambas. After a delicious lunch we drove into the park and began walking along the road which was bordered by dense forest either side. A number of birds were calling but not responding, however we did get views of **Chestnut-rumped Babbler**, **Yellow-bellied** and **Cream-vented Bulbuls**, **Little Green-Pigeon**, **Red-billed Malkoha**, **Blue-throated Bee-eater**, **Bar-bellied Cuckooshrike**, **Spectacled Spiderhunter**, **Fiery Minivet** and some previously seen species. We also experienced our first period of rain on the tour so far that hampered our birding



Oriental Bay-owl

and we had to take shelter in the cars. But whilst doing this a male **Crested Fireback** appeared right next to us and was later seen walking along the road behind us. Just as it was getting dark a **Red-crowned Barbet** began calling above us and we had views through the scope. Way Kambas is known for its night birds and it didn't disappoint us either as a **Large Frogmouth** was called in and everyone enjoyed cracking views in the spotlight. As if that wasn't enough, I played a short cut of **Oriental Bay Owl** call and we got an immediate response. Unfortunately the bird just called back from inside the forest, so we walked inside, clambering over fallen trees, trying to be quiet and not really expecting the bird to remain. But due to the diligence of our local guide, Harry, what can only be described as 'mind-blowing' views were had of a female perched a mere 10 yards away for several minutes. Wow!

Everyone was eager to be out and birding at first light on our first full day in this wonderful area, so shortly after 5.30am we were already getting to grips with a **Leopard Cat** crossing the road in the headlights. We followed this with a **Red-bearded Bee-eater** and a superb pair of **Scarlet-rumped Trogons**, plus another **Dusky Broadbill**, **Plain Sunbird** and **Asian**



Gould's Frogmouth

**Drongo Cuckoo.** A fine trio of **Black-bellied, Raffles's and Red-billed Malkohas** graced the forest. We also got to grips with more babblers and had really good close views of a pair of **Fluffy-backed Tit-babblers, Sooty-capped, Chestnut-winged and Scaly-crowned Babblers.** A little later we had a pair of **Grey-and-buff Woodpeckers** high in the canopy, followed by **Whiskered Treeswift, Green Iora, Greater Racket-tailed Drongo,** several **Black Magpies, Hairy-backed Bulbul, Eastern Crowned Warbler, Yellow-rumped Flycatcher,**

**Rufous-winged Philentoma and Dark-throated Oriole.** As the morning continued and the temperature began to rise we

heard **Banded Kingfisher, Green Broadbill, Malayan Banded Pitta, Dark-necked Tailorbird and Ferruginous Babbler.**

The afternoon was quieter as usual but our first **Black-and-yellow Broadbill** gave repeated views high in the canopy, whilst a **Rufous-collared Kingfisher** showed at point-blank range after a long wait, but unfortunately the light had gone so it wasn't possible to get any photos. The night-birding again proved to be top drawer with a **Bonaparte's Nightjar** perched on a horizontal branch over the road, followed by a **Reddish Scops-owl** and then a **Gould's Frogmouth.**

The following morning we tried in vain for a **Great Argus** that we'd been hearing the day before and staked out its song-post area, and then found the rest of the morning to be a little slower than the previous day. Yet new birds kept coming at regular intervals despite the heat and we had views of **Malayan Banded Pitta, Brown Barbet, Rufous-backed Kingfisher, Chestnut-backed Scimitar-babbler, Rufous-tailed Tailorbird,** a brief **Diard's Trogon,** and a **Gould's Frogmouth** at a day roost. On the drive back to the lodge for lunch we had point-blank views of a **Red-bearded Bee-eater** excavating a nest hole beside the road – what a stunner! A flock of **Bushy-crested Hornbills** were also called in as well. We'd also seen **Black-naped Monarch** and a couple of **Tiger Shrikes** during the morning as well.



Rufous-backed Kingfisher

The afternoon started slowly but at an open area we had a very busy time beginning with nice scope views of **Red-crowned Barbet,** followed by **Olive-winged and Buff-vented Bulbuls, Greater Green Leafbird, Common Hill-Myna,** and some flyover **Blue-crowned Hanging-**

**Parrots.** Nearby there was a **Dark-sided Flycatcher**, **Crimson-winged**, **Checker-throated** and a huge **White-bellied Woodpecker**, with a **Wreathed Hornbill** flying over. Another excellent night-birding session began with a confiding **Brown Boobook** and a pair of **Sunda Scops-owls**, and ended with a **Blyth's Frogmouth** perched up nicely.

The next morning we drove to Way Kanan and took a boat a short way along the river just after daybreak and walked through the swamp forest in our rubber boots, passing the first pool until we reached a large clearing and then another pool. Waiting quietly for an hour, our reward arrived in the shape of 3 **White-winged Wood-Ducks** flying by right in front of us. Wow! After a light shower the sun came out and birds began appearing on the treetops, with **Black-headed Bulbul**, **Lesser Cuckooshrike** and a **Dollarbird** being seen. Some movement in a distant fruiting tree turned out to be a flock of **Cinnamon-headed Green-pigeons**, a much appreciated lifer for everyone! Close by a pair of cracking **Chestnut-bellied Malkohas** showed well, and shortly after a **Black-bellied Malkoha**



White-winged Wood-ducks

appeared behind a very close **Crimson-winged Woodpecker** we were already watching. The same spot also had **Red-throated** and **Crimson Sunbirds**, **Ashy Tailorbird** and **Green Iora**. Once we had returned to Way Kanan we had stunning views of a male **Malayan Banded Pitta** and male **Diard's Trogon** to round off a wonderful morning's birding.

The afternoon was again slow but **Ferruginous Babbler** was new and a couple of **Chestnut-winged Babblers** showed well, but a **Maroon Woodpecker** only showed to some. At dusk we had a **Malaysian Eared-Nightjar** flyby and close views of **Large-tailed Nightjar** at Way Kanan. We followed this with really good views of **Large Frogmouth** which was a fine way to finish as we only heard a **Sunda Frogmouth** in the distance, as well as **Brown Wood-owl** and **Barred Eagle-Owl** tonight! So that brought us 13 species of night-birds from this one site alone..!

## **Days 15 - 19 Gunung Kerinci, Sumatra** **4<sup>th</sup> – 8<sup>th</sup> December**

We flew to Padang via a short stopover in Jakarta and spent the night in this bustling town, with a visit to KFC for some being well received! The following morning we left at 6am and drove almost 7 hours to a comfortable homestay in Keresek Tua at the base of Mount Kerinci. Our first foray in search of Sumatra's most wanted endemics made us realise how tricky it was going to be to find them as there was not much calling this afternoon. Yet scope views of **Sumatran Green-pigeon** was a blessing and the endemic **Shiny Whistling-thrush** showed a couple of times. Both endemic wren-babblers were calling but not tape responsive but a **Lesser Shortwing** was seen. With thunder overhead we had some light rain to contend with and it wasn't ideal conditions for night-birding and both **Sumatran Frogmouth** and **Rajah Scops-owl** were only heard. Still it was a good introduction to what we would face over the next few days.

The following morning we headed up the mountain early and were surprised to hear several **Schneider's Pittas** calling. Unfortunately, only the leader had a brief view of one but it made us more optimistic for the following days. However, we had a couple views of **Red-billed Partridge**, an extremely close encounter with a pair of **Rusty-breasted Wren-babblers**, and good looks at a **Sumatran Trogon**. Moving up to 'Air Minum' we had several flocks of babblers with **Grey-chinned** and **Golden Babblers** and a **Spot-necked Babbler**. There was also **Long-tailed Sibia**, **Sunda Warbler**, **Mountain Leaf-warbler** and a **Fire-tufted Barbet**. Other canopy flocks held **Sunda** and **Grey-chinned Minivets**, **Grey-capped Pygmy Woodpecker**, and lots of **Blue Nuthatches**. Walking back down Peter spotted a **Salvadori's Nightjar** perched out in the open, whilst we also saw **Sumatran Wren-babbler** and **White-browed Shortwing**.

The following day was somewhat quieter as we spent most of the morning staking out various sections of the lower trail for pittas, without any luck at all. A fine male **Siberian Thrush** and a **Mugimaki Flycatcher** were feeding in a fruiting tree at the edge of the forest, whilst 8 **Eye-browed Thrushes** were flying around and both **Barred** and **Little Cuckoo-doves** showed. Once inside the forest, **Spot-necked Babblers** were everywhere, more **Sumatran Green-pigeons** were scoped in the same fruiting tree as previous, a male **Large Niltava** was seen and we watched a **Sumatran Owlet** being mobbed by a **White-throated Fantail** high over the trail. As we walked higher up a pair of **Temminck's Sunbirds** and a **Black-browed Barbet** appeared and we had another **Sumatran Owlet**. After lunch



Sumatran Trogon

some of the group walked up to Camp Cochoa for another crack at 'it' whilst the rest of the group headed down seeing **Sunda Minivet** in a large flock, **Sumatran Trogon**, **Common Green Magpie** and **Sumatran Wren-babbler**. Heavy rain arrived at 5pm and didn't relent for a while, thus ending any chances of night-birding. The ironic thing about our stay here is that the only member of the group who did not need **Salvadori's Pheasant** and **Schneider's Pitta** was the only one to get decent views – well done Brian!

We spent one final morning on Gunung Kerinci before heading to the nearby waterfall in the afternoon. Great views of the endemic **Red-billed Partridge** and **Sumatran Wren-babbler** were the highlights. At the waterfall it was misty and visibility was poor and the only bird of note was a **Greater Green Leafbird**. Returning early evening to the forest gave us our only **Slaty-breasted Rail** of the tour and once again we only heard **Rajah Scops-owl** and **Sumatran Frogmouth**, although a **Dusky Woodcock** roded over the treetops on a couple of occasions.



## Days 20 - 22 Tapan Road, Sumatra 9<sup>th</sup> – 11<sup>th</sup> December

We left the homestay at 4am and drove a couple of hours to the Tapan Road, arriving at the pass (1350m) around 6am. A nice roadside breakfast of banana pancakes was much appreciated, as was a fine male **Siberian Thrush** teed up in the scope. This was quickly followed by our first **Sumatran Treepie**, **Fulvous-chested Jungle-Flycatcher**, and a couple **Black-capped White-eyes** were in a flock with **Montane White-eyes**. Overhead, Waterfall Swiftlet and plenty of Brown-backed Needletails were present, but some Asian House-martins were something of a surprise. A couple views of a **Maroon Woodpecker** followed as we slowly made our way downhill, along with **Sumatran Bulbul** before heading to a nice little gully we found in September. Within a minute an awe-inspiring **Graceful Pitta** was called in to just a few feet away and stunning views ensued.

At our roadside lunch stop we tried to call in **Ferruginous Partridge**, but despite it coming in quite close remained invisible. But a fine male **Blue-masked Leafbird** was very nice indeed. Much better views of **Cream-striped** and **Spot-necked Bulbul** followed later in the morning. At a good gully we walked in and had views of **Marbled Wren-babbler** which didn't show



Graceful Pitta

very well despite circling us twice. However a male **White-tailed Blue Flycatcher** was a huge surprise and a lifer for the leader and a few **Spot-necked Babbler**s showed here as well. A number of other species were seen today, such as **Barred Cuckoo-dove**, **Green-billed Malkoha**, **Sumatra Trogon**, **Wreathed Hornbill**, **Fire-tufted** and **Black-browed Barbets**, **Ochraceous Bulbul**, **Chestnut-crowned Warbler**, **Eastern Crowned Warbler** and **Spectacled Spiderhunter**. A heavy shower at 4.30pm prompted a dash to the minibuses and we headed to Senguh Penah and a hot shower at the hotel.

Our second full day turned out to be a cracker as we scored with a number of truly desirable birds. We began with a **Changeable Hawk-eagle** perched below us and with the mist rising behind it and up over the forested ridges it was rather atmospheric. As we scoped this magnificent bird our first **Chestnut-capped Laughingthrush** appeared, followed by a few **Little Cuckoo-doves** that were scoped below the road, a **Sunda Cuckooshrike** and **Black-and-crimson Oriole** appeared, and a pair of **Wreathed Hornbills** flew over as well. Walking down we had several mixed-species flocks and one large gathering held a stunningly beautiful **Long-tailed Broadbill**, as well as the endemic **Sumatran Drongo**. And shortly after we spent 10 minutes watching at least 3 **Maroon-breasted Philentomas**, so we were definitely on a high! And there were several sightings of **Blue-masked Leafbird** as well. As we drove lower a quick check of the river revealed a brilliant **Blue-banded Kingfisher** perched on the rocks below us and after an anxious wait for our other minibus, everyone managed to see it well. Then a **Sunda Forktail** was seen briefly as we checked a gully for

wren-babblers. The afternoon was slower as we walked lower down along the road but a nice little flock held **Blue-winged Leafbird**, **Grey-bellied Bulbul** plus plenty of other previously seen species. Our last new bird was a pair of **Cinereous Bulebuls** found by Chris, a relatively recent split from Ashy Bulbul.

With just a few hours left on our last morning we still had a few new birds with **Besra**, **Fire-breasted Flowerpecker**, **Black Laughingthrush**, and at last, **Giant (Waterfall) Swift** to end our Sumatran adventure.

Nick Bray.



Photos: **Blue Nuthatch** (top left), **Large Frogmouth** (top right)  
**Sunda Warbler** (bottom left), **Crimson-winged Woodpecker** (bottom right)

All photos in report © Nick Bray/Zoothera Birding

# BIRDLIST FOR WEST JAVA & SUMATRA

## NOV/DEC 2013

	SPECIES		SCIENTIFIC NAME
1.	Little Black Cormorant		<i>Phalacrocorax sulcirostris</i>
2.	Oriental Darter		<i>Anhinga melanogaster</i>
3.	Yellow Bittern		<i>Ixobrychus sinensis</i>
4.	Cinnamon Bittern		<i>Ixobrychus cinnamomeus</i>
5.	Black Bittern		<i>Ixobrychus flavicollis</i>
6.	Grey Heron		<i>Ardea cinerea</i>
7.	Purple Heron		<i>Ardea purpurea</i>
8.	Eastern great Egret		<i>Ardea alba modestus</i>
9.	Little Egret		<i>Egretta garzetta</i>
10.	Eastern Cattle Egret		<i>Bubulcus coromandus</i>
11.	Javan Pond-Heron		<i>Ardeola speciosa</i>
12.	Striated Heron		<i>Butorides striata</i>
13.	Black-crowned Night-Heron		<i>Nycticorax nycticorax</i>
14.	White-winged Wood-Duck		<i>Cairina scutulata</i>
15.	Sunda Teal		<i>Anas gibberifrons</i>
16.	Black-shouldered Kite		<i>Elanus caeruleus</i>
17.	Oriental Honey-buzzard		<i>Pernis ptilorhynchus</i>
18.	Crested Serpent-Eagle		<i>Spilornis cheela</i>
19.	<b>Javan Hawk-eagle</b>	<b>JE</b>	<i>Nisaetus bartelsi</i>
20.	Changeable Hawk-Eagle		<i>Nisaetus cirrhatus</i>
21.	Blyth's Hawk-Eagle		<i>Nisaetus alboniger</i>
22.	Black Eagle		<i>Ictinaetus malayensis</i>
23.	Besra		<i>Accipiter virgatus</i>
24.	Black-thighed Falconet		<i>Microhierax fringillarius</i>
25.	Spotted Kestrel		<i>Falco moluccensis</i>
26.	White-bellied Sea-Eagle		<i>Haliaeetus leucogaster</i>
27.	<b>Chestnut-bellied Partridge</b>	<b>JE</b>	<i>Arborophila javanica</i>
28.	<b>Red-billed Partridge</b>	<b>SE</b>	<i>Arborophila rubrirostris</i>
	Ferruginous Partridge - Heard Only		<i>Caloperdix oculea</i>
29.	Crested Fireback		<i>Lophura ignita</i>
30.	<b>Salvadori's Pheasant</b>	<b>SE</b>	<i>Lophura inornata</i>
31.	Red Junglefowl		<i>Gallus gallus</i>
	<b>Bronze-tailed Peacock-pheasant</b>	<b>SE</b>	<i>Polyplectron chalcurum</i>
	Great Argus - Heard Only		<i>Argusianus argus</i>
32.	Slaty-breasted Rail		<i>Gallirallus striatus</i>
33.	White-breasted Waterhen		<i>Amaurornis phoenicurus</i>
34.	Black-backed Swampfen		<i>Porphyrio indicus</i>
35.	Common Moorhen		<i>Gallinula chloropus</i>
36.	Javan Plover		<i>Charadrius javanicus</i>
37.	Common Sandpiper		<i>Actitis hypoleucos</i>
38.	Wood Sandpiper		<i>Tringa glareola</i>
39.	Common Greenshank		<i>Tringa nebularia</i>
40.	<b>Dusky Woodcock</b>	<b>SJE</b>	<i>Scolopax saturate</i>

41.	Whiskered Tern		<i>Chlidonias hybrida</i>
42.	Rock Pigeon		<i>Columba livia</i>
43.	Island Collared Dove		<i>Streptopelia (bitorquata) bitorquata</i>
44.	Spotted Dove		<i>Streptopelia chinensis</i>
45.	Barred Cuckoo-Dove		<i>Macropygia unchall</i>
46.	Ruddy Cuckoo-Dove		<i>Macropygia emiliana</i>
47.	Little Cuckoo-Dove		<i>Macropygia ruficeps</i>
48.	Emerald Dove		<i>Chalcophaps indica</i>
49.	Little Green-Pigeon		<i>Treron olax</i>
50.	Pink-necked Green-Pigeon		<i>Treron vernans</i>
51.	Cinnamon-headed Green-Pigeon		<i>Treron fulvicollis</i>
52.	<b>Sumatran Green-Pigeon</b>	<b>SJE</b>	<i>Treron oxyura</i>
53.	Black-naped Fruit-dove		<i>Ptilinopus melanospila</i>
54.	Green Imperial-Pigeon		<i>Ducula aenea</i>
55.	<b>Dark-backed Imperial-Pigeon</b>	<b>IE</b>	<i>Ducula lacernulata</i>
56.	Blue-rumped Parrot		<i>Psittinus cyanurus</i>
57.	Blue-crowned Hanging-parrot		<i>Loriculus galgulus</i>
58.	<b>Yellow-throated Hanging-parrot</b>	<b>JE</b>	<i>Loriculus pusillus</i>
59.	Chestnut-winged Cuckoo		<i>Clamator coromandus</i>
60.	Oriental Cuckoo		<i>Cuculus optatus</i>
61.	Sunda Cuckoo		<i>Cuculus lepidus</i>
62.	Rusty-breasted Cuckoo		<i>Cacomantis sepulcralis</i>
63.	Asian Drongo Cuckoo		<i>Surniculus lugubris</i>
	Asian Koel - Heard Only		<i>Eudynamis scolopaceus</i>
64.	Black-bellied Malkoha		<i>Phaenicophaeus diardi</i>
65.	Chestnut-bellied Malkoha		<i>Phaenicophaeus sumatranus</i>
66.	Green-billed Malkoha		<i>Phaenicophaeus tristis</i>
67.	Raffles's Malkoha		<i>Phaenicophaeus chlorophaeus</i>
68.	Red-billed Malkoha		<i>Phaenicophaeus javanicus</i>
69.	Chestnut-breasted Malkoha		<i>Phaenicophaeus curvirostris</i>
70.	<b>Javan Coucal</b>	<b>JE</b>	<i>Centropus nigrorufus</i>
	Greater Coucal - Heard Only		<i>Centropus sinensis</i>
71.	Lesser Coucal		<i>Centropus bengalensis</i>
72.	Oriental Bay-Owl		<i>Phodilus badius</i>
	Barred Eagle Owl - Heard Only		<i>Bubo sumatranus</i>
73.	Reddish Scops-Owl		<i>Otus rufescens</i>
	Mountain Scops-Owl - Heard Only		<i>Otus spilocephalus</i>
	Rajah Scops-Owl - Heard Only		<i>Otus brookii</i>
74.	Sunda Scops-Owl		<i>Otus lempiji</i>
	<b>Javan Scops-Owl</b> - Heard Only	<b>JE</b>	<i>Otus angelinae</i>
75.	Javan Barred Owlet		<i>Glaucidium castanopterum</i>
76.	<b>Sumatran Owlet</b>	<b>SE</b>	<i>Glaucidium brodiei sylvaticus</i>
	Brown Wood-Owl - Heard Only		<i>Strix leptogrammica</i>
77.	Brown Boobook		<i>Ninox scutulata</i>
78.	Large Frogmouth		<i>Batrachostomus auritus</i>
79.	Gould's Frogmouth		<i>Batrachostomus stellatus</i>
	<b>Sumatran Frogmouth</b> - Heard Only	<b>SE</b>	<i>Batrachostomus poliophilopus</i>
	Sunda Frogmouth - Heard Only		<i>Batrachostomus cornutus</i>
80.	<b>Javan Frogmouth</b>	<b>JE</b>	<i>Batrachostomus javensis</i>

81.	Blyth's Frogmouth		<i>Batrachostomus affinis</i>
82.	Malaysian Eared-Nightjar		<i>Lyncornis temminckii</i>
83.	Large-tailed Nightjar		<i>Caprimulgus macrurus</i>
84.	Bonaparte's Nightjar		<i>Caprimulgus concretus</i>
85.	<b>Salvadori's Nightjar</b>	<b>SJE</b>	<i>Caprimulgus pulchellus</i>
86.	Giant (Waterfall) Swift		<i>Hydrochous gigas</i>
87.	Edible-Nest Swiftlet		<i>Collocalia fuciphaga</i>
88.	Brown-backed Needletail		<i>Hirundapus giganteus</i>
89.	Glossy Swiftlet		<i>Collocalia esculenta</i>
90.	Linchi (Cave) Swiftlet		<i>Collocalia linchi</i>
91.	House Swift		<i>Apus nipalensis</i>
92.	Grey-rumped Treeswift		<i>Hemiprocne longipennis</i>
93.	Whiskered Treeswift		<i>Hemiprocne comata</i>
94.	<b>Sumatran Trogon</b>	<b>SE</b>	<i>Harpactes mackloti</i>
95.	Diard's Trogon		<i>Harpactes diardii</i>
96.	Scarlet-rumped Trogon		<i>Harpactes duvaucelii</i>
97.	Orange-breasted Trogon		<i>Harpactes oreskios</i>
98.	Blue-banded Kingfisher		<i>Alcedo euryzona</i>
99.	Small Blue Kingfisher		<i>Alcedo coerulescens</i>
100.	Rufous-backed Kingfisher		<i>Ceyx rufidorsa</i>
101.	Banded Kingfisher		<i>Lacedo pulchella</i>
102.	White-throated Kingfisher		<i>Halcyon smyrnensis</i>
103.	<b>Javan Kingfisher</b>	<b>JE</b>	<i>Halcyon cyanoventris</i>
104.	Collared Kingfisher		<i>Todiramphus chloris</i>
105.	Rufous-collared Kingfisher		<i>Actenoides concretus</i>
106.	Red-bearded Bee-eater		<i>Nyctyornis amictus</i>
107.	Blue-throated Bee-eater		<i>Merops viridis</i>
108.	Blue-tailed Bee-eater		<i>Merops philippinus</i>
109.	Dollarbird		<i>Eurystomus orientalis</i>
110.	Bushy-crested Hornbill		<i>Anorrhinus galeritus</i>
111.	Wreathed Hornbill		<i>Aceros undulatus</i>
112.	Brown Barbet		<i>Calorhamphus fuliginosus</i>
113.	Fire-tufted Barbet		<i>Psilopogon pyrolophus</i>
114.	<b>Brown-throated Barbet</b>	<b>JE</b>	<i>Megalaima corvina</i>
115.	<b>Black-banded Barbet</b>	<b>JE</b>	<i>Megalaima javensis</i>
116.	<b>Flame-fronted Barbet</b>	<b>IE</b>	<i>Megalaima armillaris</i>
117.	Red-crowned Barbet		<i>Megalaima rafflesii</i>
118.	Black-browed Barbet		<i>Megalaima oorti</i>
	Blue-eared Barbet - Heard Only		<i>Megalaima australis</i>
119.	Rufous Woodpecker		<i>Celeus brachyurus</i>
120.	Crimson-winged Woodpecker		<i>Picus puniceus</i>
121.	Checker-throated Woodpecker		<i>Picus mentalis</i>
122.	Banded Woodpecker		<i>Picus miniaceus</i>
123.	Maroon Woodpecker		<i>Blythipicus rubiginosus</i>
124.	Grey-and-buff Woodpecker		<i>Hemicircus concretus</i>
125.	Grey-capped Woodpecker		<i>Dendrocopos canicapillus</i>
126.	Sunda Woodpecker		<i>Dendrocopos moluccensis</i>
127.	Spot-breasted Woodpecker		<i>Dendrocopos (macei) analis</i>
128.	White-bellied Woodpecker		<i>Dryocopus javensis</i>

129.	Green Broadbill		<i>Calyptomena viridis</i>
130.	Long-tailed Broadbill		<i>Psarisomus dalhousiae</i>
131.	Banded Broadbill		<i>Eurylaimus javanicus</i>
132.	Black-and-yellow Broadbill		<i>Eurylaimus ochromalus</i>
133.	Dusky Broadbill		<i>Corydon sumatranus</i>
134.	<b>Schneider's Pitta</b>	<b>SE</b>	<i>Hydrornis schneideri</i>
135.	Malayan Banded Pitta		<i>Hydrornis irena</i>
136.	<b>Javan Banded Pitta</b>	<b>IE</b>	<i>Hydrornis guajanus</i>
137.	<b>Graceful Pitta</b>	<b>SE</b>	<i>Erythropitta venusta</i>
138.	Barn Swallow		<i>Hirundo rustica</i>
139.	Striated Swallow		<i>Hirundo striolata</i>
140.	Pacific Swallow		<i>Hirundo tahitica</i>
141.	Asian House Martin		<i>Delichon dasypus</i>
142.	Sunda Cuckooshrike		<i>Coracina larvata</i>
143.	Bar-bellied Cuckooshrike		<i>Coracina striata</i>
144.	Lesser Cuckooshrike		<i>Lalage fimbriata</i>
145.	Fiery Minivet		<i>Pericrocotus igneus</i>
146.	Grey-chinned Minivet		<i>Pericrocotus solaris</i>
147.	<b>Sunda Minivet</b>	<b>JSE</b>	<i>Pericrocotus miniatus</i>
148.	Scarlet Minivet		<i>Pericrocotus flammeus</i>
149.	Common Iora		<i>Aegithina tiphia</i>
150.	Green Iora		<i>Aegithina viridissima</i>
151.	Greater Green Leafbird		<i>Chloropsis sonnerati</i>
	Lesser Green Leafbird - Leader only		<i>Chloropsis cyanopogon</i>
152.	Blue-winged Leafbird		<i>Chloropsis cochinchinensis</i>
153.	<b>Javan Leafbird</b>	<b>JE</b>	<i>Chloropsis nigricollis</i>
154.	<b>Blue-masked Leafbird</b>	<b>SE</b>	<i>Chloropsis venusta</i>
155.	Sunda (Ashy) Drongo		<i>Dicrurus leucophaeus leucophaeus</i>
156.	Bronzed Drongo		<i>Dicrurus aeneus</i>
157.	Lesser Racket-tailed Drongo		<i>Dicrurus remifer</i>
	Hair-crested Drongo – heard only		<i>Dicrurus hottentottus</i>
158.	<b>Sumatran Drongo</b>	<b>SE</b>	<i>Dicrurus sumatranus</i>
159.	Greater Racket-tailed Drongo		<i>Dicrurus paradiseus</i>
160.	Dark-throated Oriole		<i>Oriolus xanthonotus</i>
161.	Black-and-crimson Oriole		<i>Oriolus cruentus</i>
162.	Black Magpie		<i>Platysmurus leucopterus</i>
163.	Common Green Magpie		<i>Cissa chinensis</i>
164.	<b>Sumatran Treepie</b>	<b>SE</b>	<i>Dendrocitta occipitalis</i>
165.	Slender-billed Crow		<i>Corvus enca</i>
166.	Cinereous Tit		<i>Parus cinereus</i>
167.	Velvet-fronted Nuthatch		<i>Sitta frontalis</i>
168.	Blue Nuthatch		<i>Sitta azurea</i>
169.	<b>Cream-striped Bulbul</b>	<b>SE</b>	<i>Pycnonotus leucogrammicus</i>
170.	<b>Spot-necked Bulbul</b>	<b>SE</b>	<i>Pycnonotus tympanistrigus</i>
171.	Grey-bellied Bulbul		<i>Pycnonotus cyaniventris</i>
172.	Sooty-headed Bulbul		<i>Pycnonotus aurigaster</i>
173.	Yellow-vented Bulbul		<i>Pycnonotus goiavier</i>
174.	Olive-winged Bulbul		<i>Pycnonotus plumosus</i>
175.	Cream-vented Bulbul		<i>Pycnonotus simplex</i>

176.	Red-eyed Bulbul		<i>Pycnonotus brunneus</i>
177.	Orange-spotted Bulbul		<i>Pycnonotus bimaculatus</i>
178.	Buff-vented Bulbul		<i>Iole olivacea</i>
179.	Ochraceous Bulbul		<i>Alophoixus ochraceus</i>
180.	Yellow-bellied Bulbul		<i>Alophoixus phaeocephalus</i>
181.	Gray-cheeked Bulbul		<i>Alophoixus bres</i>
182.	Hairy-backed Bulbul		<i>Tricholestes criniger</i>
183.	<b>Sumatran Bulbul</b>	<b>SE</b>	<i>Ixos sumatranus</i>
184.	<b>Javan Bulbul</b>	<b>JE</b>	<i>Ixos virescens</i>
185.	Cinereous Bulbul		<i>Hypsipetes cinereus</i>
186.	Bar-winged Flycatcher-shrike		<i>Hemipus picatus</i>
187.	Black-winged Flycatcher-shrike		<i>Hemipus hirundinaceus</i>
188.	Golden-bellied Gerygone		<i>Gerygone sulphurea</i>
189.	Zitting Cisticola		<i>Cisticola juncidis</i>
190.	Hill Prinia		<i>Prinia atrogularis</i>
191.	Bar-winged Prinia		<i>Prinia familiaris</i>
192.	<b>Javan Brown Prinia</b>	<b>JE</b>	<i>Prinia polychroa</i>
193.	<b>Javan Tesia</b>	<b>JE</b>	<i>Tesia superciliaris</i>
194.	Sunda Bush-Warbler		<i>Horornis v. vulcanius</i>
195.	Clamorous Reed-warbler		<i>Acrocephalus stentoreus</i>
	Dark-necked Tailorbird - Heard Only		<i>Orthotomus atrogularis</i>
196.	Rufous-tailed Tailorbird		<i>Orthotomus sericeus</i>
197.	Ashy Tailorbird		<i>Orthotomus ruficeps</i>
198.	<b>Olive-backed Tailorbird</b>	<b>IE</b>	<i>Orthotomus sepium</i>
199.	Mountain Tailorbird		<i>Phyllergates cuculatus</i>
200.	Chestnut-crowned Warbler		<i>Seicercus castaniceps</i>
201.	<b>Sunda Warbler</b>	<b>IE</b>	<i>Seicercus grammiceps</i>
202.	Yellow-bellied Warbler		<i>Abroscopus superciliaris</i>
203.	Mountain Leaf-warbler		<i>Phylloscopus trivirgatus</i>
	Arctic Warbler - Leader Only		<i>Phylloscopus borealis</i>
204.	Eastern Crowned Warbler		<i>Phylloscopus coronatus</i>
205.	Black-capped Babbler		<i>Pellorneum capistratum</i>
	White-chested Babbler - Heard Only		<i>Trichastoma rostratum</i>
206.	Ferruginous Babbler		<i>Trichastoma bicolor</i>
	Short-tailed Babbler - Heard Only		<i>Malacocincla malaccensis</i>
	Abbott's Babbler - Heard Only		<i>Malacocincla abbotti</i>
207.	Sooty-capped Babbler		<i>Malacopteron affine</i>
208.	Scaly-crowned Babbler		<i>Malacopteron cinereum</i>
209.	Chestnut-backed Scimitar-babbler		<i>Pomatorhinus montanus</i>
210.	<b>Sumatran Wren-Babbler</b>	<b>SE</b>	<i>Rimator albostratus</i>
211.	<b>Rusty-breasted Wren-Babbler</b>	<b>SE</b>	<i>Turdinus rufipectus</i>
212.	Eye-browed Wren-Babbler		<i>Napothera epilepidota</i>
213.	Marbled Wren-Babbler		<i>Turdinus marmoratus</i>
214.	Pygmy Cupwing		<i>Pnoepyga pusilla</i>
215.	Golden Babbler		<i>Stachyridopsis chrysaea</i>
216.	Grey-throated Babbler		<i>Stachyris nigriceps</i>
217.	Spot-necked Babbler		<i>Stachyris striolata</i>
218.	Chestnut-rumped Babbler		<i>Stachyris maculata</i>
219.	Chestnut-winged Babbler		<i>Stachyris erythroptera</i>

220.	<b>Crescent-chested Babbler</b>	<b>IE</b>	<i>Stachyris melanothorax</i>
221.	<b>White-breasted Babbler</b>	<b>JE</b>	<i>Stachyris grammiceps</i>
222.	<b>White-bibbed Babbler</b>	<b>JE</b>	<i>Stachyris thoracica</i>
	Pin-striped Tit-Babbler - Heard Only		<i>Macronous gularis</i>
223.	<b>Javan Grey-cheeked Tit-babbler</b>	<b>JE</b>	<i>Macronous flavicollis</i>
224.	Fluffy-backed Tit-Babbler		<i>Macronous ptilosus</i>
225.	Black Laughingthrush		<i>Garrulax lugubris</i>
226.	Chestnut-capped Laughingthrush		<i>Garrulax mitratus</i>
227.	Blyth's Shrike-babbler		<i>Pteruthius aeralatus</i>
228.	<b>Pied Shrike-babbler</b>	<b>JE</b>	<i>Pteruthius flaviscaops</i>
229.	<b>Trilling Shrike-babbler</b>	<b>JE</b>	<i>Pteruthius aenobarbus</i>
230.	Brown Fulvetta		<i>Alcippe brunneicauda</i>
231.	<b>Javan Fulvetta</b>	<b>JE</b>	<i>Alcippe pyrrhoptera</i>
232.	<b>Spotted Crocias</b>	<b>JE</b>	<i>Crocias albonotatus</i>
233.	<b>Pygmy Tit</b>	<b>JE</b>	<i>Psaltia exilis</i>
234.	Long-tailed Sibia		<i>Heterophasia picaoides</i>
235.	Lesser Shortwing		<i>Brachypteryx leucophrys</i>
236.	White-browed Shortwing		<i>Brachypteryx montana</i>
237.	<b>Sunda (Blue) Robin</b>	<b>JE</b>	<i>Myiomela diana diana</i>
238.	<b>Sunda (Blue) Robin</b>	<b>SE</b>	<i>Myiomela Diana sumatrana</i>
239.	<b>Sunda Forktail</b>	<b>JE</b>	<i>Enicurus velatus velatus</i>
240.	<b>Sunda Forktail</b>	<b>SE</b>	<i>Enicurus velatus sumatranus</i>
241.	White-crowned Forktail		<i>Enicurus leschenaulti</i>
	<b>Sumatran Cochoa</b> - Heard Only	<b>SE</b>	<i>Cochoa beccarii</i>
242.	<b>Javan Cochoa</b>	<b>JE</b>	<i>Cochoa azurea</i>
243.	<b>Javan Whistling-thrush</b>	<b>JE</b>	<i>Myophonus glaucinus</i>
244.	<b>Shiny Whistling-Thrush</b>	<b>SE</b>	<i>Myophonus melanurus</i>
245.	<b>Sumatran Whistling-thrush</b>	<b>SE</b>	<i>Myophonus castaneus</i>
246.	Blue Whistling-thrush		<i>Myophonus caeruleus</i>
247.	Siberian Thrush		<i>Geokichla sibirica</i>
248.	Eye-browed Thrush		<i>Turdus obscurus</i>
249.	Fulvous-chested Jungle-Flycatcher		<i>Cyornis olivaceus</i>
250.	Indigo Flycatcher		<i>Eumyias indigo</i>
251.	Snowy-browed Flycatcher		<i>Ficedula hyperythra</i>
252.	Little Pied Flycatcher		<i>Ficedula westermanni</i>
253.	Yellow-rumped Flycatcher		<i>Ficedula zanthopygia</i>
254.	Mugimaki Flycatcher		<i>Ficedula mugimaki</i>
255.	Rufous-vented Niltava		<i>Niltava sumatrana</i>
256.	Large Niltava		<i>Niltava grandis</i>
257.	Pale Blue Flycatcher		<i>Cyornis unicolor</i>
258.	White-tailed (Blue) Flycatcher		<i>Cyornis concretus</i>
259.	Grey-headed Canary-Flycatcher		<i>Culicicapa ceylonensis</i>
260.	Dark-sided Flycatcher		<i>Muscicapa sibirica</i>
261.	Asian Brown Flycatcher		<i>Muscicapa latirostris</i>
262.	Ferruginous Flycatcher		<i>Muscicapa ferruginea</i>
263.	White-throated Fantail		<i>Rhipidura albicollis</i>
264.	Pied Fantail		<i>Rhipidura javanica</i>
265.	<b>Rufous-tailed Fantail</b>	<b>JE</b>	<i>Rhipidura phoenicura</i>
266.	<b>White-bellied Fantail</b>	<b>JE</b>	<i>Rhipidura euryura</i>



267.	Black-naped Monarch		<i>Hypothymis azurea</i>
268.	Rufous-winged Philentoma		<i>Philentoma pyrhoptera</i>
269.	Maroon-breasted Philentoma		<i>Philentoma velata</i>
270.	Asian Paradise-Flycatcher		<i>Terpsiphone paradisi</i>
271.	Grey Wagtail		<i>Motacilla cinerea</i>
272.	White-breasted Woodswallow		<i>Artamus leucorhynchus</i>
273.	Tiger Shrike		<i>Lanius tigrinus</i>
274.	Brown Shrike		<i>Lanius cristatus</i>
275.	Long-tailed Shrike		<i>Lanius schach</i>
276.	Daurian Starling		<i>Agropsar sturninus</i>
277.	Black-winged Myna		<i>Sturnus melanopterus</i>
278.	Javan Myna		<i>Acridotheres javanicus</i>
279.	Common Hill Myna		<i>Gracula religiosa</i>
280.	Plain Sunbird		<i>Anthreptes simplex</i>
281.	Red-throated Sunbird		<i>Anthreptes rhodolaemus</i>
282.	Ruby-cheeked Sunbird		<i>Chalcoparia singalensis</i>
283.	Brown-throated Sunbird		<i>Anthreptes malacensis</i>
284.	Purple-throated Sunbird		<i>Nectarinia sperata</i>
285.	Olive-backed Sunbird		<i>Cinnyris jugularis</i>
286.	<b>White-flanked Sunbird</b>	<b>JE</b>	<i>Aethopyga eximia</i>
287.	Crimson Sunbird		<i>Aethopyga siparaja</i>
288.	Temminck's Sunbird		<i>Aethopyga temminckii</i>
289.	<b>Javan Sunbird</b>	<b>JE</b>	<i>Aethopyga mystacalis</i>
290.	Little Spiderhunter		<i>Arachnothera longirostra</i>
291.	Spectacled Spiderhunter		<i>Arachnothera flavigaster</i>
292.	<b>Streaky-breasted Spiderhunter</b>	<b>IE</b>	<i>Arachnothera affinis</i>
293.	Crimson-breasted Flowerpecker		<i>Prionochilus percussus</i>
294.	Orange-bellied Flowerpecker		<i>Dicaeum trigonoistigma flaviclunis</i>
295.	<b>Blood-breasted Flowerpecker</b>	<b>IE</b>	<i>Dicaeum sanguinolentum</i>
296.	Plain Flowerpecker		<i>Dicaeum minullum</i>
297.	Scarlet-headed Flowerpecker		<i>Dicaeum trochileum</i>
298.	Fire-breasted Flowerpecker		<i>Dicaeum ignipectus</i>
299.	Oriental White-eye		<i>Zosterops palpebrosus</i>
300.	<b>Javan White-eye</b>	<b>JE</b>	<i>Zosterops flavus</i>
301.	Black-capped White-eye		<i>Zosterops atricapilla</i>
302.	Mountain White-eye		<i>Zosterops montanus</i>
303.	Eurasian Tree Sparrow		<i>Passer montanus</i>
304.	<b>Javan Munia</b>	<b>JE</b>	<i>Lonchura leucogastroides</i>
305.	Scaly-breasted Mannikin		<i>Lonchura punctulata</i>
306.	<b>White-capped Munia</b>	<b>IE</b>	<i>Lonchura ferruginosa</i>
307.	White-headed Munia		<i>Lonchura maja</i>

	<b>OTHER ANIMALS</b>	<b>SCIENTIFIC NAME</b>
1.	Pale-coloured Giant Squirrel	<i>Ratufa affinis</i>
2.	Red Giant Flying Squirrel	<i>Petaurista petaurista</i>
3.	Plantain Squirrel	<i>Callosciurus notatus</i>
4.	Prevost's Squirrel	<i>Callosciurus prevostii</i>
5.	Three-striped Ground Squirrel	<i>Lariscus insignis</i>
6.	Black-eared Pygmy Squirrel	<i>Nannosciurus melanotis</i>
7.	Common Palm Civet	<i>Paradoxurus hermaphroditus</i>
8.	Yellow-throated Marten	<i>Martes flavigula</i>
9.	Leopard Cat	<i>Prionailurus bengalensis</i>
10.	Large (Malayan) Flying Fox	<i>Pteropus vampyrus</i>
11.	Sunda Short-nosed Fruit Bat	<i>Cynopterus cf.</i>
12.	Malayan Flying Lemur (Colugo)	<i>Cynocephalus variegates</i>
13.	Mitred Leaf Monkey	<i>Presbytis melalophus</i>
14.	Grizzled Leaf Monkey (Langur)	<i>Presbytis comatra</i>
15.	Silvered Leaf Monkey	<i>Trachypithecus cristatus</i>
16.	Javan (Ebony) Leaf Monkey (Langur)	<i>Trachypithecus auratus</i>
17.	Long-tailed Macaque	<i>Macaca fascicularis</i>
18.	Sunda Pig-tailed Macaque	<i>Macaca nemestrina</i>
	Agile Gibbon <span style="float: right;">Heard Only</span>	<i>Hylobates agilis</i>
	Javan Gibbon <span style="float: right;">Heard Only</span>	<i>Hylobates moloch</i>
19.	Siamang	<i>Hylobates syndactylus</i>
20.	Eurasian Wild Boar	<i>Sus scrofa</i>
21.	Greater Mouse Deer	<i>Tragulus napu</i>
22.	Red Muntjac	<i>Muntiacus muntjak</i>
23.	Sambar	<i>Cervus unicolor</i>
24.	Asian Water Monitor	<i>Varanus salvator</i>
25.	House Gecko	<i>Hemidactylus frenatus</i>
26.	Praying Mantis	