No Fittings No Worries



Contacts

Office 08 9571 4026


Email info@dsyengineering.com.au


Shawn Graham 0409 773 486

Michael Humphries 0429 331 020

The Straintek® Difference Why Choose Straintek®

- Zero Fittings
- Superior Ground Retention
- Customised Solutions
- Contractor Approved
- Australian Made and Designed






No Fittings No Worries



STRAINTEK®

- STRAINER POST SYSTEMS






Technical Specifications


Concrete In Strainers

- Australian steel or British standard import steel
- Medium wall galvanised pipe
- Standard strainer build:
 90mm (80NB) Galv Post 2.165m long
 50mm (40NB) Galv Stay 3.250m long
- Heavy Duty strainer build:
 90mm (80NB) Galv Post 2.165m long
 60mm (50NB) Galv Stay 3.250m long
- All include post cap
- Please refer to price list for Straintek Strainer Combinations



Standard Strainer Dimensions






No Fittings No Worries



Technical Specifications

Drive In Strainers

- Australian steel or British standard import steel
- Medium wall galvanised pipe
- Standard Strainer short 90mm (80NB) Galv Post with spear 2.3m long
 50mm (40NB) Galv Strut & base 3.25m long
- Standard Strainer long 90mm (80NB) Galv Post with spear 2.8 m long
 50mm (40NB) Galv Strut & base 3.25m long
- All include post cap
- Please refer to price list for Straintek Strainer Combinations



3300

No Fittings No Worries

Supply

- Production capability of 1200 strainers per week (Standard build)
- One week turn-a-round for custom orders
- Consignment stock for approved retailers
- Freight ex Kewdale
- Orders placed will be confirmed and an ETA on supply advised
- Sold in bundles of 10





Pricing

- Please refer to attached Price list for current pricing
- Extra Discounts available for bulk orders of 200 or more strainers