

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

### 1 Identification of the substance/mixture and of the company/undertaking

**. Product identifier**

**. Trade name:** BERGAMOT OIL BERGAPTENE FREE

**. Article number:** 2010

**. Relevant identified uses of the substance or mixture and uses advised against**

**. Application of the substance / the preparation** Multi uses

**. Details of the supplier of the safety data sheet**

**. Manufacturer/Supplier:**

Butterbur and Sage, Aroma House,  
3 - 5 Cremyll Road, Reading, Berkshire. RG1 8NQ  
TEL : + 44 (0)1189 505100  
FAX : + 44(0)1189 576300  
e-mail : info@butterburandsage.com

**. Further information obtainable from:** Department Essential Oils

**. Emergency telephone number:** + 44 (0)1189 505100

### 2 Hazards identification

**. Classification of the substance or mixture**

**. Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3      H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Acute 1      H400 Very toxic to aquatic life.

Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

Skin Sens. 1      H317 May cause an allergic skin reaction.

**. Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

Xn; Harmful

R65:      Harmful: may cause lung damage if swallowed.

Xi; Irritant

R38:      Irritating to skin.

Xi; Sensitising

R43:      May cause sensitisation by skin contact.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

**Trade name: BERGAMOT OIL BERGAPTENE FREE AT 167**

(Contd. of page 1)



N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS02   GHS07   GHS08   GHS09

**Signal word Danger**

**Hazard-determining components of labelling:**

(R)-p-mentha-1,8-diene

béta pinène

pin-2(3)-ene

**Hazard statements**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Substances**

**CAS No. Description**

8007-75-8 bergamot oil

**Identification number(s)**

**EC number:** 289-612-9

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

**Trade name: BERGAMOT OIL BERGAPTENE FREE AT 167**

(Contd. of page 2)

**Description: NCS (UVCB) Constituents Information**

**hazardous components:**

CAS: 5989-27-5 EINECS: 227-813-5	(R)-p-mentha-1,8-diene Xi R38; Xi R43; N R50/53 R10 Flam. Liq. 3, H226; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	25-50%
CAS: 115-95-7 EINECS: 204-116-4	Linalyl acetate N R51/53 Aquatic Chronic 2, H411	25-50%
CAS: 78-70-6 EINECS: 201-134-4	Linalool Xi R38 Skin Irrit. 2, H315	10-25%
CAS: 99-85-4 EINECS: 202-794-6	gamma terpinène Xn R65 Flam. Liq. 3, H226; Asp. Tox. 1, H304	2.5-10%
CAS: 127-91-3 EINECS: 204-872-5	bêta pinène Xn R65; Xi R43; N R50/53 R10 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	2.5-10%
CAS: 80-56-8 EINECS: 201-291-9	pin-2(3)-ene Xn R65; Xi R43; N R50/53 R10 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	≤ 2.5%
CAS: 123-35-3 EINECS: 204-622-5	7-methyl-3-methyleneocta-1,6-diene Xn R65 R10 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 3, H412	≤ 2.5%
CAS: 5392-40-5 EINECS: 226-394-6	Citral Xi R38; Xi R43 Skin Irrit. 2, H315; Skin Sens. 1, H317	≤ 2.5%
CAS: 495-61-4	bêta Bisabolene Xn R65; Xi R38; Xi R43 Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	≤ 2.5%
CAS: 105-87-3 EINECS: 203-341-5	acétate de géranyle N R51/53 Aquatic Chronic 2, H411	≤ 2.5%

**Additional information:** For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

**Description of first aid measures**

**After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

**Trade name: BERGAMOT OIL BERGAPTENE FREE AT 167**

(Contd. of page 3)

- Immediately rinse with water.*
- If skin irritation continues, consult a doctor.*
- . After eye contact: Rinse opened eye for several minutes under running water.*
- . After swallowing: Inform doctor. Do not give milk or fatty oils.*
- . Information for doctor:*
- . Most important symptoms and effects, both acute and delayed No further relevant information available.*
- . Indication of any immediate medical attention and special treatment needed*
- No further relevant information available.*

### 5 Firefighting measures

- . Extinguishing media*
- . Suitable extinguishing agents: CO<sub>2</sub>, powder, foam*
- . For safety reasons unsuitable extinguishing agents: Water with full jet*
- . Special hazards arising from the substance or mixture Carbon monoxide (CO)*
- . Advice for firefighters*
- . Protective equipment: No special measures required.*

### \* 6 Accidental release measures

- . Personal precautions, protective equipment and emergency procedures Not required.*
- . Environmental precautions:*
- Inform respective authorities in case of seepage into water course or sewage system.*
- Do not allow to enter sewers/ surface or ground water.*
- . Methods and material for containment and cleaning up:*
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*
- Dispose contaminated material as waste according to item 13.*
- Ensure adequate ventilation.*
- . Reference to other sections*
- See Section 7 for information on safe handling.*
- See Section 8 for information on personal protection equipment.*
- See Section 13 for disposal information.*

### \* 7 Handling and storage

- . Handling:*
- . Precautions for safe handling*
- Ensure good ventilation/exhaustion at the workplace.*
- Prevent formation of aerosols.*
- . Information about fire - and explosion protection: No special measures required.*
- . Conditions for safe storage, including any incompatibilities*
- . Storage:*
- . Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.*
- . Information about storage in one common storage facility: Not required.*
- . Further information about storage conditions: Store in the dark.*
- . Specific end use(s) No further relevant information available.*

GB

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

Trade name: BERGAMOT OIL BERGAPTENE FREE AT 167

(Contd. of page 4)

## 8 Exposure controls/personal protection

- . **Additional information about design of technical facilities:** No further data; see item 7.
- . **Control parameters**
- . **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- . **Additional information:** The lists valid during the making were used as basis.
- . **Exposure controls**
- . **Personal protective equipment:**
- . **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.
- . **Respiratory protection:** Not required.
- . **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- . **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- . **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- . **Eye protection:** Goggles recommended during refilling

## 9 Physical and chemical properties

- . **Information on basic physical and chemical properties**
- . **General Information**
- . **Appearance:**

Form:	Liquid
Colour:	According to product specification
- . **Odour:** Characteristic
- . **pH-value:** Not determined.
- . **Change in condition**
- . **Melting point/Melting range:** Undetermined.

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

Trade name: BERGAMOT OIL BERGAPTENE FREE AT 167

(Contd. of page 5)

<b>Boiling point/Boiling range:</b>	Undetermined.
<b>. Flash point (Pensky Martens DIN 51 758 method):</b>	60°C
<b>. Flammability (solid, gaseous):</b>	Not applicable.
<b>. Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
<b>. Self-igniting:</b>	Product is not selfigniting.
<b>. Danger of explosion:</b>	Product does not present an explosion hazard.
<b>. Density:</b>	
<b>Evaporation rate</b>	Not determined.
<b>. Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
<b>. Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- . **Reactivity**
- . **Chemical stability**
- . **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- . **Possibility of hazardous reactions** No dangerous reactions known.
- . **Conditions to avoid** No further relevant information available.
- . **Incompatible materials:** No further relevant information available.
- . **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- . **Information on toxicological effects**
- . **Acute toxicity:**
- . **Primary irritant effect:**
- . **on the skin:** Irritant to skin and mucous membranes.
- . **on the eye:** No irritating effect.
- . **Sensitization:** Sensitization possible through skin contact.
- . **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### 12 Ecological information

- . **Toxicity**
- . **Acquatic toxicity:** No further relevant information available.
- . **Persistence and degradability** No further relevant information available.
- . **Behaviour in environmental systems:**
- . **Bioaccumulative potential** No further relevant information available.
- . **Mobility in soil** No further relevant information available.
- . **Ecotoxicological effects:**
- . **Remark:** Very toxic for fish

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

Trade name: BERGAMOT OIL BERGAPTENE FREE AT 167

(Contd. of page 6)

- . **Additional ecological information:**
- . **General notes:**  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- . **Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- . **Waste treatment methods**
- . **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . **Uncleaned packaging:**
- . **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- . **UN-Number**
- . **ADR, IMDG, IATA** UN1169
- . **UN proper shipping name**
- . **ADR** 1169 EXTRACTS, AROMATIC, LIQUID (not viscous), ENVIRONMENTALLY HAZARDOUS
- . **IMDG** EXTRACTS, AROMATIC, LIQUID (DIPENTENE, Linalyl acetate)
- . **IATA** EXTRACTS, AROMATIC, LIQUID
- . **Transport hazard class(es)**
- . **ADR**
- 
- . **Class** 3 (F1) Flammable liquids.
- . **Label** 3
- . **IMDG**
- 
- . **Class** 3 Flammable liquids.

(Contd. on page 8)

GB


**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.10.2011

Revision: 11.10.2011

Trade name: **BERGAMOT OIL BERGAPTENE FREE AT 167**

(Contd. of page 7)

. <b>Label</b>	3
. <b>IATA</b>	
	
. <b>Class</b>	3 Flammable liquids.
. <b>Label</b>	3
. <b>Packing group</b>	
. <b>ADR, IMDG, IATA</b>	III
. <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: (R)-p-mentha-1,8-diene, béta pinène
. <b>Marine pollutant:</b>	Yes
	Symbol (fish and tree)
. <b>Special marking (ADR):</b>	Symbol (fish and tree)
. <b>Special precautions for user</b>	Warning: Flammable liquids.
. <b>Danger code (Kemler):</b>	30
. <b>EMS Number:</b>	F-E,S-D
. <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	
	Not applicable.
. <b>Transport/Additional information:</b>	
. <b>ADR</b>	
. <b>Tunnel restriction code</b>	D/E
. <b>UN "Model Regulation":</b>	UN1169, EXTRACTS, AROMATIC, LIQUID (not viscous), ENVIRONMENTALLY HAZARDOUS, 3, III

\* **15 Regulatory information**. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.\* **16 Other information**. **Relevant phrases**

- H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.
- 
- R10 Flammable.  
R38 Irritating to skin.  
R43 May cause sensitisation by skin contact.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 11.10.2011

Revision: 11.10.2011

**Trade name: BERGAMOT OIL BERGAPTENE FREE AT 167**

(Contd. of page 8)

R65 Harmful: may cause lung damage if swallowed.

. **Department issuing MSDS:** Department Essentials Oils

. **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society).

\* Sources Sandy Sage / Technical Manager.

\* Data compared to the previous version altered.