

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

### 1 Identification of the substance/mixture and of the company/undertaking

**. Product identifier**

**. Trade name:** CAJEPUT OIL

**. Article number:** 2016

**. Relevant identified uses of the substance or mixture and uses advised against**

**. Application of the substance / the preparation** Multi uses

**. Details of the supplier of the safety data sheet**

**. Manufacturer/Supplier:**

Butterbur and Sage Ltd, Aroma House

3-5 Cremyll Road, Reading, Berkshire. U.K

TEL : + 44 (0) 01189 505100

FAX : + 44 (0) 1189 576300

e-mail : info@butterburandsage.com

**. Further information obtainable from:** Department Essential Oils

**. Emergency telephone number:** + 44 (0) 01189 505100

### 2 Hazards identification

**. Classification of the substance or mixture**

**. Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3      H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Sens. 1      H317 May cause an allergic skin reaction.

**. Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R65: Harmful: may cause lung damage if swallowed.



Xi; Sensitising

R43: May cause sensitisation by skin contact.



N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**. Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

Trade name: CAJEPUT OIL

(Contd. of page 1)

**. Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**. Label elements****. Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**. Hazard pictograms**

GHS02    GHS07    GHS08    GHS09

**. Signal word Danger****. Hazard-determining components of labelling:**

pin-2(3)-ene

béta pinène

**. Hazard statements**

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

**. Precautionary statements**

P210                    Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241                    Use explosion-proof electrical/ventilating/lighting/equipment.

P301+P310            IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353    IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P405                    Store locked up.

P501                    Dispose of contents/container in accordance with local/regional/national/international regulations.

**. Other hazards****. Results of PBT and vPvB assessment**

. **PBT:** Not applicable.

. **vPvB:** Not applicable.

### 3 Composition/information on ingredients

**. Chemical characterization: Substances****. CAS No. Description**

8008-98-8 cajeput oil

**. Identification number(s)**

. **EINECS Number:** 287-316-4

**. Chemical characterization: Mixtures****. Description:**

NCS (UVCB) Constituents Information

-

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

Trade name: CAJEPUT OIL

(Contd. of page 2)

. hazardous components:		
CAS: 470-82-6 EINECS: 207-431-5	Eucalyptol R10 ⚠ Flam. Liq. 3, H226	50-100%
CAS: 98-55-5 EINECS: 202-680-6	p-menth-1-en-8-ol ⚠ Xi R38 ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	2.5-10%
CAS: 80-56-8 EINECS: 201-291-9	pin-2(3)-ene ⚠ Xn R65; ⚠ Xi R43; ⚠ N R50/53 R10 ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1, H317	2.5-10%
CAS: 87-44-5 EINECS: 201-746-1	beta-caryophyllene ⚠ Xn R65 ⚠ Asp. Tox. 1, H304	2.5-10%
CAS: 127-91-3 EINECS: 204-872-5	béta pinène ⚠ Xn R65; ⚠ Xi R43; ⚠ N R50/53 R10 ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Sens. 1, H317	≤ 2.5%
CAS: 99-85-4 EINECS: 202-794-6	gamma terpinène ⚠ Xn R65 ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304	≤ 2.5%
CAS: 123-35-3 EINECS: 204-622-5	7-methyl-3-methyleneocta-1,6-diene ⚠ Xn R65 R10 ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; Aquatic Chronic 3, H412	≤ 2.5%
CAS: 99-87-6 EINECS: 202-796-7	p-cymene ⚠ Xn R65; ⚠ N R51/53 R10 ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411	≤ 2.5%
CAS: 586-62-9 EINECS: 209-578-0	terpinolène ⚠ Xn R65; ⚠ N R51/53 R10 ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411	≤ 2.5%

. Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

## . Description of first aid measures

## . After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air.

## . After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

**Trade name: CAJEPUT OIL**

(Contd. of page 3)

- . **After eye contact:** Rinse opened eye for several minutes under running water.
- . **After swallowing:** Inform doctor. Do not give milk or fatty oils.
- . **Information for doctor:**
- . **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- . **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- . **Extinguishing media**
- . **Suitable extinguishing agents:** CO<sub>2</sub>, powder, foam
- . **For safety reasons unsuitable extinguishing agents:** Water with full jet
- . **Special hazards arising from the substance or mixture** Carbon monoxide (CO)
- . **Advice for firefighters**
- . **Protective equipment:** No special measures required.

### 6 Accidental release measures

- . **Personal precautions, protective equipment and emergency procedures** Not required.
- . **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- . **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- . **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- . **Handling:**
- . **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- . **Information about fire - and explosion protection:** No special measures required.
- . **Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- . **Information about storage in one common storage facility:** Not required.
- . **Further information about storage conditions:** Store in the dark.
- . **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- . **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

Trade name: CAJEPUT OIL

(Contd. of page 4)

- . **Control parameters**
- . **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- . **Additional information:** The lists valid during the making were used as basis.
- . **Exposure controls**
- . **Personal protective equipment:**
- . **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.
- . **Respiratory protection:** Not required.
- . **Protection of hands:**



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- . **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
  - . **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
  - . **Eye protection:** Goggles recommended during refilling

## 9 Physical and chemical properties

### . Information on basic physical and chemical properties

#### . General Information

#### . Appearance:

Form:	Liquid
Colour:	According to product specification

. Odour:	Characteristic
----------	----------------

. Odour threshold:	Not determined.
--------------------	-----------------

. pH-value:	Not determined.
-------------	-----------------

#### . Change in condition

Melting point/Melting range:	Undetermined.
------------------------------	---------------

Boiling point/Boiling range:	Undetermined.
------------------------------	---------------

. Flash point (Pensky Martens DIN 51 758 method):	57°C
---	------

(Contd. on page 6)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

Trade name: CAJEPUT OIL

(Contd. of page 5)

<b>. Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
<b>. Self-igniting:</b>	Product is not selfigniting.
<b>. Danger of explosion:</b>	Product does not present an explosion hazard.
<b>. Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>. Vapour pressure:</b>	Not determined.
<b>. Density:</b>	Not determined.
<b>. Relative density</b>	Not determined.
<b>. Vapour density</b>	Not determined.
<b>. Evaporation rate</b>	Not determined.
<b>. Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
<b>. Segregation coefficient (n-octanol/water):</b>	Not determined.
<b>. Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>. Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- . Reactivity**
- . Chemical stability**
- . Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- . Possibility of hazardous reactions** No dangerous reactions known.
- . Conditions to avoid** No further relevant information available.
- . Incompatible materials:** No further relevant information available.
- . Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- . Information on toxicological effects**
- . Acute toxicity:**
- . Primary irritant effect:**
- on the skin:** No irritant effect.
- on the eye:** No irritating effect.
- . Sensitization:** Sensitization possible through skin contact.
- . Additional toxicological information:**
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
- Irritant
- . Sensitisation** May cause sensitisation by skin contact.

GB

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

Trade name: CAJEPUT OIL

(Contd. of page 6)

## 12 Ecological information

- . **Toxicity**
- . **Acquatic toxicity:** No further relevant information available.
- . **Persistence and degradability** No further relevant information available.
- . **Behaviour in environmental systems:**
- . **Bioaccumulative potential** No further relevant information available.
- . **Mobility in soil** No further relevant information available.
- . **Ecotoxicological effects:**
- . **Remark:** Toxic for fish
- . **Additional ecological information:**
- . **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- . **Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- . **Waste treatment methods**
- . **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . **Uncleaned packaging:**
- . **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- . **Land transport ADR/RID (cross-border)**



- . **ADR/RID class:** 3 (F1) Flammable liquids.
- . **Danger code (Kemler):** 30
- . **UN-Number:** 1169
- . **Packaging group:** III
- . **Hazard label** 3
- . **Special marking:** Symbol (fish and tree)
- . **UN proper shipping name:** 1169 EXTRACTS, AROMATIC, LIQUID (not viscous)
- . **Tunnel restriction code** D/E

(Contd. on page 8)

GB



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.04.2011

Revision: 14.04.2011

Trade name: CAJEPUT OIL

(Contd. of page 7)

**. Maritime transport IMDG:**

- . **IMDG Class:** 3
- . **UN Number:** 1169
- . **Label** 3
- . **Packaging group:** III
- . **EMS Number:** F-E,S-D
- . **Marine pollutant:** Yes  
Symbol (fish and tree)
- . **Proper shipping name:** EXTRACTS, AROMATIC, LIQUID

**. Air transport ICAO-TI and IATA-DGR:**

- . **ICAO/IATA Class:** 3
- . **UN/ID Number:** 1169
- . **Label** 3
- . **Packaging group:** III
- . **Proper shipping name:** EXTRACTS, AROMATIC, LIQUID

- . **UN "Model Regulation":** UN1169, EXTRACTS, AROMATIC, LIQUID, 3, III
- . **Environmental hazards:** Product contains environmentally hazardous substances: pin-2(3)-ene
- . **Special precautions for user** Warning: Flammable liquids.
- . **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

\* **15 Regulatory information**

- . **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

\* **16 Other information****. Relevant phrases**

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- R10 Flammable.
- R38 Irritating to skin.
- R43 May cause sensitisation by skin contact.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 14.04.2011

Revision: 14.04.2011

**Trade name: CAJEPUT OIL**

(Contd. of page 8)

*R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

*R65 Harmful: may cause lung damage if swallowed.*

. **Department issuing MSDS:** Department Essentials Oils

. **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)*

*ICAO: International Civil Aviation Organization*

*ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)*

*GHS: Globally Harmonized System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

. **Sources** Sandy Sage/ Technical Manager

. \* **Data compared to the previous version altered.**

GB