

**1 Identification of the substance/mixture and of the company/undertaking**

**Product identifier.**

**Trade name:** GERANIUM OIL BOURBON OIL

Relevant identified uses of the substance or mixture and uses advised against.

Application of the substance / the preparation Multi uses

Details of the supplier of the safety data sheet.

Manufacturer/Supplier:

Butterbur and Sage Ltd,

Aroma House, 3-5 Cremyll Road, Reading, Berkshire, RG1 8NQ

Tel: + 44 (0) 1189 505100

Fax: + 44 (0) 1189 576300

e-mail : [info@butterburandsage.com](mailto:info@butterburandsage.com)




Further information obtainable from: Department Essential Oils.

Emergency telephone number + 44 (0) 1189 505100




**2 Hazards identification**

Classification of the substance or mixture.

Classification according to Regulation (EC) No 1272/2008

 GHS05 corrosion	
Eye Dam. 1	H318 Causes serious eye damage
 GHS09 environment	
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects
 GHS07	
Skin Sens. 1	H317 May cause an allergic skin reaction.
Skin Irrit. 2	H315 Causes skin irritation.

**Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

 Xi; Irritant
R38-41: Irritating to skin. Risk of serious damage to eyes.
 Xi; Sensitising
R43: May cause sensitisation by skin contact.
 N; Dangerous for the environment
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment..

**Information concerning particular hazards for human and environment**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version..

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Safety data sheet  
according to 1907/2006/EC, Article 31

Page 2/8

Printing date 31.01.2011

Revision: 31.01.2011

**Trade name: GERANIUM OIL BOURBON OIL**

**Label elements.**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation..

**Hazard pictograms**



GHS05



GHS07



GHS09

**Signal word Danger.**

**Hazard-determining components of labelling:**

Geraniol  
Citronellol  
Citral

**Hazard statements**

H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards.**

Results of PBT and vPvB assessment.  
PBT: Not applicable..  
vPvB: Not applicable.

**3 Composition/information on ingredients**

**Chemical characterization: Mixtures**

**Description: NCS (UVCB) Constituents information**

CAS: 106-22-9 EINECS: 203-375-0	Citronellol	25%
	Xi R38:  Xi R43  N R51/53	
	Aquatic Chronic 2, H411  Skin Irrit. 2, H315;  Skin Sens. 1, H317	
CAS: 106-24-1 EINECS: 203-377-1	Geraniol	20%
	Xi R38-41:  Xi R43	
	Eye Dam. 1, H318;  Skin Sens. 1, H317;  Skin Irrit. 2, H315	
CAS: 78-70-6 EINECS: 201-134-4	Linalool	10%
	Xi R38 Skin Irrit. 2, H315	
	Skin Irrit. 2, H315	



















**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Page 3/8

Printing date 31.01.2011

Revision: 31.01.2011

**Trade name: GERANIUM OIL BOURBON OIL**

CAS: 89-80-5 EINECS: 201-941-1	Menthone	10%
	R52/53 Aquatic Chronic 3, H412	
CAS: 5392-40-5 EINECS: 226-39-6	Citral	2%
	 Xi R38;  Xi R43  Skin Irrit. 2, H315;  Skin Irrit. 1 H317	
CAS: 80-56-8 EINECS: 201-291-9	pin-2(3)-ene	1%
	 Xn R65;  Xi R43;  N R50/53 R10  Flam. Liq. 3, H226;  Asp. Tox. 1, H304;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410;  Skin Irrit. 1 H317	
CAS: 5989-27-5 EINECS: 227-813-5	R-p-mentha-1,8-diene	1%
	 Xi R38;  Xi R43;  N R50/53 R10  Flam. Liq. 3, H226;  Aquatic Acute 1, H400; Aquatic Chronic 1, H410,  Skin Irrit. 2, H315;  Skin Irrit. 1 H317	

**Additional information: For the wording of the listed risk phrases refer to section 16.**

#### 4 First aid measures

##### Description of first aid measures.

###### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation

.Supply fresh air.

###### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor..

**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor..

**After swallowing:** Inform doctor. Do not give milk or fatty oils..

###### Information for doctor:.

**Most important symptoms and effects, both acute and delayed.** No further relevant information available..

###### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

Extinguishing media.

Suitable extinguishing agents: CO2, powder, foam.

For safety reasons unsuitable extinguishing agents: Water with full jet.

Special hazards arising from the substance or mixture Carbon monoxide (CO).

Advice for fire fighters.

Protective equipment: No special measures required.

Safety data sheet  
according to 1907/2006/EC, Article 31

Page 4/8

Printing date 31.01.2011

Revision: 31.01.2011

**Trade name: GERANIUM OIL BOURBON OIL**

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Not required..

**Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water..

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation..

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage**

**Handling:**

**Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required..

Conditions for safe storage, including any incompatibilities.

**Storage:**

Requirements to be met by storerooms and receptacles Store only in unopened original receptacles..

**Information about storage in one common storage facility:** Not required..

**Further information about storage conditions :** Store in the dark..

Specific end use(s) No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical facilities:** No further data; see item 7.

**Control parameters.**

**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace..

**Additional information:** The lists valid during the making were used as basis..

**Exposure controls.**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin..

**Respiratory protection:** Not required..

**Trade name: GERANIUM OIL BOURBON OIL**

**Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.  
.Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application..

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed..

**Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

<b>Information on basic physical and chemical properties</b>	
<b>General Information</b>	
Appearance:	
Form:	Liquid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Flash point (Pensky Martens DIN 51 758 method):64°C	
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard
Density: at 20 °C	0.884 –0.892g/cm <sup>3</sup>
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Other information	No further relevant information available.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Page 6/8

Printing date 31.01.2011

Revision: 31.01.2011

**Trade name: GERANIUM OIL BOURBON OIL**

**10 Stability and reactivity**

**Reactivity.**

**Chemical stability.**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications..

**Possibility of hazardous reactions:** No dangerous reactions known..

**Conditions to avoid:** No further relevant information available..

**Incompatible materials:** No further relevant information available..

**Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

**Information on toxicological effects.**

Acute toxicity:.

Primary irritant effect:.

**on the skin:** Irritant to skin and mucous membranes..

**on the eye:** Strong irritant with the danger of severe eye injury..

**Sensitization:** Sensitization possible through skin contact..

**Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

**Irritant.**

**Sensitisation** May cause sensitisation by skin contact.

**12 Ecological information**

**Toxicity.**

**Acquatic toxicity:** No further relevant information available..

**Persistence and degradability** No further relevant information available..

**Behaviour in environmental systems:.**

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available..

**Ecotoxicological effects:.**

**Remark:** Toxic for fish.

**Additional ecological information:.**

**General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms.

**Results of PBT and vPvB assessment.**

**PBT: Not applicable..**

**vPvB: Not applicable..**

**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods.**

**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system..

**Uncleaned packaging:.**

Recommendation: Disposal must be made according to official regulations.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Page 7/8



Printing date 31.01.2011

Revision: 31.01.2011


**Trade name: GERANIUM OIL BOURBON OIL**

**14 Transport information**



**Land transport ADR/RID (cross-border)**

 	
ADR/RID class:	9 (M6) Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90
UN-Number:	3082
Packaging group:I	III
Hazard label:	9
Special marking::	Symbol (fish and tree)
UN proper shipping name:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Citronellol)
Tunnel restriction code:	E

**Maritime transport IMDG:**

	
IMDG Class:	9
UN Number:	3082
Label	9
Packaging group:	III
Marine pollutant:	No
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Geranium Egyptian Oil)

**Air transport ICAO-TI and IATA-DGR:**

 	
ICAO/IATA Class:	9
UN/ID Number:	3082
Label	9
Special marking:	Symbol (fish and tree)
Packaging group:	III
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. . (Geranium Egyptian Oil)

**UN "Model Regulation"**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III.

**Special precautions for user** Warning: Miscellaneous dangerous substances and articles..

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Page 8/8

Printing date 31.01.2011

Revision: 31.01.2011

**Trade name: GERANIUM OIL BOURBON OIL**

**15 Regulatory information**

**16 Other information**

**Relevant phrases**

- H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.
- R10 Flammable.  
R38 Irritating to skin.  
R41 Risk of serious damage to eyes.  
R43 May cause sensitisation by skin contact.  
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65 Harmful: may cause lung damage if swallowed..

**Department issuing MSDS: Department Essentials Oils.**

**Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
CAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society).

Sources Sandy Sage / Technical Manager.

\* Data compared to the previous version altered.