

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

### 1 Identification of the substance/mixture and of the company/undertaking

**. Product identifier**

**. Trade name:** THYME WHITE

**. Article number:** 2113

**. Relevant identified uses of the substance or mixture and uses advised against**

**. Application of the substance / the preparation** Multi uses

**. Details of the supplier of the safety data sheet**

**. Manufacturer/Supplier:**

Butterbur and Sage, Aroma House

3-5 Cremyll Road, Reading, Berkshire, RG1 8NQ

TEL : + 44 (0)1189 505100

FAX : +44(0)1189 576300

e-mail : info@butterburandsage.com

**. Further information obtainable from:** Department Essential Oils

**. Emergency telephone number:** + 44(0)1189 505100

### 2 Hazards identification

**. Classification of the substance or mixture**

**. Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3      H226 Flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS05 corrosion

Skin Corr. 1B      H314 Causes severe skin burns and eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4      H302 Harmful if swallowed.

Skin Sens. 1      H317 May cause an allergic skin reaction.

**. Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



C; Corrosive

R34: Causes burns.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

Trade name: **THYME WHITE**

(Contd. of page 1)

**Xn; Harmful**

R22-65: Harmful if swallowed. Harmful: may cause lung damage if swallowed.

**Xi; Sensitising**

R43: May cause sensitisation by skin contact.

**N; Dangerous for the environment**

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10: Flammable.

**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS02

GHS05

GHS07

GHS08

GHS09

**Signal word Danger****Hazard-determining components of labelling:**

thymol

p-cymene

carvacrol

(R)-p-mentha-1,8-diene

**Hazard statements**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

Trade name: **THYME WHITE**

(Contd. of page 2)

- . Other hazards
- . Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.

### 3 Composition/information on ingredients

- . Chemical characterization: Mixtures
- . Description: NCS (UVCB) Constituents Information

#### . hazardous components:

CAS: 89-83-8 EINECS: 201-944-8	thymol  C R34;  Xn R22;  N R51/53  Skin Corr. 1B, H314;  Aquatic Chronic 2, H411;  Acute Tox. 4, H302	25-50%
CAS: 99-87-6 EINECS: 202-796-7	p-cymene  Xn R65;  N R51/53 R10  Flam. Liq. 3, H226;  Asp. Tox. 1, H304;  Aquatic Chronic 2, H411	25-50%
CAS: 99-85-4 EINECS: 202-794-6	gamma terpinène  Xn R65 R10  Flam. Liq. 3, H226;  Asp. Tox. 1, H304	2.5-10%
CAS: 78-70-6 EINECS: 201-134-4	Linalool  Xi R38  Skin Irrit. 2, H315;  Eye Irrit. 2, H319	2.5-10%
CAS: 499-75-2 EINECS: 207-889-6	carvacrol  Xn R22;  Xi R38;  Xi R43  Acute Tox. 4, H302;  Skin Irrit. 2, H315;  Eye Irrit. 2, H319;  Skin Sens. 1, H317	2.5-10%
CAS: 5989-27-5 EINECS: 227-813-5	(R)-p-mentha-1,8-diene  Xi R38;  Xi R43;  N R50/53 R10  Flam. Liq. 3, H226;  Aquatic Acute 1, H400;  Aquatic Chronic 1, H410;  Skin Irrit. 2, H315;  Skin Sens. 1, H317	2.5-10%
CAS: 80-56-8 EINECS: 201-291-9	pin-2(3)-ene  Xn R65;  Xi R38;  Xi R43 R10  Flam. Liq. 3, H226;  Asp. Tox. 1, H304;  Skin Irrit. 2, H315;  Skin Sens. 1, H317	2.5-10%
CAS: 123-35-3 EINECS: 204-622-5	7-methyl-3-methyleneocta-1,6-diene  Xn R65;  Xi R38 R10  Flam. Liq. 3, H226;  Asp. Tox. 1, H304;  Skin Irrit. 2, H315;  Eye Irrit. 2, H319	≤ 2.5%
CAS: 79-92-5 EINECS: 201-234-8	camphene  Xi R36;  F R11;  N R50/53  Flam. Sol. 2, H228;  Aquatic Acute 1, H400;  Aquatic Chronic 1, H410;  Eye Irrit. 2, H319	≤ 2.5%

(Contd. on page 4)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

**Trade name: THYME WHITE**

(Contd. of page 3)

CAS: 507-70-0 EINECS: 208-080-0	DL-borneol F R11 Flam. Sol. 2, H228	≤ 2.5%
CAS: 87-44-5 EINECS: 201-746-1	beta-caryophyllene Xn R65 Asp. Tox. 1, H304	≤ 2.5%
CAS: 7212-44-4 EINECS: 230-597-5	3,7,11-trimethyldodeca-1,6,10-trien-3-ol, mixed isomers N R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319	≤ 2.5%
CAS: 127-91-3 EINECS: 204-872-5	béta pinène Xn R65; Xi R38; Xi R43 R10 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	≤ 2.5%

**. Additional information:** For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

**. Description of first aid measures**

**. General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**. After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air.

**. After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

**. After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

**. After swallowing:**

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Inform doctor. Do not give milk or fatty oils.

**. Information for doctor:**

**. Most important symptoms and effects, both acute and delayed** No further relevant information available.

**. Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

#### 5 Firefighting measures

**. Extinguishing media**

**. Suitable extinguishing agents:**

CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

CO<sub>2</sub>, powder, foam

**. For safety reasons unsuitable extinguishing agents:**

Water

Water with full jet

**. Special hazards arising from the substance or mixture** Carbon monoxide (CO)

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

**Trade name: THYME WHITE**

(Contd. of page 4)

- . **Advice for firefighters**
- . **Protective equipment:** No special measures required.

### 6 Accidental release measures

- . **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- . **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- . **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- . **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- . **Handling:**
- . **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- . **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.
- . **Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- . **Information about storage in one common storage facility:** Not required.
- . **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Protect from heat and direct sunlight.  
Store in the dark.
- . **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- . **Additional information about design of technical facilities:** No further data; see item 7.
- . **Control parameters**
- . **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- . **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 6)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

Trade name: **THYME WHITE**

(Contd. of page 5)

- . **Exposure controls**
- . **Personal protective equipment:**
- . **General protective and hygienic measures:**  
*Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Avoid contact with the eyes and skin.*
- . **Respiratory protection:** *Not required.*
- . **Protection of hands:**



Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/  
 the chemical mixture.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

- . **Material of gloves**  
*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*
- . **Penetration time of glove material**  
*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- . **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- |  |                                    |
|--|------------------------------------|
| . <b>Information on basic physical and chemical properties</b> |                                    |
| . <b>General Information</b>                                   |                                    |
| . <b>Appearance:</b>   |                                    |
| Form:  | Liquid                             |
| Colour:  | According to product specification |
| . <b>Odour:</b> Characteristic                                 |                                    |
| . <b>Change in condition</b>                                   |                                    |
| Melting point/Melting range:                                   | Undetermined.                      |
| . <b>Flash point (Pensky Martens DIN 51 758 method):</b> 52°C  |                                    |
| . <b>Flammability (solid, gaseous):</b> Not applicable.        |                                    |
| . <b>Ignition temperature:</b>                                 |                                    |
| Decomposition temperature:                                     | Not determined.                    |

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

Trade name: **THYME WHITE**

(Contd. of page 6)

. <b>Self-igniting:</b>	Product is not selfigniting.
. <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
. <b>Density:</b> Evaporation rate	Not determined.
. <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
. <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- . **Reactivity**
- . **Chemical stability**
- . **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- . **Possibility of hazardous reactions** No dangerous reactions known.
- . **Conditions to avoid** No further relevant information available.
- . **Incompatible materials:** No further relevant information available.
- . **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- . **Information on toxicological effects**
- . **Acute toxicity:**
- . **Primary irritant effect:**
- . **on the skin:** Caustic effect on skin and mucous membranes.
- . **Sensitization:** Sensitization possible through skin contact.
- . **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Harmful  
Corrosive  
Irritant  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### 12 Ecological information

- . **Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **Persistence and degradability** No further relevant information available.
- . **Behaviour in environmental systems:**
- . **Bioaccumulative potential** No further relevant information available.
- . **Mobility in soil** No further relevant information available.
- . **Ecotoxicological effects:**
- . **Remark:** Toxic for fish
- . **Additional ecological information:**
- . **General notes:**  
Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

Trade name: **THYME WHITE**

(Contd. of page 7)

Must not reach sewage water or drainage ditch undiluted or unneutralized.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

. **Results of PBT and vPvB assessment**. **PBT:** Not applicable.. **vPvB:** Not applicable.. **Other adverse effects** No further relevant information available.**13 Disposal considerations**. **Waste treatment methods**. **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

. **Uncleaned packaging:**. **Recommendation:** Disposal must be made according to official regulations.**14 Transport information**. **UN-Number**. **ADR, IMDG, IATA**

UN2924

. **UN proper shipping name**. **ADR**2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (alpha-PINENE, thymol), ENVIRONMENTALLY HAZARDOUS  
FLAMMABLE LIQUID, CORROSIVE, N.O.S. (alpha-PINENE, thymol), MARINE POLLUTANT. **IMDG**. **IATA**

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (alpha-PINENE, thymol)

. **Transport hazard class(es)**. **ADR**. **Class**

3 (FC) Flammable liquids.

. **Label**

3+8

. **IMDG**. **Class**

3 Flammable liquids.

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.08.2012

Revision: 16.08.2012

Trade name: **THYME WHITE**

(Contd. of page 8)

. Label	3+8
. IATA	
. Class	3 Flammable liquids.
. Label	3+8
. Packing group	
. ADR, IMDG, IATA	III
. Environmental hazards:	Product contains environmentally hazardous substances: (R)-p-mentha-1,8-diene, pin-2(3)-ene
. Marine pollutant:	Yes
	Symbol (fish and tree)
. Special marking (ADR):	Symbol (fish and tree)
. Special precautions for user	Warning: Flammable liquids.
. Danger code (Kemler):	38
. EMS Number:	F-E,S-C
. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
	Not applicable.
. Transport/Additional information:	
. ADR	
. Tunnel restriction code	D/E
. UN "Model Regulation":	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (alpha-PINENE, thymol), ENVIRONMENTALLY HAZARDOUS, 3 (8), III

### 15 Regulatory information

. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

. **Relevant phrases**

- H226 Flammable liquid and vapour.
- H228 Flammable solid.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- R10 Flammable.

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 16.08.2012

Revision: 16.08.2012

**Trade name: THYME WHITE**

(Contd. of page 9)

*R11 Highly flammable.*

*R22 Harmful if swallowed.*

*R34 Causes burns.*

*R36 Irritating to eyes.*

*R38 Irritating to skin.*

*R43 May cause sensitisation by skin contact.*

*R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

*R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

*R65 Harmful: may cause lung damage if swallowed.*

**. Department issuing MSDS: Department Essentials Oils**

**. Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonized System of Classification and Labelling of Chemicals*

**. Sources Sandy Sage / Technical Manager**

GB