

# CONSTRUCTION PRODUCTS REGULATION DECLARATION OF PERFORMANCE

No ...1... CPR 07-2013

- 1 Identification Code: Insulating Glass Unit
- 2 Serial Number: Annealed Glass
- 3 Intended Use: Glass in Building & Construction
- 4 Manufacturer: Diamond Cut Glass Ltd  
24C Morelands Trading Estate, Bristol Road  
Gloucester. GL1 5RZ
- 5 Authoriised representative: Not applicable
- 6 Assessment & verification of constancy performance: System 3
- 7 Relevant harmonised standard: EN1279-5:2005+A2:2010

BSI NB 0086 carried out Part 2 Type Test and issued Report No371/7602684  
TUV Rheinland NB 0336 & 1750 carried out Part 3 Gas Leakage test and  
issued Report No. 11032R-10.29208

8 European Technical Assessment: Not applicable


## 9 Declared Performance

Essential Requirement	Declared Performance	Harmonised Standard
Resistance to fire	NPD	EN1279-5: 2005+A2:2010
Reaction to fire	NPD	
Bullet Resistance	NPD	
Explosion Resistance	NPD	
Burglar resistance	NPD	
Pendulum Body Impact	NPD	
Mechanical resistance: Temperature	NPD	
Imposed Load	NPD	
Radiation Performance: Solar	NPD	
Light transmittance	NPD	
Thermal performance	Better than $1.7 \text{ W}/(\text{m}^2.\text{K}) <$	

Specific Technical Documentation: Not applicable

10 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed on behalf of: Diamond Cut Glass Ltd



Date: 1st July 2013

Director

# CONSTRUCTION PRODUCTS REGULATION DECLARATION OF PERFORMANCE

No ...2... CPR 07-2013

- 1 Identification Code                      Insulating Glass Unit
- 2 Serial Number:                            Toughened Glass
- 3 Intended Use:                              Glass in Building & Construction
- 4 Manufacturer:                              Diamond Cut Glass Ltd  
24C Morelands Trading Estate, Bristol Road  
Gloucester. GL1 5RZ
- 5 Authorised representative:              Not applicable
- 6 Assessment & verification of constancy performance:                      System 3
- 7 Relevant harmonised standard:    EN1279-5:2005+A2:2010

BSI NB 0086 carried out Part 2 Type Test and issued Report No371/7602684  
TUV Rheinland NB 0336 & 1750 carried out Part 3 Gas Leakage test and  
issued Report No. 11032R-10.29208

8 European Technical Assessment: Not applicable


## 9 Declared Performance

Essential Requirement	Declared Performance	Harmonised Standard
Resistance to fire	NPD	EN1279-5: 2005+A2:2010
Reaction to fire	NPD	
Bullet Resistance	NPD	
Explosion Resistance	NPD	
Burglar resistance	NPD	
Pendulum Body Impact	1 ( C ) 3	
Mechanical resistance: Temperature	NPD	
Imposed Load	NPD	
Radiation Performance: Solar Light transmittance	NPD NPD	
Thermal performance	Better than 1.7 W/(m2.K) <	

Specific Technical Documentation:              Not applicable

10 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed on behalf of: Diamond Cut Glass Ltd



Date:    1st July 2013

Director