

SAFETY DATA SHEET CCC DEVIL'S MIST FALLOUT REMOVER & WHEEL CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CCC DEVIL'S MIST FALLOUT REMOVER & WHEEL CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fallout remover for alloy wheels.

Uses advised against This product is not recommended for any other purpose than stated above.

1.3. Details of the supplier of the safety data sheet

Supplier

THE CLAY CLOTH COMPANY 7 ALFORD GARDENS MYDDLE SHROPSHIRE SY4 3RG UNITED KINGDOM TEL: 07811 594987 info@theclayclothcompany.co.uk

Contact person

Mike Archer

1.4. Emergency telephone number

Emergency telephone

As Above - Opening Hours 9 am - 6 pm (Monday - Friday)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC/1272/2008)

Health hazards Acute Tox. 4 - H302 Skin Sens. 1 - H317

Environmental hazards

Not Classified

Warning

2.2. Label elements

Pictogram



Signal word

Hazard statements

H302 Harmful if swallowed. H317 May cause an allergic skin reaction.

Precautionary statements	 P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label). P330 Rinse mouth. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
Contains	Sodium Mercaptoacetate
Detergent labelling	< 5% non-ionic surfactants
Supplementary propositionary	P272 Contominated work alothing abould not be allowed out of the workplace

Supplementary precautionary P272 Contaminated work clothing should not be allowed out of the workplace. statements

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures Sodium Mercaptoacetate 10-30% CAS number: ----Classification Classification (67/548/EEC or 1999/45/EC) Met. Corr. 1 - H290 Xn;R21/22. R43.

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Sens. 1 - H317

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Take off contaminated clothing and shoes immediately.
Inhalation	If inhaled, remove to fresh air. Oxygen, if needed. If symptoms persist, call a physician.
Ingestion	Rinse mouth thoroughly with water. If conscious, give the victim plenty of water to drink. Induce vomiting immediately and call a physician. Hold person's head low, to prevent aspiration (inhalation into the windwipe). If accidentally swallowed obtain immediate medical attention.
Skin contact	Wash immediately with plenty of water.
Eye contact	Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.
4.2. Most important symptoms and effects, both acute and delayed	

General information

The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation

Irritation causing coughing. Possible resorption by mucous membrane.

CCC DEVIL'S MIST FALLOUT REMOVER & WHEEL CLEANER

Ingestion	Headache. Dizziness. Tiredness. Stomach and intestinal symptoms.	
Skin contact	Irritation, sensitization.	
Eye contact	Conjunctivitis.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	This substance is a toxic and neutral (ph) salt. Elimination is therefore the main aim of treatment. Irritated areas of skin can be treated with corticosteroids. Due to its non-corrosive nature, elimination can be achieved through immediate vomiting or irrigation of the stomach if the chemical is ingested. It is helpful to give the person powdered carbon afterwards. Take preventative measures against aspiration (intubation if necessary). Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Carbon dioxide (CO2). Foam. Water spray.	
5.2. Special hazards arising from the substance or mixture		
Hazardous combustion products	Exposure to decomposition products may be a hazard to health. Hazardous decomposition products formed under fire conditions: Nitrogen oxides (NOx) Carbon monoxide Sulphur oxides	
5.3. Advice for firefighters		
Protective actions during firefighting	Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Prevent fire extinguishing water from contaminating surface water or the ground water system.	
Special protective equipment for firefighters	In the event of a fire, wear self-contained breathing apparatus. Use personal protective equipment.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin and eyes. For personal protection, see Section 8. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
6.2. Environmental precautions	<u>}</u>	

- Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. To prevent release, place container with damaged side up. Must not get into the soil, sewerage systems and surface water.
- 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Treat recovered material as described in the section "Disposal considerations".

6.4. Reference to other sections

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Usage precautions Good personal hygiene procedures should be implemented. Use only in area provided with appropriate exhaust ventilation. Handle and open container with care. Avoid contact with skin and eyes. Ensure that eye flushing systems and safety showers are located close to the working place. Smoking, eating and drinking should be prohibited in the application area. Exposure controls. Advice on protection against fire and explosion: Avoid overheating. 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store at room temperature in the original container. Store between 5 and 25 degrees C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers of polyethylene, polypropylene stove-enamelled steel, glass. Use PTFE seals. Further information on storage conditions: Store in accordance with the particular national regulations. Advice on common storage: Keep away from oxidising agents and strongly acid or alkaline materials. Keep away from food, drink and animal feedingstuffs. Storage class Chemical storage. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. SECTION 8: Exposure Controls/personal protection 8.1. Control parameters Ingredient comments No exposure limits known for ingredient(s). 8.2. Exposure controls

Protective equipment



Appropriate engineering Ensure adequate ventilation of the working area. controls

Eye/face protection

Tightly fitting safety goggles. Wear eye/face protection.

Hand protection	The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Protective gloves:
	Nitrile latex / Layer thickness 0,4mm / Break through time > 480 min (level 6) / EN 374
	Polychloroprene / Layer thickness 0,4mm / Break through time > 480min (level 6) / EN 37403
	General recommendation: the usage time for protective gloves is approx. 50% of the breakthrough time measured in the laboratory.
Other skin and body Wear protection	closed work/protective clothing. When filling and refilling outside a closed system, additionally put on aprons made of polyethylene (PE).
Respiratory protection In th	hands before breaks and at the end of workday. Preventive skin protection General industrial hygiene practice Keep working clothes separately Take off contaminated clothing and shoes immediately. Do not eat, drink or smoke when using this product. Avoid contact with the skin and the eyes. Regular cleaning of equipment, work area and clothing. Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice. Exposure contols he case of insufficient exhaustion/ventilation, suitable respiratory equipment should be used. Recommended Filter type: gas filter type A Follow the instructions for use issued by the producer. ust not get into the soil, sewerage systems and surface water. In the event of contamination, notify the responsible authorities.
SECTION 9: Physical and Chemical Properties	
9.1. Information on basic phy	vical and chemical properties
Appearance	Clear liquid.
Colour	Colourless.
Odour	Characteristic.
рН	pH (concentrated solution): ~5
Relative density	~ 1
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	No relevant information available.
SECTION 10: Stability and reactivity	
10.1. Reactivity	

Reactivity

No information available

10.2. Chemical stability

CCC DEVIL'S MIST FALLOUT REMOVER & WHEEL CLEANER

Stability	No information available.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Not available.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat.	
10.5. Incompatible materials		
Materials to avoid	Incompatible with oxidizing agents.	
10.6. Hazardous decompositio	n products_	
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	ical effects	
Acute toxicity - oral		
ATE oral (mg/kg)	1,900.4903265	
Acute toxicity - dermal		
ATE dermal (mg/kg)	7,601.96130602	
General information	The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful	
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.	
Ingestion	Harmful if swallowed.	
Skin contact	Harmful in contact with skin. May cause sensitisation by skin contact.	
Eye contact	Irritating to eyes. May cause severe eye irritation.	
Acute and chronic health hazards	Product has a defatting effect on skin.	
Route of entry	Ingestion. Skin and/or eye contact	
Medical symptoms	No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.	
Medical considerations	Skin disorders and allergies.	
Toxicological information on ingredients.		
Sodium Mercaptoacetate		
Tania da sia da si		

Toxicological effects	Acute Toxicity:	
	Oral: LD50: 200	

Oral: LD50: 200-500 mg/kg Species: Rat Method: OECD 423 Dermal Toxicity: LD50L 1.000-2.000 mg/kg Species: Rat Method: OECD 402

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	500.0
Species	Rat
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.0
Species	Rat
ATE dermal (mg/kg)	2,000.0
Skin corrosion/irritation	
Animal data	Skin irritation: Result: Irritating Species: Rabbit Method: OECD 404 Remarks: result not relevant to classification
Serious eye damage/irritati	on
Serious eye damage/irritation	Eye irritation: Result: Mild eye irritation Species: rabbit Method: OECD 405
Skin sensitisation	
Skin sensitisation	May cause sensitisation by skin contact. Sensitisation: Result: Causes sensitisation Species: mouse Method: OECD 429
Reproductive toxicity	
Reproductive toxicity - fertility	Reproductive toxicity: Species: rat Method: OECD 421 Note: NOAEL = 20 mg/kg/day
12: Ecological Information	Species: rat Method: OECD Test Guideline 416 Note: NOAEL = 20 mg/kg/day

SECTION 12: Ecological Information

Ecotoxicity

Not classified as dangerous to the environment.

12.1. Toxicity

Ecological information on ingredients.

Sodium Mercaptoacetate

CCC DEVIL'S MIST FALLOUT REMOVER & WHEEL CLEANER

Toxicity

Toxicity to fish: LC50 (48h): 880 mg/l Species: Leuciscus idus Method: DIN 38412 / 15

LC50: (96 h): >100 mg/l Species: Oncorhynchus mykiss Method: OECD 203

Toxicity to daphnia: EC50 (48 h): 38 mg/l Species: Daphnia magna Method: 84/449/EEC

Toxicity to algae: EC50 (72 h): 13 mg/l Species: Pseudokirchneriella subcapitata Method: OECD 201

12.2. Persistence and degradability

Persistence and degradability The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

Sodium Mercaptoacetate

is readily

Persistence and degradability	The product is easily biodegradable. Biodegradability: Result: Biodegradable (100% / 14 d) Method: OECD 301C
	Result: Biodegradable (70% / 14 d)
	Method: OECD 301D
	Note: The 10 day time window criterion is not fulfilled
	Result: Readily biodegradable (67% / 28 d) Method: OECD 301D
	Result: According to the results of tests of biodegradability this product i biodegradable.
12.3. Bioaccumulative potential	
Easteriant information on ingredients	

Ecological information on ingredients. Sodium Mercaptoacetate

> Bioaccumulative potential Partition coefficient: n-octanol/water: log Pow: -2,99 at 20 degrees C Method: OECD Test Guideline 107

Bioaccumulation: Remarks: No evidence of bioaccumulation (log pOW)

12.4. Mobility in soil

CCC DEVIL'S MIST FALLOUT REMOVER & WHEEL CLEANER

Ecological information on ingredients.

Sodium Mercaptoacetate

Mobility

No supplementary information available.

12.5. Results of PBT and vPvB assessment

Ecological information on ingredients.

Sodium Mercaptoacetate

Results of PBT and vPvB No additional information available. assessment

12.6. Other adverse effects

Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	The packaging must be empty (drop-free when inverted).
Disposal methods	Waste from residues / unused products: Can be incinerated, when in compliance with local regulations. Avoid release to the environment. This material and its container must be disposed of as hazardous waste.
	Disposal of contaminated packaging:
	This material and its container must be disposed of as hazardous waste.
	Suitable cleaning agents: Water
	Waste Code:
	16 05 08: discarded organic chemicals consisting of or containing dangerous substances.
	Additional advice:
	The allocation of waste key numbers must be conducted according to specific industrial sectors and processes.
	Above-mentioned waste code number is valid for the unused product. Obtain approval of the relevant authorities before discharging into a sewage treatment plant.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID). No transport warning sign required.

14.1. UN number

No information required. 14.2. UN proper shipping name Not applicable. 14.3. Transport hazard

class(es) Not applicable.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.
EU legislation	Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40. Approved Classification and Labelling Guide (Sixth edition) L131.
Health and environment listings	al Regulation (EC) 689/2008 of the European Parliament and of the Council of 17 June 2008 concerning the export and import of dangerous chemicals (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
General information	PLEASE NOTE: The risk phrases itemised below are those relating to concentrated forms of the raw materials used in this product and are not necessarily applicable to the finished item. Please see Section 2 for the current classification of this product.
Revision date	27/04/2015
Revision	1
Risk phrases in full	R36/38 Irritating to eyes and skin.
Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

The information provided in this document is based on our present state of knowledge of the product and is given in good faith and to the best of our experience. However, it should not be construed as a technical specification or as guaranteeing specific properties, accuracy, reliability or completeness. In no event we will be responsible for damages or effects of any nature whatsoever, either express or implied, resulting from the use of this information. It is the own responsibility of the consignee and the user of the product to comply with all prevailing and applicable laws, regulations and directives. They should also make their own determination as to the suitability of the product for a particular use or application by carrying out a full risk assessment of their specific processes and systems of work. All information contained within this document is for the product in it's undiluted state and relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated.

11/11